



B.I.G.
CONSULTING
INC.

PHASE ONE
ENVIRONMENTAL SITE
ASSESSMENT

3064 Trafalgar Road, Oakville, Ontario

Client

Distrikt Capital
1-90 Wingold Avenue
Toronto, Ontario, M6B 1P5

Project Number

BIGC-ENV-397C

Prepared By:

B.I.G. Consulting Inc
12-5500 Tomken Road
Mississauga, Ontario, L4W 2Z4
T: 416.214.4880
www.bigconsultinginc.com

Date Submitted

August 27, 2020

Executive Summary

B.I.G. Consulting Inc. (BIG) was retained by Distrikt Capital (Client), to complete a Phase One Environmental Site Assessment (ESA) at 3064 Trafalgar Road, Oakville, Ontario (Site), as shown on Figure 1. The property is currently used for residential land use. The objective of the investigation was to support the filing of a Record of Site Condition (RSC) in accordance with Ontario Regulation 153/04 (O.Reg.153/04), as amended. It is BIG's understanding that the Site will be redeveloped to two (2) high-rise residential buildings with five (5) levels of underground basement in the future.

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with O.Reg.153/04 and in accordance with generally accepted professional practices.

The Site is located north of Dundas Street West and west of Trafalgar Road in Oakville, Ontario. The Site location plan is shown on Figure 1. The Site measures approximately 7,500 m² in size and is currently occupied by a one (1)-storey building (Site building). The Site building has a footprint of approximately 50 m² and occupy approximately 1 % of the Site. The Site building was likely constructed in the 1960s. The areas surrounding the Site building are covered with gravel, grass and shrubs.

Please note that general environmental management and housekeeping practices were reviewed as part of this assessment insofar as they could impact the environmental condition of the Site. However, a detailed review of regulatory compliance issues was beyond the scope of the investigation. This Phase One ESA does not constitute an audit of environmental management practices.

A total of six (6) PCAs were identified at the Site, none of which were considered as APECs, as they were either located at a significant distance from the Site or were located hydraulically downgradient or trans-gradient to the Site. Therefore, there are no APECs associated with the Site.

Based on the findings and conclusions of this Phase One ESA, a Phase Two ESA is not required to assess the soil and groundwater conditions at the Site.

This executive summary is a brief synopsis of the report and should not be read in lieu of reading the report in its entirety.

Table of Contents

1.	Introduction	1
1.1	Site Information.....	1
2.	Scope of Investigation	2
3.	Records Review	3
3.1	General	3
3.1.1	Phase One Study Area Determination	3
3.1.2	First Developed Use Determination	3
3.1.3	Fire Insurance Plans	3
3.2	Chain of Title.....	3
3.3	Environmental Reports.....	4
3.4	Environmental Source Information	4
3.4.1	Federal and Provincial Database Search.....	4
3.4.2	Municipal City Directories	7
3.4.3	Ontario Ministry of Environment, Conservation and Parks Records.....	7
3.4.4	Technical Standards and Safety Authority.....	8
3.5	Physical Setting Sources	8
3.5.1	Aerial Photographs	8
3.5.2	Topography, Hydrology and Geology	9
3.5.3	Fill Material	9
3.5.4	Water Bodies and Areas of Natural Significance	10
3.5.5	Well Records	10
3.5.6	Record of Site Condition (RSC).....	10
3.6	Site Operating Records.....	11
4.	Interviews	12
5.	Site Reconnaissance	13
5.1	General Requirements	13
5.2	Specific Observations at Phase One ESA Property	13
5.2.1	Site Description and Buildings	13
5.2.2	Heating and Cooling Systems	13
5.2.3	Site Utilities and Services	13
5.2.4	Site Production and Manufacturing	13
5.2.5	Drains, Pits and Sumps	14
5.2.6	Storage Tanks.....	14
5.2.7	Water Wells	14
5.2.8	Site Housekeeping	14
5.2.9	Chemical Storage and Handling and Floor Condition	14
5.2.10	Areas of Stained Soil, Pavement or Stressed Vegetation	14
5.2.11	Fill and Debris	14
5.2.12	Air Emissions.....	14
5.2.13	Polychlorinated Biphenyls (PCBs)	14
5.3	Enhanced Investigation Property Observations.....	15
5.4	Adjacent and Surrounding Properties	15
5.5	Written Description of Investigation	15
6.	Review and Evaluation of Information.....	16
6.1	Current and Past Uses	16

6.2	Potentially Contaminating Activities (PCAs).....	16
6.3	Areas of Potential Environmental Concern (APECs).....	17
6.4	Phase One ESA Conceptual Site Model	17
7.	Conclusions	19
7.1	Closure	19
8.	References	20

List of Figures

Figure 1	Site Location Plan
Figure 2	Phase One Study Area and Potentially Contaminating Activities (PCAs)
Figure 3	Site Plan and Areas of Potential Environmental Concern (APECs)

List of Tables

Table 1-1	Site Information
Table 3-1	Summary of Aerial Photographs
Table 6-1	Areas of Potential Environmental Concern (APECs)
Table I	Site Environmental Setting Data
Table II	Current and Past Land Uses
Table III	Potentially Contaminating Activities (PCAs)
Table IV	Areas of Potential Environmental Concern (APECs)

List of Appendices

Appendix A	Limitation of Liability, Scope of Report, and Third-Party Reliance
Appendix B	Legal Survey Plan
Appendix C	Qualification of Assessors
Appendix D	Chain of Title Search
Appendix E	Ecolog ERIS Report
Appendix F	City Directory Summary
Appendix G	Other Government Records
Appendix H	Aerial Photographs/Fire Insurance Plans
Appendix I	Site Photographs

Abbreviations and Acronyms

°C	degree Celsius
ANSI	Area of Natural and Scientific Interest
APEC	Area of Potential Environmental Concern
AST	Aboveground Storage Tank
BESR	Brownfields Environmental Site Registry
BIG	B.I.G. Consulting Inc.
BTEX	Benzene, Toluene, Ethylbenzene and Xylenes
CPU	Certificate of Property Use
EBR	Environmental Bill of Rights
EC	Electrical Conductivity
ECA	Environmental Compliance Approval
EPA	Environmental Protection Act
ERIS	Environmental Risk Information Services Ltd.
ESA	Environmental Site Assessment
EASR	Environmental Activity and Sector Registry
FIP	Fire Insurance Plan
FOI	Freedom of Information
ha	hectare(s)
L	litre(s)
m	metre(s)
m asl	metres above sea level
m bgs	metres below ground surface
MECP	Ministry of Environment, Conservation and Parks
PAH	Polycyclic Aromatic Hydrocarbon(s)
PCA	Potentially Contaminating Activity
PCB	Polychlorinated biphenyl
PHC	Petroleum Hydrocarbon(s)
PM	Particulate Matter
QPESA	Qualified Person for Environmental Site Assessment
RSC	Record of Site Condition
SAR	Sodium Adsorption Ratio
SCS	Site Condition Standard
SDS	Safety Data Sheet
TSSA	Technical Standards & Safety Authority
UST	Underground Storage Tank
VOC	Volatile Organic Compound(s)

1. Introduction

B.I.G. Consulting Inc. (BIG) was retained by Distrikt Capital (Client), to complete a Phase One Environmental Site Assessment (ESA) at 3064 Trafalgar Road, Oakville, Ontario (Site), as shown on Figure 1. The property is currently used for residential land use. The objective of the investigation was to support the filing of a Record of Site Condition (RSC) in accordance with Ontario Regulation 153/04 (O.Reg.153/04), as amended. It is BIG’s understanding that the Site will be redeveloped to two (2) high-rise residential buildings with five (5) levels of underground basement in the future.

A Phase One ESA is a systematic qualitative process to assess the environmental condition of a site based on its historical and current uses. This Phase One ESA was conducted in accordance with O.Reg.153/04, as amended, and in accordance with generally accepted professional practices. Subject to this standard of care, BIG makes no express or implied warranties regarding its services and no third-party beneficiaries are intended.

1.1 Site Information

The Site is located north of Dundas Street West and west of Trafalgar Road in Oakville, Ontario. The Site location plan is shown on Figure 1. The Site measures approximately 7,500 m² in size and is currently occupied by a one (1)-storey building (Site building). The Site building has a footprint of approximately 50 m² and occupy approximately 1 % of the Site. The Site building was likely constructed in the 1960s. The areas surrounding the Site building are covered with gravel, grass and shrubs.

The Site is bound to the north by a residential property, to the east by Trafalgar Road followed by residential properties, to the west by vacant land followed by Morrison Creek (NRF) and to the south by residential properties. The surrounding properties are shown on Figure 2.

The legal description of the Site as obtained from the chain of title is “Part Lot 13, Concession 1 Trafalgar, North of Dundas Street, as in 787579; Oakville/Trafalgar”. The Property Identification Number (PIN) is 24929-0103 (LT). The legal survey plan is included in Appendix B.

Table 1-1: Site Information

Site Details	
Municipal Addresses	3064 Trafalgar Road, in Oakville, Ontario
Current Owner	Distrikt Capital
Owner Address	1-90 Wingold Avenue Toronto, Ontario, M6B 1P5
Owner Contact Person	Mr. Clarence Qian
Legal Description	3064 Trafalgar Road – Part Lot 13, Concession 1 Trafalgar, North of Dundas Street, as in 787579; Oakville/Trafalgar
Property Identification Numbers (PINs)	24929-0103 (LT)
Property Size	7,500 m ²
Approximate Universal Transverse Mercator (UTM) coordinates	Zone: 17 Easting: 603319.47 Northing: 4815898.41 (1m, NAD83, QGIS)

2. Scope of Investigation

The scope of work for the Phase One ESA consisted of the following activities:

- a) Reviewing the historical occupancy of the Site through the use of available archived and relevant municipal and business directories, Fire Insurance Plans (FIPs), topographical maps, and aerial photographs;
- b) Contacting municipal and provincial agencies to determine the existence of records of environmental regulatory non-compliance, if any, and reviewing such records where available;
- c) Obtaining an EcoLog Environmental Risk Information Services Ltd. (ERIS) report for the Site and surrounding properties within a 250 metres (m) radius of the Site;
- d) Reviewing available geological maps, well records and utility maps for the vicinity of the Site;
- e) Obtaining and reviewing a chain of title and assessment rolls for the Site;
- f) Reviewing available reports previously completed at the Site;
- g) Conducting interviews with designated Site representative(s) as a resource for current and historical Site information, as well as to provide BIG staff with unrestricted access to all areas of the Site and Site buildings as required by O.Reg. 153/04, as amended;
- h) Conducting a Site reconnaissance in order to identify any land use practices that may have impacted the environmental condition of the Site;
- i) Conducting a reconnaissance of the surrounding properties from the Site and publicly accessible areas in order to identify any land use practices that may have impacted the environmental condition of the Site; and,
- j) Preparing a report to document the findings.

The following sections summarize the information gathered by BIG during the Phase One ESA and identifies Potentially Contaminating Activities (PCAs) on the Site and in the Phase One Study Area, and Areas of Potential Environmental Concern (APECs) associated with the Site. APECs and PCAs are defined in O. Reg 153/04, as amended.

In completing the scope of work, BIG did not conduct any intrusive investigations, including sampling, analyses or monitoring.

BIG personnel who conducted assessment work for this project included Mr. Fernando Contento, M.Env.Sc., P.Geo. and Mr. Darko Strajin, P.Eng. An outline of their qualifications is provided in Appendix C.

3. Records Review

3.1 General

3.1.1 Phase One Study Area Determination

The Site is located west of Trafalgar Road and north of Dundas Street East, in Oakville, Ontario. The Phase One Study Area consists of properties within a distance of 250 m from the Site boundaries. The Phase One Study Area is bound by:

- a) Residential properties to the north;
- b) Residential properties to the west;
- c) Residential properties to the east; and,
- d) Commercial properties to the south.

The surrounding properties within the Phase One Study Area predominantly consist of residential land use. All properties wholly or partly within 250 m from the Site boundaries as presented in Figure 2 were included in the Phase One Study Area.

3.1.2 First Developed Use Determination

Based on the reviewed records, the Site was first developed from vacant and undeveloped to residential in the 1960s.

3.1.3 Fire Insurance Plans

BIG contracted Opta Information Intelligence to perform a search for FIPs, Property Underwriters Reports and Property Underwriters Plans within the Phase One Study Area. Based on the search, an FIP dated 1967 from Opta covered the Phase One Study Area. The FIP obtained from Opta is included in Appendix H.

The following table summarizes the features of the Phase One Study Area as indicated on the reviewed FIPs. Building details were limited on the FIPs as indicated below.

1967	
South	a) An auto service station is located at 305 Dundas Street East, approximately 120 m south with a gasoline underground storage tank (UST) and a diesel UST located in the eastern portion of the property.

Based on the information gathered from the review of the FIPs, the following PCAs were identified:

- a) An auto service station was located at 305 Dundas Street East, approximately 120 m south with a gasoline underground storage tank (UST) and a diesel UST located in the eastern portion of the property in 1967. The former USTs are associated with PCA#10 – Commercial Autobody Shops and PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.

3.2 Chain of Title

A chain of title was completed for the Site by Stewart Davey, an independent title searcher. The chronological Chain of Title provided to BIG is provided in Appendix D, summarized in Table II, and indicated the following entities associated with the ownership as part of the Site:

Year	Name of Owner
3064 Trafalgar Road – 24929-0103 (LT)	
Prior to 1808	The Crown
1808 to 1809	Abraham Grubb
1809 to 1816	Peter Cline
1816 to 1836	James Thompson
1836 to 1880	Estate of James Applebe (Sr.)
1880 to 1863	James Applebe (Jr.)
1883 to 1901	Estate of George Ford
1901 to 1904	John E. Ford
1904 to 1943	Estate of Francis Edward Ford
1943 to 1952	Clarence Featherstone Ford
1952 to 1955	Wilfred Samuel Hall
1955 to 1956	Allan W. Hall and Wife
1956 to 1957	Frederick J. MacNamara and Wife William Scade
1957 to 1965	Albert Peters and Wife
1965 to 1972	The Estate of Mary Josephine Hotson
1972 to 1978	The Estate of Arthur George Hotson
1978 to 1981	Alberta Pieterje Grieve
1981 to 1992	Meadowvale Animal Centre Ltd.
1992 to 2007	Baptist Convention of Ontario and Quebec
2007 to 2018	1716835 Ontario Limited
2018 to Present	3064 Trafalgar Road Inc.

Based on the review of the chain of title, no PCAs were identified.

3.3 Environmental Reports

No previous environmental reports were available for review.

3.4 Environmental Source Information

3.4.1 Federal and Provincial Database Search

A search of provincial, federal and private environmental databases for records pertaining to the Site and properties within the Phase One Study Area was conducted by ERIS. BIG has confirmed neither the completeness nor the accuracy of the records that were provided. A copy of the ERIS report is provided in Appendix E. A summary of the significant findings is provided below.

3.4.1.1 Waste Disposal Sites

The ERIS search included the following waste disposal sites databases:

- a) Anderson's Waste Disposal Sites (1860s to present)
- b) Waste Disposal Sites – MOE CA Inventory (October 2011 to June 2020)
- c) Waste Disposal Sites MOE 1991 Historical Approval Inventory (Up to October 1990)

No records were identified for the Site or the properties within the Phase One Study.

3.4.1.2 Boreholes (1875 to July 2018)

No records were identified for the Site or the properties within the Phase One Study Area.

3.4.1.3 Certificates of Approval (1985 to October 2011)

No records were identified for the Site or the properties within the Phase One Study Area.

3.4.1.4 Ontario Regulation 347 Waste Generator Summary (1986 to April 2020)

The Site was not identified in this database. The waste generators that were identified within the Phase One Study Area are summarized below:

- a) The property located at 3070 Trafalgar Road, north adjacent, occupied by OakPark Pet Hospital, was listed as a waste generator of pathological wastes, pharmaceuticals, and photo processing wastes between 2002 and 2014. The property was listed as having operations of veterinary services. As health practitioners have disposal protocol, no PCAs were identified.
- b) The property located at 305 Dundas Street East, approximately 120 m south, occupied by Imperial Oil, was listed as a waste generator of waste oils and lubricants, light fuels and oil skimming and sludges from 2006 to 2017. The property was listed as having operation of gasoline station with convenience store. The Site is associated with PCA#10 – Commercial Autobody Shops and PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.

3.4.1.5 Dry Cleaning Facilities (January 2004 to December 2017)

No records were identified for the Site or the properties within the Phase One Study Area.

3.4.1.6 National Pollutant Release Inventory (1993 to May 2017)

No records were identified for the Site or the properties within the Phase One Study Area.

3.4.1.7 Fuel Oil Spills and Leaks (Up to February 2017) and TSSA Historic Incidents (2006 to June 2009)

No records were identified for the Site or the properties within the Phase One Study Area.

3.4.1.8 Pesticide Register (1988 to June 2020)

The Site was not identified in this database. The following records were identified for the property within the Phase One Study Area:

- a) Four (4) records for the property located at 338 Dundas Street East, approximately 225 m southeast.

These records indicated that the properties were either a vendor, limited vendor or retail vendor of pesticides and no manufacturing of pesticides was identified. As such, no PCAs were identified based on these records.

3.4.1.9 Fuel Storage Tanks

The ERIS search included a search of the following fuel storage tank databases:

- a) Fuel Storage Tank (Up to February 2017)
- b) Historic Fuel Storage Tank (Pre January 2010)
- c) List of Expired Fuels Safety Facilities (Up to February 2017)
- d) Private and Retail Fuel Storage Tanks (1989 to 1996)
- e) Retail Fuel Storage Tanks (1999 to January 2020)
- f) Commercial Fuel Oil Tanks (Up to February 2017)
- g) TSSA Variances for Abandonment of Underground Storage Tanks (Up to February 2017)
- h) Anderson's Storage Tanks (1915 to 1953)

The Site was not identified in these databases. The following records were identified for the properties within the Phase One Study Area:

- a) The property located at 325 Dundas Street East, approximately 115 m southeast, occupied by 1383507 Ontario Ltd., had two (2) records of a gasoline UST in 2009. The property was listed as having operations of a self-serve gasoline station. The property is associated with PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.
- b) The property located at 341 Dundas Street East (currently 325 Dundas Street West), approximately 115 m southeast, occupied by Iron City Shell, had a record of a retail storage tank in 1993 and 11 records of an expired fuel tank in 1989 and 1992. The property was listed as having operation of gasoline station. The property is associated with PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.
- c) The property located at 305 Dundas Street West, approximately 120 m south, occupied by Shimeran Nesson O/A Royal Essa Gas Station, Mike's Esso 765853 Ontario Limited, Arman's Esso, Armani's Esso, Jagdambe Ltd, Dev's Esso, Five Esso, Commisso's Esso, Royal Esso, 1150784 Ontario Ltd O/A Hornby Esso and Vivan Khamis O/A Gas Station had a record of four (4) gasoline USTs and a diesel UST in 2007, two (2) records of a gasoline UST in 2009, two (2) records of a retail storage tank in 1995, a record of an expired propane refill centre, a record of an expired propane tank and 11 records of an expired fuel tank and piping in 1989. The property was listed as having operations of a gasoline station and service station-gasoline, oil and natural gas. The property is associated with PCA#10 – Commercial Autobody Shops and PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.

3.4.1.10 Ontario Spills (1988 to November 2019)

The Site was not identified in this database. The following spills were identified for the properties within the Phase One Study Area:

- a) A spill of approximately 15 L of gasoline was spilled to the pavement at 305 Dundas Street East approximately 120 m south in 1995, the spill was cleaned up in the same year. The property also had a spill of approximately 1 L to the ground in 1992 and cleaned up in the same year, a spill of approximately 8 L of gasoline to the ground in 1996 and an unknown quantity of leak in the piping system in 2003. The spills were likely transported to the nearest storm sewer or drainage ditch, no PCAs were identified.
- b) A spill of approximately 200 L of diesel fuel was spilled to the road and sewer at Trafalgar Road and Dundas Street, approximately 195 m south in 2001. The intersection also had a spill of approximately 20,000 L of mineral oil to land or sewer from tanker in 1988, a spill of approximately 500 L of gasoline in 1988, a spill of unknown quantity of wastewater discharge to watercourse in 1989, a mixture of fuel and water spill in 2012 and a spill of approximately 38 L of diesel fuel to a ditch in 2014. The spills were likely transported to the nearest storm sewer or drainage ditch, no PCAs were identified.

3.4.1.11 Scott's Manufacturing Directory (1992 to March 2011)

No records were identified for the Site or the properties within the Phase One Study Area.

3.4.1.12 Water Well Information System (Up to February 2019)

Three (3) records were identified on Site. The wells were installed from 2017 to 2018 for monitoring/observation purposes to a maximum depth of 10.7 m bgs. Based on the well record, the general soil description of the Site consisted of sand and silt underlain by silt and shale. 37 records were identified within the Phase One Study Area. The wells were installed between 1952 to 2016 for

monitoring, test hole, observation and dewatering purposes at depths ranging from 4.5 m to 29 m bgs. Based on the well records, the general soil stratigraphy in the vicinity of the Site consisted of fill, sand and silty clay top clayey silt underlain by shale.

3.4.2 Municipal City Directories

A search for Halton/Peel City Directories was completed by LGI Copy Service Canada in order to identify the occupancy history of the Site and properties within the Phase One Study Area for potential environmental concerns. Based on the review of the directories dated 1962, 1967, 1974, 1978, 1984, 1989, 1994, and 2000, summarized in Appendix F, the following significant findings were identified:

- a) The Site first appeared in the 1978 city directory and was occupied by one (1) residential tenant from 1978 to 1989 and Baptist Church in 1994. Based on the description of operations, no PCAs were identified.
- b) The property located at 3070 Trafalgar Road, north adjacent, was occupied by Custom Heating & Air Conditioning between 1978 and 2000, Animal Hospital in 1978 and 1994, Pet Hospital between 1984 and 1989 and 2000 and Kennels between 1984 and 1989. Based on the description of operations, no PCAs were identified.
- c) The property located at 3024 Trafalgar Road, approximately 75 m south, was occupied by Ambulance Service in 1974. Based on the description of the operation, no PCAs were identified.
- d) The property located at 341 Dundas Street East, approximately 115 m southeast, was occupied by Esso between 1978 and 1984. The property is associated with PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.
- e) The property located at 305 Dundas Street East, approximately 120 m south, was occupied by Texaco between 1974 and 1994 and Esso in 2000. The property is associated with PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.
- f) The property at 338 Dundas Street East, approximately 225 m southeast, was occupied by Longo's Grocery between 1978 and 2000 and Nutrition Centre and Wine Rack in 2000. Based on the description of the operations, no PCAs were identified.

The remaining properties within the Phase One Study Area did not appear to be associated with any PCAs as per Table 2, Schedule D of O.Reg.153/04, as amended.

3.4.3 Ontario Ministry of Environment, Conservation and Parks Records

3.4.3.1 Ministry of the Environment, Conservation and Parks (MECP)

The Ministry of Environment, Conservation and Parks (MECP) was contacted through the Freedom of Information and Protection of Privacy Act (FOI) for copies of any records they had pertaining to the Site on July 23, 2020.

A written response from some of the regulatory agencies such as the MECP typically requires several weeks to months. A written response from the MECP is pending at the time of this Phase I ESA. The request is included in Appendix G.

3.4.3.2 MECP Databases

The ERIS report summarized in the Federal and Provincial Database Search section of the report included a summary of MECP databases. The databases include the following: MECP Environmental Bill of Rights (EBR), Environmental Activity and Sector Registry (ESAR), Environmental Compliance Approval (ECA), MECP Brownfields Environmental Site Registry (BESR), MECP Hazardous Waste Information Network (HWIN) and MECP Waste Disposal Sites. The following record was identified:

- a) The property located at 278 Dundas Street East, approximately 230 m south, obtained an ECA for municipal and private sewage works in 2018.

Based on the description of the registration, no PCAs were identified.

3.4.4 Technical Standards and Safety Authority

A request was made to the TSSA by email on August 19, 2020 for information regarding fuel storage at the Site and the adjacent properties. A copy of the TSSA request is provided in Appendix G.

An email response from TSSA dated August 20, 2020 was received and is included in Appendix G. Based on the search results, no records were identified at the Site or the adjacent properties.

3.5 Physical Setting Sources

3.5.1 Aerial Photographs

Aerial photographs were obtained in order to review the development and land use history of the Site, as well as to the land in the immediate vicinity of the Site. Aerial photographs dated 1934, 1965 and 1985 were obtained from LGI Copy Service Canada, aerial photographs dated 1999, 2006, 2012, and 2015 were obtained from the Town of Oakville Air Photo History Website. The aerial photographs were collected based on availability from the archives at available intervals to best capture the changes at the Site. BIG notes that at the time of this Phase One ESA, the 1934 aerial photograph was the earliest available photograph for the Site and Phase One Study Area.

The development and land use history of the Site and adjacent properties as depicted on the reviewed aerial photography is summarized in Table 3-1. Copies of the aerial photographs are included in Appendix H.

Table 3-1: Aerial Photograph Observations

Aerial Photograph Year	Observations
1934	<ul style="list-style-type: none"> a) The Site appears to have been vacant and undeveloped. b) The north adjacent property at 3070 Trafalgar Road appears to be vacant and undeveloped. c) The south adjacent properties between 3024 and 3048 Trafalgar Road appear to be developed with residential dwellings. d) A residential dwelling appears to be developed to the east of Trafalgar Road. e) The surrounding properties to the west appear to be vacant and undeveloped in addition to residential dwellings. A creek is also present to the west of the Site.
1965	<ul style="list-style-type: none"> a) The Site appears to have been developed with a rectangular building. b) Commercial properties appear to be developed to the south of Dundas Street East. c) A gasoline fuel retail outlet appears to be developed at 305 Dundas Street East.
1985	<ul style="list-style-type: none"> a) The Site appears to be developed with one building. b) The adjacent properties remain unchanged. c) The property south of Dundas Street East appears to be developed further with commercial properties.
1999	<ul style="list-style-type: none"> a) The Site remains unchanged.

Aerial Photograph Year	Observations
	b) The north adjacent property at 3070 Trafalgar Road has been developed with an irregularly shaped building and two (2) rectangular buildings.
2006	a) The land at 3075 Trafalgar road appears to have been disturbed.
2012	a) The property at 3075 Trafalgar Road appears to contain heavy equipment and/or operating as a commercial business.
2015	a) Two (2) rectangular building located north adjacent at 3070 Trafalgar Road appear to have been demolished. b) The residential dwelling at 3075 Trafalgar road appears to have been demolished and the Site being redeveloped.

Based on the review of the aerial photographs, no additional PCAs as per Table 2, Schedule D of O.Reg.153/04, as amended, were identified.

3.5.2 Topography, Hydrology and Geology

The following physiographic, geological and soil maps were reviewed on August 20, 2020:

- a) Atlas of Canada – Toporama Topographic Map (Toporama);
- b) Ontario Base Map (OBM);
- c) Ontario Ministry of Energy, Northern Development and Mines (MENDM) website, Bedrock Geology of Ontario, 2011 – MRD 126; and Paleozoic Geology of Southern Ontario, 2007 – MRD 219 (KML format);
- d) Ontario MENDM website, Surficial Geology of Southern Ontario, 2010. (KML format); and,
- e) Ontario MENDM website, Physiography of Southern Ontario 2007 (KML format).

Based on the review of the above maps, the following information was obtained:

- a) The Site is at an elevation of approximately 172 metres above sea level (m asl), generally at the same elevation as properties to the east of the Site. The surrounding properties to the south and west are generally at lower elevation than the Site, and the surrounding properties to the north are generally at higher elevation than the Site. The Site consists of a downgradient slope towards the southeast.
- b) The Site does not feature any surface water bodies on or immediately adjacent to the Site. The closest surface water body to the Site is Morrison Creek which is situated approximately 30 m+ north of the Site. Lake Ontario is situated approximately 7 km south of the Site. The inferred groundwater flow direction is likely towards the southeast.
- c) The bedrock in the general area consists of shale, limestone, dolostone and siltstone and is part of the Queenston Formation.
- d) The surficial geology of the Site is described as till consisting of clay to silt-textured till derived from glaciolacustrine deposits or shale.
- e) The physiography of the Site is within the South Slope and is characterized as till plains (drumlinized).

3.5.3 Fill Material

Fill can be used to re-grade a property and to backfill excavations. Based on the review of the historical information, no fill materials have been imported to the Site.

3.5.4 Water Bodies and Areas of Natural Significance

There are no water bodies located on the Site. The closest surface water body to the Site is Morrison Creek which is situated approximately 30 m+ north of the Site. Lake Ontario is situated approximately 7 km south of the Site.

Based on the review of available resources from Savanta (*Significant Natural Areas, 2019*) and the Ministry of Natural Resources and Forestry (MNRF) on August 19, 2020, no areas of natural significance were identified at the Site. Approximately 30+ m west of the Site surrounding Morrison Creek is identified as a Provincially Significant Wetland (MNRF).

3.5.5 Well Records

3.5.5.1 Water Wells

The MECP maintains a database (published from 1955 to present) of water wells drilled in Ontario in accordance with Ontario Regulation 903. The Ontario Well Record website was accessed on August 20, 2020, to identify if any wells exist on the Site or within the Phase One Study Area. Based on the search, there (3) records were identified at the Site. The wells were installed from 2017 to 2018 for monitoring/observation purposes to a maximum depth of 10.7 m bgs. Based on the well record, the general soil description of the Site consisted of sand and silt underlain by silt and shale. 54 records were identified within the Phase One Study Area. The wells were installed between 1952 to 2016 for monitoring, test hole, observation and dewatering purposes at depths ranging from 4.5 m to 29 m bgs. Based on the well records, the general soil stratigraphy in the vicinity of the Site consisted of fill, sand and silty clay top clayey silt underlain by red shale bedrock.

It should be noted that the ERIS report identified three (3) records on Site and 37 records within the Phase One Study Area.

3.5.5.2 Oil, Gas, and Salt Well

A search of the Oil, Gas & Salt Resources Library (2014) website was completed to identify oil, gas and salt wells within the vicinity of the Site on August 20, 2020. The search of the website indicated there were no oil, gas or salt wells identified to be located at the Site or within the Phase One Study Area.

3.5.6 Record of Site Condition (RSC)

An RSC summarizes the environmental conditions of a property as determined by a qualified person (QP) by conducting a Phase One ESA, and where necessary, a Phase Two ESA, confirmatory sampling and a risk assessment. Upon completion of the necessary environmental Site assessments, an RSC for an assessed property can be filed with the MECP and added to the BESR database. This online, publicly available database can be searched to identify what properties may have potential environmental concerns.

Based on the search of the MECP's BESR database completed by ERIS, no records were identified at the Site. The following records were identified for the properties within the Phase One Study Area:

- a) The property located at 3070 Trafalgar Road, north adjacent of the Site, filed a Phase One RSC for residential use in 2015.
- b) The property located at 3075 Trafalgar Road, approximately 35 m east, filed a Phase One RSC for residential use in 2015.

Based on the description of the records, no PCAs were identified.

3.6 Site Operating Records

In general, a request is usually made to the property representative for copies of any operating records pertaining to the environmental conditions at the Site. Records would include: regulatory permits; Safety Data Sheets (SDS) for all chemicals that were handled on-Site; underground utility drawings; inventories of chemicals, chemical usage, and chemical storage areas; inventory of aboveground storage tanks (ASTs) and USTs; environmental monitoring data; correspondence pertaining to an order or request by the MECP or TSSA; waste management records; process, production, and maintenance documents; records of spills and records of discharges of chemicals; emergency response and contingency plans, including spill prevention and contingency plans; environmental audit reports; and site plans of the facility showing areas of production and manufacturing.

No Site operating records were available to review.

4. Interviews

An interview was conducted by BIG staff with the individual identified to be the most knowledgeable about both the current and historical Site uses. The interview was conducted by email in order to obtain information to assist in identifying details of potentially contaminating activities, potential contaminant pathways in, on, or below the Site, and areas of potential environmental concern. Any information provided during the interviews is presented alongside information from the Site reconnaissance in Section 5.

During the completion of this Phase One ESA, the following individual was interviewed:

- a) Mr. Clarence Qian, Development Manager of Distrikt Capital, who has known about the Site for approximately 1.5 years.

Information obtained during the interview is provided below, in the relevant sections.

5. Site Reconnaissance

5.1 General Requirements

The Phase One ESA Site reconnaissance was conducted on August 19, 2020 between 10 am and 11 am by Mr. Fernando Contento, M.Env.Sc., P.Geo.

The Site and the adjoining properties were observed from the Site and/or publicly accessible areas. Photographs documenting the Site visit are included in Appendix I.

5.2 Specific Observations at Phase One ESA Property

5.2.1 Site Description and Buildings

The Site is located north of Dundas Street West and west of Trafalgar Road in Oakville, Ontario. The Site location plan is shown on Figure 1. The Site measures approximately 7,500 m² in size and is currently occupied by a one (1)-storey building (Site building). The Site building has a footprint of approximately 50 m² and occupy approximately 1 % of the Site. The Site building was likely constructed in the 1960s. The areas surrounding the Site building are covered with gravel, grass, and shrubs.

The characteristics of the main Site building are summarized below:

Building Portion	Material Description
Interior Walls	Drywall, Wood
Floor	Carpet, Concrete, Vinyl Tile
Ceiling	Drywall
Roof	Masonry
Exterior Walls	Brick and Masonry

5.2.2 Heating and Cooling Systems

The Site building is heated with natural gas fired boiler.

5.2.3 Site Utilities and Services

The Site utilities and services were identified at the Site based on the relevant utility infrastructure observed during the Site reconnaissance and are summarized in the table below. It is noted that the precise underground location of the utilities cannot be determined without professional locate services.

Utility	Source	Location	Site Entry
Water	Municipality – Town of Oakville	East	A water main is located to the east of the Site on Trafalgar. The water line is anticipated to enter the Site along the eastern Site boundary.
Natural Gas	Unknown	East	Given that the Site is located in a mixed residential and commercial area, the natural gas lines are anticipated to run along Trafalgar Road.
Electricity	Hydro	East	Overhead hydro lines were observed along Trafalgar Road.

5.2.4 Site Production and Manufacturing

No on-Site production or manufacturing processes were observed at the Site during the Site reconnaissance.

5.2.5 Drains, Pits and Sumps

A sump pump was identified within the basement of the residential dwelling on-Site. As no hazardous materials, waste oils, tanks or potentially contaminating activities were identified within the residential dwelling, the sump pump is not considered a concern.

5.2.6 Storage Tanks

5.2.6.1 Underground Storage Tanks (UST)

The presence/absence and condition (if present) of USTs at the Site was assessed during the Site reconnaissance. BIG did not observe any evidence of USTs during the Site reconnaissance, and the Site representative confirmed no historical or current USTs at the Site.

5.2.6.2 Aboveground Storage Tanks (AST)

The presence/absence and condition (if present) of ASTs at the Site was assessed during the Site reconnaissance. BIG did not observe any evidence of ASTs during the Site reconnaissance, and the Site representative confirmed no historical or current ASTs at the Site.

5.2.7 Water Wells

No potable water wells were observed during the Site or within the Phase One Study Area reconnaissance. Multiple monitoring wells were observed at the Site during the Site reconnaissance.

5.2.8 Site Housekeeping

The Site is well maintained. No other debris, outdoor storage, or uncontrolled waste storage were noted during the Site reconnaissance.

5.2.9 Chemical Storage and Handling and Floor Condition

Chemical storage and household cleaning products were not observed at the Site. Floor conditions indicated presence of water damage and mould.

5.2.10 Areas of Stained Soil, Pavement or Stressed Vegetation

No staining on the pavement surfaces and no stressed vegetation was observed at the time of the Site reconnaissance.

5.2.11 Fill and Debris

Fill can be used to re-grade a property and to backfill excavations, such as locations of former USTs. No fill piles or debris were observed at the Site during the Site reconnaissance.

5.2.12 Air Emissions

Regulatory control of air emissions in Ontario is the responsibility of the MECP. No sources of active air emissions were noted at the Site or within the Phase One Study Area during the Site reconnaissance.

5.2.13 Polychlorinated Biphenyls (PCBs)

The manufacture of PCBs in North America was prohibited under the Toxic Substances Control Act (1977). Their use as a constituent of new products manufactured in or imported into Canada was prohibited by regulations in 1977 and 1980. As such, sites developed or significantly renovated after 1980 are unlikely to have PCB-containing equipment on the Site. Potential equipment, which could contain PCBs include fluorescent mercury and sodium vapour light ballasts, oil filled capacitors and transformers. Any electrical

equipment containing PCBs must be disposed in accordance with Ontario Regulation 362 when it is removed from service. Ongoing operation of equipment containing PCBs is permissible.

Based on the records review and the Site reconnaissance, no significant sources of PCBs were present on the Site.

5.3 Enhanced Investigation Property Observations

An Enhanced Investigation Property is “(i) a property used, or has ever been used, in whole or part, for an industrial purpose, or (ii) a commercial property used as a garage, a bulk liquid dispensing facility, including a gasoline outlet or for the operation of dry cleaning equipment” (O.Reg. 153/04).

Based on the records review, the Site is not classified as an Enhanced Investigation Property.

5.4 Adjacent and Surrounding Properties

A visual inspection of the adjacent properties and properties within the Phase One Study Area was conducted from publicly accessible areas to identify the occupants; and to document any PCAs that may be contributing to an APEC at the Site.

Location of Adjoining Properties	Property Use
North	Vacant Land
South	Residential Properties followed by gasoline fuel retail station and Dundas Street East
East	Trafalgar Road followed by residential properties
West	Vacant Land followed by Morrison Creek and residential properties

Based on the visual inspection of adjacent and surrounding properties within the Phase One Study Area, the following PCA was identified:

- a) The property located at 305 Dundas Street East, approximately 120m south, is currently occupied by a gasoline fuel retail station. The Site is associated with PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks.

5.5 Written Description of Investigation

A reconnaissance of the Site was conducted by BIG to examine the exterior and interior of all on-Site buildings and structures, and to examine the exterior portions of the Site. Access was provided to the interiors of Site buildings, if any. Mechanical equipment (including heating and cooling systems) was documented and characterized, as was any evidence of USTs and ASTs. The exterior portions of the Site were examined for evidence of utilities and related infrastructure; water wells; Site drainage and related infrastructure; stained areas; stressed vegetation; and evidence of fill material.

The reconnaissance included an examination of all properties within the Phase One Study Area from public access ways to document and characterize PCAs, water bodies and areas of natural significance.

6. Review and Evaluation of Information

6.1 Current and Past Uses

Based on the reviewed records, the Site was first developed from vacant and undeveloped to residential use in the 1960s. A more detailed discussion of the Site history based on the available documentation is provided in the following sections of the report. The current and past ownership of the Site is summarized in Table II.

6.2 Potentially Contaminating Activities (PCAs)

A list of all the PCAs identified at the Site and within the Phase One Study Area is summarized below and included as Table III and on Figure 2. Based on the inferred groundwater flow direction to the southeast, the properties within the Phase One Study Area to the south of the Site are considered to be hydraulically downgradient of the Site; properties to the northwest are considered to be hydraulically upgradient of the Site; and the properties to the west and east of the Site were considered to be hydraulically trans-gradient to the Site. Any PCAs located downgradient or trans-gradient of the Site are not considered to be contributing to an APEC on Site.

Furthermore, any PCAs located significantly distant from the Site were considered to be too far to be contributing to an APEC on the Site.

Rationale outlining whether a PCA contributed to an APEC at the Site is summarized below and provided in Table III.

PCA Identifier	Address	PCA	PCA Location	Contributing to APEC at the Site?	Rationale
1.	305 Dundas Street East	Former USTs (PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks)	Off-Site (120 m south)	No	Located downgradient
2.		Service Station (PCA#10 – Commercial Autobody Shops)			
3.	325 Dundas Street East	Former USTs (PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks)	Off-Site (115 m southeast)	No	Located downgradient
4.		Service Station (PCA#10 – Commercial Autobody Shops)			
5.	341 Dundas Street East	Former USTs (PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks)	Off-Site (115 m southeast)	No	Located downgradient
6.		Service Station (PCA#10 – Commercial Autobody Shops)			

No other PCAs were identified for the surrounding properties.

6.3 Areas of Potential Environmental Concern (APECs)

A total of six (6) PCAs were identified at the Site, none of which were considered as APECs, as they were either located at a significant distance from the Site or were located hydraulically downgradient or trans-gradient to the Site. Therefore, there are no APECs associated with the Site.

6.4 Phase One ESA Conceptual Site Model

This section presents the Phase One Conceptual Site Model providing a narrative, graphical and tabulated description integrating information related to the Site geologic and hydrogeologic conditions, areas of potential environmental concern/potential contaminating activities, and the presence and distribution of potential contaminants of concern. These components are discussed in the following sections.

Surface Features

The Site is located north of Dundas Street West and west of Trafalgar Road in Oakville, Ontario. The Site location plan is shown on Figure 1. The Site measures approximately 7,500 m² in size and is currently occupied by a one (1)-storey building (Site building). The Site building has a footprint of approximately 50 m² and occupy approximately 1 % of the Site. The Site building was constructed between 1965 – 1985 with an approximate estimate of 1978 based on municipal city directories. The areas surrounding the Site building are covered with gravel, grass, and shrubs.

The legal description of the Site as obtained from the chain of title is “Part Lot 13, Concession 1 Trafalgar, North of Dundas Street, as in 787579; Oakville/Trafalgar”. The Property Identification Number (PIN) is 24929-0103 (LT). The legal survey plan is included in Appendix B.

Surrounding Land Use

The Site is bound to the north by vacant land, to the east by Trafalgar Road followed a drainage pond and residential properties, to the west vacant land followed by Morrison Creek and residential properties, and to the south by residential properties followed by a gasoline retail fuel station, commercial properties, and Dundas Street East. The surrounding properties are shown on Figure 2.

Geological and Hydrogeological Conditions

The Site is at an elevation of approximately 170 metres above sea level (m asl), generally at the same elevation as properties to the west of the Site. The surrounding properties to the south and east are generally at lower elevation than the Site, and the surrounding properties to the north are generally at higher elevation than the Site. The Site consists of a downgradient slope towards the east southeast.

The bedrock in the general area consists of shale, limestone, dolostone and siltstone and is part of the Queenston Formation. The surficial geology of the Site is described as till consisting of clay to silt-textured till derived from glaciolacustrine deposits or shale. The physiography of the Site is within the South Slope and is characterized as till plains (drumlinized).

There are no water bodies located on the Site. The closest surface water body to the Site is Morrison Creek which is situated approximately 30 m+ north of the Site. Lake Ontario is situated approximately 7 km south of the Site.

Based on the review of available resources from Savanta (*Significant Natural Areas, 2019*) and the Ministry of Natural Resources and Forestry (MNRF) on August 19, 2020, no areas of natural significance were identified at the Site. The area 30 m + west of the Site surrounding Morrison Creek is identified as a Provincially Significant Wetland (MNRF).

Underground Utilities

The Site utilities and services were identified at the Site based on the relevant utility infrastructure observed during the Site reconnaissance and are summarized in the table below. It is noted that the precise underground location of the utilities cannot be determined without professional locate services.

Utility	Source	Location	Site Entry
Water	Municipality – Town of Oakville	East	A water main is located to the east of the Site on Trafalgar. The water line is anticipated to enter the Site along the eastern Site boundary.
Natural Gas	Unknown	East	Given that the Site is located in a mixed residential and commercial area, the natural gas lines are anticipated to run along Trafalgar Road.
Electricity	Hydro	East	Overhead hydro lines were observed along Trafalgar Road.

Potentially Contaminating Activities and Areas of Potential Environmental Concern:

A total of six (6) PCAs were identified at the Site, none of which were considered as APECs, as they were either located at a significant distance from the Site or were located hydraulically downgradient or trans-gradient to the Site. Therefore, there are no APECs associated with the Site.

7. Conclusions

Based on the findings and conclusions of the Phase One ESA, a Phase Two ESA is not required to assess the soil and groundwater conditions at the Site.

7.1 Closure

This Phase One ESA was conducted in accordance with O.Reg.153/04, as amended, and in accordance with generally accepted professional practices. Subject to this standard of care, BIG makes no express or implied warranties regarding its services and no third-party beneficiaries are intended. Limitation of liability, scope of report and third-party reliance are outlined in Appendix A.

Yours truly,

B.I.G. Consulting Inc.



Fernando Contento, M.Env.Sc., P.Geo.
Project Manager




Darko Strajin, P.Eng.
Managing Partner

8. References

1. Ecolog ERIS Ltd. (2020) Database Report—5-15 Raglan Conveyance Land, Ontario. Ecolog ERIS Ltd, January 17, 2020.
2. Environmental Protection Act, Ontario Regulation 153/04, as amended, Records of Site Condition, January 1, 2014
3. Environmental Significant Area, City of Toronto. Accessed online at http://map.toronto.ca/maps/map.jsp?app=TorontoMaps_v2
4. Natural Heritage Areas. (2014) Ontario Ministry of Natural Resources and Forestry. Accessed online at http://www.gisapplication.lrc.gov.on.ca/mamnh/Index.html?site=MNR_NHLUPS_NaturalHeritage&viewer=NaturalHeritage&locale=en-US
5. Occupational Health and Safety Act - Ministry of Labour (MOL)
6. Oil, Gas & Salt Resources Library (2014) Petroleum Well, Petroleum Pool, Seismic and Fault Map of Ontario [map interface]. Accessed online at: <http://maps.ogsrlibrary.com>.
7. Ontario Ministry of Environment, Conservation and Parks, Map: Well Records, 2018. Accessed online at <https://www.ontario.ca/environment-and-energy/map-well-records>
8. Ontario Ministry of Energy, Northern Development and Mines website, Bedrock Geology of Ontario, 2011 – MRD 126; and Paleozoic Geology of Southern Ontario, 2007 – MRD 219 (KML format)
9. Ontario Ministry of Energy, Northern Development and Mines website, Physiography of Southern Ontario 2007
10. Ontario Ministry of Energy, Northern Development and Mines website, Surficial Geology of Southern Ontario, 2010. (KML format)
11. Ontario Ministry of the Environment (2011) Brownfields Environmental Site Registry. Accessed online at: <https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch>
12. Ontario Ministry of the Environment (2020) Records of Site Condition. Accessed online at: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/searchFiledRsc_search.
13. Topographic Map available at the Natural Resources Canada (NRC) website. Accessed online at <http://atlas.gc.ca/toporama/en/>

FIGURES



B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada

bigconsultinginc.com



LEGEND


SITE BOUNDARY



TITLE AND LOCATION

**SITE LOCATION PLAN
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO**

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. 1



B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada

bigconsultinginc.com



LEGEND	
	SITE BOUNDARY
	PHASE ONE STUDY AREA BOUNDARY
	RESIDENTIAL LAND USE
	COMMERCIAL LAND USE
	PARKLAND LAND USE
	COMMUNITY LAND USE
	AGRICULTURE LAND USE

PCA IDENTIFIER



IMAGERY OBTAINED FROM COSINE ONLINE SERVICES, 2014

TITLE AND LOCATION
**PHASE ONE STUDY AREA
 AND POTENTIALLY
 CONTAMINATING
 ACTIVITIES (PCAs)
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO**


PROJECT NO.	DWN.
BIGC-ENV-397C	C.E.
SCALE	CK.
AS NOTED	F.C.
DATE	FIG. NO.
AUGUST 2020	2



TRAFALGAR ROAD



SCALE



B.I.G. CONSULTING INC.
t: (416) 214 - 4880 f: (416) 551 - 2633
12-5500 Tomken Rd.
Mississauga, ON L4W 2Z4
Canada



bigconsultinginc.com

LEGEND
— SITE BOUNDARY
////// BUILDING FOOTPRINT

NOTE: NO APECS WERE IDENTIFIED

TITLE AND LOCATION
**SITE PLAN AND AREAS OF
POTENTIAL ENVIRONMENTAL
CONCERN (APECS)
PHASE ONE ESA
3064 TRAFALGAR ROAD,
OAKVILLE, ONTARIO**

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. 3

TABLES

Table I

SITE ENVIRONMENTAL SETTING DATA 3064 Trafalgar Road, Oakville, ON		
NATIVE SOIL AND BEDROCK		
Type	Sand and silt underlain by silt and shale	
Hydraulic Conductivity	Unknown	
Percent Sand	Unknown	
Depth to Bedrock	Unknown	
Bedrock Type	The bedrock in the general area consists of shale, limestone, dolostone and siltstone and is part of the Queenston Formation	
GROUND WATER		
Depth to Water Table	Unknown	
Estimated or Measured	Estimated	
Direction of Flow	Southeast	
Estimated or Measured	Estimated	
POTABLE WATER AND SEWERS		
Potable Water Source	Town of Oakville	
Municipal Water Source	Groundwater/Lake Ontario	
Distance to Nearest Municipal Water Well	None identified within Phase One Study Area	
Distance to Nearest Private Water Well	Unknown	
Sanitary Sewage System	Town of Oakville	
Storm Water System	Town of Oakville	
SURFACE WATER		
Name of Nearest Water Body	Morrison Creek	Lake Ontario
Distance from Site	30 m	7 km
Elevation Drop from Site	3 m	96 m
Direct Drainage from Site	No	No
B.I.G. Consulting Inc.		BIGC-ENV-397C

Table II

TABLE OF CURRENT AND PAST LAND USES OF THE SITE (Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04) 3064 Trafalgar Road, Oakville, ON				
Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
3064 Trafalgar Road – 24929-0103 (LT)				
Prior to 1808	The Crown	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1808 to 1809	Abraham Grubb	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1809 to 1816	Peter Cline	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1816 to 1836	James Thompson	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1836 to 1880	Estate of James Applebe (Sr.)	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1880 to 1863	James Applebe (Jr.)	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1883 to 1901	Estate of George Ford	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1901 to 1904	John E. Ford	Undeveloped	Agricultural or other use	No FIP or aerial photograph coverage available prior to 1934.
1904 to 1943	Estate of Francis Edward Ford	Undeveloped	Agricultural or other use	Based on the Aerial Photograph from 1934 the Site appears to have been undeveloped.
1943 to 1952	Clarence Featherstone Ford	Undeveloped	Agricultural or other use	Based on the Aerial Photograph from 1934 the Site appears to have been undeveloped.
1952 to 1955	Wilfred Samuel Hall	Undeveloped	Agricultural or other use	Based on the Aerial Photograph from 1934 the Site appears to have been undeveloped.
1955 to 1956	Allan W. Hall and Wife	Undeveloped	Agricultural or other use	Based on the Aerial Photograph from 1934 the Site appears to have been undeveloped.
1956 to 1957	Frederick J. MacNamara and Wife William Scade	Undeveloped	Agricultural or other use	Based on the Aerial Photograph from 1934 the Site appears to have been undeveloped.
1957 to 1965	Albert Peters and Wife	Residential	Residential Use	Based on the Aerial Photograph from 1965 the Site appears to have been developed with a rectangular building. The city municipal directories indicate a residential tenant as of 1978.
1965 to 1972	The Estate of Mary Josephine Hotson	Residential	Residential Use	Based on the Aerial Photograph from 1965 the Site appears to have been developed with a rectangular building. The city municipal directories indicate a residential tenant as of 1978.
1972 to 1978	The Estate of Arthur George Hotson	Residential	Residential Use	Based on the Aerial Photograph from 1965 the Site appears to have been developed with a rectangular building. The city municipal directories indicate a residential tenant as of 1978.

Table II

TABLE OF CURRENT AND PAST LAND USES OF THE SITE

(Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04)

3064 Trafalgar Road, Oakville, ON

Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1978 to 1981	Alberta Pieterje Grieve	Residential	Residential Use	Based on the Aerial Photograph from 1965 the Site appears to have been developed with a rectangular building. The city municipal directories indicate a residential tenant as of 1978.
1981 to 1992	Meadowvale Animal Centre Ltd.	Residential	Residential Use	Based on the Aerial Photograph from 1985 the Site appears to have been developed with a rectangular building. The city municipal directories indicate a residential tenant as of 1978.
1992 to 2007	Baptist Convention of Ontario and Quebec	Residential	Residential Use	Based on the Aerial Photograph from 1999 the Site appears to be developed with an irregularly shaped building and two (2) rectangular buildings. The city municipal directories indicate a Baptist Church as of 1994.
2007 to 2018	1716835 Ontario Limited	Residential	Residential Use	Based on the Aerial Photograph from 2015 the Site appears to remain unchanged since the 1999 aerial photograph. The city municipal directories indicate a Baptist Church as of 1994.
2018 to Present	3064 Trafalgar Road Inc.	Residential	Residential Use	Currently a residential dwelling exists at the Site.

Notes:

1 - For each owner, specify one of the following types of property use (as defined in O.Reg. 153/04) that applies:

- Agricultural or other use
- Commercial use
- Community use
- Industrial use
- Institutional use
- Parkland use
- Residential use

2 - When submitting a Record of Site Condition for filing, a copy at this table must be attached.

B.I.G. Consulting Inc.

BIGC-ENV-397C

Table III

POTENTIALLY CONTAMINATING ACTIVITIES (PCAs)

(Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04)

3064 Trafalgar Road, Oakville, ON

PCA Identifier	Address	Location of Activity (In relation to Site)¹	Potentially Contaminating Activity (PCA)²	Description and Approximate timeline that PCA Occurred	Contribution to APEC at the Site
1.	305 Dundas Street East	Off-Site (120 m south)	Former USTs (PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks)	Based on the FIP, aerial photographs, and ERIS records, a gasoline retail fuel station was located at 305 Dundas Street East, approximately 120 m south, with USTs located in the south/southeast portion of the property.	None Located downgradient
2.			Service Station (PCA#10 – Commercial Autobody Shops)	Based on the FIP, aerial photographs, and ERIS records, a service station was located at 305 Dundas Street East, approximately 120 m south.	None Inferred trans-gradient
3.	325 Dundas Street East	Off-Site (115 m southeast)	Former USTs (PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks)	Based on ERIS records, a gasoline retail fuel station was located at 325 Dundas Street East, approximately 115 m southeast, with USTs located on the property.	None Located downgradient
4.			Service Station (PCA#10 – Commercial Autobody Shops)	Based on ERIS records, a gasoline service station was located at 325 Dundas Street East, approximately 115 m southeast, with USTs located on the property.	None Located downgradient
5.	341 Dundas Street East	Off-Site (115 m southeast)	Former USTs (PCA#28 – Gasoline and Associated Products Storage in Fixed Tanks)	Based on ERIS records, a gasoline retail fuel station and service station was located at 341 Dundas Street East, approximately 115 m southeast, with USTs located on the property.	None Located downgradient
6.			Service Station (PCA#10 – Commercial Autobody Shops)		

Notes:
 (1) Distances are approximately only. Precise distances are not possible due to the age of some listings and the aggregation and/or loss of addresses.
 (2) Potentially contaminating activity means a use or activity set out in Column A of Table 2 of Schedule D (O.Reg 153/04. as amended) which is occurring or has occurred in a Phase One Study Area.



Table IV

<p align="center">AREAS OF POTENTIAL ENVIRONMENTAL CONCERN (APECs) (Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04) 5, 7, 9, 11, 13, and 15 Raglan Avenue, Toronto, Ontario</p>																													
<p>Area of Potential Environmental Concern (APEC)¹</p>	<p>Location of APEC on Phase One Property</p>	<p>Potentially Contaminating Activity (PCA)²</p>	<p>Location of PCA (On-Site or Off-Site)²</p>	<p>Potential Contaminants of Concern</p>	<p>Media Potentially Impacted (Groundwater, soil and/or sediment)</p>																								
<p>No APECs were identified.</p>																													
<p>Notes:</p> <p>1, Area of Potential Environmental Concern means the area on, in or under a phase one study area where one or more contaminants are potentially present, as determined through the P1 ESA, including through,</p> <p>(a) Identification of past or present uses on, in or under the phase one property, and</p> <p>(b) Identification of potentially contaminating activities.</p> <p>2. Potentially contaminating activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a phase one study area</p> <p>3. When completing this column, identify all contaminants of potential concern using the Method Groups as identified in the "Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011, as specified below:</p> <table border="0" style="width: 100%;"> <tr> <td>ABNs</td> <td>PCB:</td> <td>Metals</td> <td>Electrical Conductivity</td> </tr> <tr> <td>CPS</td> <td>PAHs</td> <td>As, Sb, Se</td> <td>Cr (Vi)</td> </tr> <tr> <td>1,4- Dioxane</td> <td>THMs</td> <td>Na</td> <td>Hg</td> </tr> <tr> <td>Dioxins/Furans, PCDDs/PCDFs</td> <td>VOCs</td> <td>B-HWS</td> <td>Methyl Mercury</td> </tr> <tr> <td>Ocs</td> <td>BTEX</td> <td>Cl-</td> <td>high pH</td> </tr> <tr> <td>PHCs</td> <td>Ca,</td> <td>Mg</td> <td>CN- low pH</td> </tr> </table> <p>4. When submitting a record of site condition for filing, a copy of this table must be attached</p> <p>SAR = Sodium Adsorption Ratio PHCs = Petroleum Hydrocarbons PCBs = Polychlorinated Biphenyl</p> <p>(1) Distances are approximately only. Precise distances are not possible due to the age of some listings and the aggregation and/or loss of addresses.</p> <p>(2) Potentially contaminating activity means a use or activity set out in Column A of Table 2 of Schedule D (O.Reg. 153/04. as amended) which is occurring or has occurred in a Phase One Study Area</p>						ABNs	PCB:	Metals	Electrical Conductivity	CPS	PAHs	As, Sb, Se	Cr (Vi)	1,4- Dioxane	THMs	Na	Hg	Dioxins/Furans, PCDDs/PCDFs	VOCs	B-HWS	Methyl Mercury	Ocs	BTEX	Cl-	high pH	PHCs	Ca,	Mg	CN- low pH
ABNs	PCB:	Metals	Electrical Conductivity																										
CPS	PAHs	As, Sb, Se	Cr (Vi)																										
1,4- Dioxane	THMs	Na	Hg																										
Dioxins/Furans, PCDDs/PCDFs	VOCs	B-HWS	Methyl Mercury																										
Ocs	BTEX	Cl-	high pH																										
PHCs	Ca,	Mg	CN- low pH																										
<p>B.I.G. Consulting Inc.</p>					<p>BIGC-ENV-397C</p>																								


**APPENDIX A: LIMITATION OF LIABILITY, SCOPE OF REPORT,
AND THIRD-PARTY RELIANCE**

Limitation of Liability, Scope of Report, and Third Party Reliance

The information presented in this report is based on visual site inspection and following the general guidance provided in the O.Reg.153/04 as amended. The objectives of the investigation were to evaluate the current environmental conditions of the subject property. The observations, conclusions and recommendations presented in this report are based on the site conditions existing at the time of BIG's site visit. If in the future, a Record of Site Condition (RSC) is pursued or additional information is become available or revealed through intrusive on-site testing, BIG should be contacted to re-evaluate the information presented in this report, if required.

This report was prepared for the exclusive use of Distrikt Capital. BIG's consent is required to reproduce this report in whole or in part. BIG is not responsible for any decision made or reliance by a third party makes of this report. BIG is not responsible for any damages, suffered by a third-party as result of the use of this report.

APPENDIX B: LEGAL SURVEY PLAN



PART 1
PLAN 20R-14237
PIN 24929-3609 (LT)

PART 2
THIS SURVEY MUST BE READ IN CONJUNCTION
WITH THE REPORT DATED NOVEMBER 21, 2017

PART 1
PLAN 20R-20173
PIN 24929-2827 (LT)

PART 1
PLAN 20R-14237

PART 2
PLAN 20R-11325

REGISTERED PLAN
M-121 (MISC)

SURVEYOR'S REAL PROPERTY REPORT
SHOWING TOPOGRAPHY
PART 1 - PLAN SHOWING
**PART OF LOT 13, CONCESSION 1
NORTH OF DUNDAS STREET**
GEOGRAPHIC TOWNSHIP OF TRAFALGAR
TOWN OF OAKVILLE
REGIONAL MUNICIPALITY OF HALTON

SCALE 1 : 250
0 5 10 15 metres

J.D. BARNES LIMITED
© COPYRIGHT

METRIC DISTANCES AND/OR COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

PART 2 - SURVEY REPORT

- DESCRIPTION
PART OF LOT 13, CONCESSION 1, NORTH OF DUNDAS STREET, GEOGRAPHIC TOWNSHIP OF TRAFALGAR, TOWN OF OAKVILLE
- REGISTERED EASEMENTS AND/OR RIGHTS-OF-WAY
NONE REGISTERED
- BOUNDARY FEATURES
NOTE LOCATION OF FENCES ALONG EASTERN AND WESTERN LIMIT OF PARCEL 24929-0103 (LT).
- ZONING COMPLIANCE
COMPLIANCE WITH ONTARIO BUILDING CODE SETBACK REQUIREMENTS ARE NOT VERIFIED BY THIS SURVEY.
- ADDITIONAL REMARKS
PLAN PREPARED FOR DISTRIKT DEVELOPMENTS

NOTES

BEARINGS ARE UTM GRID, DERIVED FROM GPS OBSERVATIONS USING LEICA THE NETWORK (RTK) OBSERVATIONS, UTM ZONE 17, NAD83 (CSRS) (2010.0).
DISTANCES ARE GROUND AND CAN BE CONVERTED TO GRID BY MULTIPLYING BY THE COMBINED SCALE FACTOR OF 0.999709.
BEARING COMPARISONS SHOWN FOR DI ARE WITH ASTRONOMIC BEARINGS.
ALL BUILDING TIES ARE TAKEN TO CONCRETE FOUNDATION

INTEGRATION DATA

OBSERVED REFERENCE POINTS (ORPs): UTM ZONE 17, NAD83 (CSRS) (2010.0).		
COORDINATES TO URBAN ACCURACY PER SECTION 14 (2) OF O.REG 216/10.		
POINT ID	EASTING	NORTHING
ORP (1)	603 331.06	4 815 966.44
ORP (2)	603 381.67	4 815 916.25

COORDINATES CANNOT, IN THEMSELVES, BE USED TO RE-ESTABLISH CORNERS OR BOUNDARIES SHOWN ON THIS PLAN.

LEGEND

- DENOTES SURVEY MONUMENT FOUND
- SB DENOTES STANDARD IRON BAR
- IB DENOTES IRON BAR
- RB DENOTES ROUND IRON BAR
- 626 DENOTES H. D. SCHWELL, O.L.S.
- 760 DENOTES K. H. MCCONNELL, O.L.S.
- 950 DENOTES CUNNINGHAM MCCONNELL LTD.
- HJV DENOTES HOLDING JONES VANDERVEEN INC.
- NI DENOTES NOT IDENTIFIABLE
- MEAS DENOTES MEASURED
- P1 DENOTES SURVEYOR'S REAL PROPERTY REPORT BY CUNNINGHAM MCCONNELL LTD., DATED MAY 19, 2008
- P2 DENOTES PLAN 20R-20173
- P3 DENOTES REGISTERED PLAN 20M-1163
- P4 DENOTES PLAN 20R-14237
- D1 DENOTES INSTRUMENT No. 787559
- HP DENOTES HYDRO POLE
- E- DENOTES OVERHEAD HYDRO CABLE
- FTI DENOTES FINISH FLOOR ELEVATION
- STAKE #1 DENOTES WOOD STAKE WITH NUMBER

ELEVATION NOTE

ELEVATIONS SHOWN ON THIS PLAN ARE DERIVED FROM TOWN OF OAKVILLE BENCHMARK NUMBER 276 ON TOP OF NORTH END OF CONCRETE CULVERT 1.6 KM EAST OF BURHAMTHORPE AND TRAFALGAR ROAD.
ELEVATION = 175.722 m

LOCAL BENCHMARK No. 1

NORTHEAST CORNER OF CONCRETE DITCH HEADWALL
ELEVATION = 168.88 m

IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THAT THE LOCAL BENCHMARK HAS NOT BEEN ALTERED OR DISTURBED AND THAT THE RELATIVE ELEVATION AND DESCRIPTION AGREE WITH THE INFORMATION SHOWN ON THIS SKETCH

BEFORE DIGGING, UNDERGROUND SERVICES SHOULD BE LOCATED ON SITE BY THE RESPECTIVE AGENCIES

** THIS PLAN WAS EDITED ON MARCH 29, 2018 TO SHOW TOP OF BANK AS STAKED ON MARCH 26, 2018 AND SURVEYED ON MARCH 27, 2018.

SURVEYOR'S CERTIFICATE

- I CERTIFY THAT:
1. THIS SURVEY AND PLAN ARE CORRECT AND IN ACCORDANCE WITH THE SURVEYS ACT, THE SURVEYORS ACT AND THE REGULATIONS MADE UNDER THEM.
 2. THE SURVEY WAS COMPLETED ON NOVEMBER 1, 2017.

NOVEMBER 21, 2017
DATE


DAVID A. BLACK
ONTARIO LAND SURVEYOR

J.D. BARNES LIMITED
LAND INFORMATION SPECIALISTS
401 WHEELABRATOR WAY, SUITE A, MILTON, ON L9T 3C1
T: (905) 875-9955 F: (905) 875-9956 www.jdbarnes.com

DRAWN BY: CE/AL CHECKED BY: AB REFERENCE NO.: 17-30-168-01
G:\17-30-168\01\Drawings\17-30-168-01-topo\topo.dwg PLOTTED: MARCH 28, 2018
PLOTTED: 3/29/2018

REVISION RECORD
1

Date	Issued For
ISSUE RECORD	



Quadrangle

Quadrangle Architects Limited
901 King Street West, Suite 701 Toronto, ON M5V 3H5
t 416 596 1240 www.quadrangle.ca

3064 Trafalgar Rd
Oakville, ON L6H 7B9
for
Distrikt Developments

20002 Author Checker
PROJECT SCALE DRAWN REVIEWED

Survey Plan

A003.R

Note: This drawing is the property of the Architect and may not be reproduced or used without the expressed consent of the Architect. The Contractor is responsible for checking and verifying all levels and dimensions and shall report all discrepancies to the Architect and obtain clarification prior to commencing work.

C:\Users\jcd\Documents\DAL_AR_20002_P0010M_OPP_3064 Trafalgar Rd_R2020_Edgar.dwg

2020-04-29 09:54:01 PM

APPENDIX C: QUALIFICATION OF ASSESSORS

Qualifications of Accessors

The records review and the Site visit were conducted by Mr. Fernando Contento, who has been trained to conduct Phase I ESAs in accordance with O. Reg 153 and CSA Standard Z768-01. Fernando is a registered Professional Geoscientist in Ontario (P.Geo) and has a Master's degree in Environmental Science from University of Toronto and has completed numerous Phase One and Phase Two ESA reports under Ontario jurisdiction. She had been involved in Environmental Site Assessments, risk assessments, remediation projects and environmental management report reviews under Federal jurisdiction.

Mr. Darko Strajin, is the Partner of BIG, he is a licensed engineer in province of Ontario and has over 25 years of consulting experience. Darko has been involved in conducting Phase One and Phase Two Environmental Site Assessments for more than 20 years. Darko has been responsible for successfully managing numerous environmental investigations and site assessments. Darko has in depth knowledge of Environmental Regulations including experience in geology, hydrogeology and geotechnical engineering that enables him to provide superior services to his client in the environmental industry. Darko has registered with the MECP as QP (Environmental Site Assessment) and has filed number of Record of Site Condition documents over the years.

APPENDIX D: CHAIN OF TITLE SEARCH

Chain of Title

PROJECT # BIGC-ENV-397-C

3064 TRAFALGAR ROAD

PIN 24929-0103

PART OF LOT 13

CONCESSION 1

NORTH OF DUNDAS STREET

THE CITY OF OAKVILLE

PIN	OWNERSHIP	DATES
24929-0103	3064 TRAFALGAR ROAD INC.	FEBRUARY 28 2018 TO PRESENT AUGUST 4 2020
	1716835 ONTARIO LIMITED	JANUARY 15 2007 TO FEBRUARY 28 2018

PIN	OWNERSHIP	DATES
	BAPTIST CONVENTION OF ONTARIO AND QUEBEC	JUNE 29 1992 TO JANUARY 15 2007
QUIT CLAIM FROM ARTHUR HUGH HOTSON	BAPTIST CONVENTION OF ONTARIO AND QUEBEC	JULY 27 1992
	MEADOWVALE ANIMAL CENTRE LTD.	JANUARY 7 1981 TO JUNE 29 1992
	ALBERTA PIETERJE GRIEVE	NOVEMBER 17 1978 TO JANUARY 7 1981
	THE ESTATE OF ARTHUR GEORGE HOTSON	OCTOBER 26 1972 TO NOVEMBER 17 1978
	THE ESTATE OF MARY JOSEPHINE HOTSON	JULY 5 1965 TO OCTOBER 26 1972
	ALBERT PETERS AND WIFE	JUNE 14 1957 TO JULY 5 1965
PARCELS MERGED	FREDERICK J. MacNAMARA AND WIFE	APRIL 25 1957 TO JUNE 14 1957

PIN	OWNERSHIP	DATES
PARCEL #2	FREDERICK J. MacNAMARA AND WIFE & WILLIAM SCADE	APRIL 18 1957 TO APRIL 25 1957
PARCEL #1	FREDERICK J. MacNAMARA AND WIFE & WILLIAM SCADE	AUGUST 30 1956 TO APRIL 18 1957
	ALLAN W. HALL AND WIFE	JULY 6 1955 TO AUGUST 30 1956
	WILFRED SAMUEL HALL	DECEMBER 9 1952 TO JULY 6 1955
	CLARENCE FEATHERSTONE FORD	FEBRUARY 20 1943 TO DECEMBER 9 1952
	ESTATE OF FRANCIS EDWARD FORD	APRIL 10 1904 TO FEBRUARY 20 1943
	JOHN E. FORD	APRIL 3 1901 TO APRIL 10 1904
VESTING ORDER	ESTATE OF GEORGE FORD	MARCH 10 1883 TO APRIL 3 1901

PIN	OWNERSHIP	DATES
	JAMES APPELBE (JR.)	JUNE 1 1880 TO MARCH 1 1883
	ESTATE OF JAMES APPLEBE (SR.)	MARCH 10 1836 TO JUNE 1 1880
	JAMES THOMPSON	DECEMBER 14 1816 TO MARCH 10 1836
	PETER CLINE	FEBRUARY 23 1809 TO DECEMBER 14 1816
	ABRAHAM GRUBB	JANUARY 1808 TO FEBRUARY 23 1809

CROWN PATENT: JANUARY 6 1808

ABRAHAM GRUBB

LOT 13

CONCESSION 1

NORTH OF DUNDAS STREET

GEOGRAPHIC TOWNSHIP OF TRAFALGAR

APPENDIX E: ECOLOG ERIS REPORT



DATABASE REPORT

Project Property: *3064 Trafalgar Road
3064 Trafalgar Road
Oakville ON L6H 7B9*

Project No: *BIGC-ENV-397C*

Report Type: *RSC Report (Urban)*

Order No: *20200728114*

Requested by: *B.I.G. Consulting Inc.*

Date Completed: *July 30, 2020*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	18
Map.....	32
Aerial.....	33
Topographic Map.....	34
Detail Report.....	35
Unplottable Summary.....	189
Unplottable Report.....	192
Appendix: Database Descriptions.....	210
Definitions.....	219

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 3064 Trafalgar Road
3064 Trafalgar Road Oakville ON L6H 7B9

Project No: BIGC-ENV-397C

Order Information:

Order No: 20200728114
Date Requested: July 28, 2020
Requested by: B.I.G. Consulting Inc.
Report Type: RSC Report (Urban)

Historical/Products:

Topographic Map RSC Maps

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	0	0
CA	<i>Certificates of Approval</i>	Y	0	0	0
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	1	1
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	2	11	13
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	24	24
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	2	2
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	1	1
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	17	17
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.30km	Total
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	4	4
PINC	Pipeline Incidents	Y	0	2	2
PRT	Private and Retail Fuel Storage Tanks	Y	0	3	3
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	3	3
RST	Retail Fuel Storage Tanks	Y	0	7	7
SCT	Scott's Manufacturing Directory	Y	0	0	0
SPL	Ontario Spills	Y	0	13	13
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	3	41	44
Total:			5	129	134

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<u>1</u>	EHS		3064 Trafalger Rd Oakville ON	NW/0.0	0.00	<u>35</u>
<u>2</u>	WWIS		OAKVILLE ON <i>Well ID:</i> 7301813	WNW/0.0	0.01	<u>35</u>
<u>3</u>	WWIS		ON <i>Well ID:</i> 7315066	W/0.0	0.01	<u>37</u>
<u>4</u>	EHS		3064 Trafalgar Rd Oakville ON L6H 7B9	ENE/0.0	0.04	<u>38</u>
<u>4</u>	WWIS		OAKVILLE ON <i>Well ID:</i> 7301814	ENE/0.0	0.04	<u>38</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
5	WWIS		Oakville ON Well ID: 7228678	NNE/3.3	0.09	41
6	GEN	OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	N/18.8	0.46	43
6	GEN	OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	N/18.8	0.46	43
6	GEN	OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	N/18.8	0.46	44
6	GEN	OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	N/18.8	0.46	44
6	GEN	OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	N/18.8	0.46	45
7	GEN	OakPark Pet Hospital	3070 Trafalgar Road Oakville ON	N/18.8	0.46	45
7	RSC	DUNDAS-TRAFALGAR INC.	3070 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9 Oakville ON	N/18.8	0.46	45
7	GEN	OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	N/18.8	0.46	46
8	WWIS		lot 13 con 1 OAKVILLE ON Well ID: 7261315	NNW/27.2	0.07	47
8	WWIS		lot 13 con 1 OAKVILLE ON Well ID: 7261314	NNW/27.2	0.07	49
9	WWIS		lot 13 con 1 ON	E/29.6	-0.68	51

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 2802115			
10	EHS		3040 Trafalgar Rd Oakville ON L6H7B9	ESE/34.4	-1.04	53
11	RSC	DUNDAS-TRAFALGAR INC.	3075 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9 Oakville ON	NNE/41.9	1.05	53
12	WWIS		lot 13 con 1 ON Well ID: 2802116	E/59.5	-1.04	54
13	EHS		3030 Trafalgar Road Oakville ON L6H 7B9	ESE/72.6	-1.01	57
14	WWIS		lot 13 con 1 ON Well ID: 2802110	NW/79.2	1.03	57
15	WWIS		lot 13 con 1 ON Well ID: 2802109	NNW/81.8	0.98	59
16	WWIS		lot 13 con 1 ON Well ID: 2802111	WNW/86.2	0.97	61
17	WWIS		Oakville ON Well ID: 7167064	ESE/89.1	-1.00	63
18	WWIS		MILTON ON Well ID: 7224936	ESE/119.6	-0.99	66
19	WWIS		Oakville ON Well ID: 7111065	ESE/137.5	-1.02	68
20	WWIS		Oakville ON Well ID: 7103292	ESE/138.0	-1.04	90
21	WWIS		OAKVILLE ON Well ID: 2810317	ESE/138.7	-1.00	94
21	WWIS		OAKVILLE ON	ESE/138.7	-1.00	97

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 2810389			
21	WWIS		OAKVILLE ON Well ID: 2810390	ESE/138.7	-1.00	99
22	WWIS		lot 13 OAKVILLE ON Well ID: 7046328	SW/139.5	-0.48	102
23	WWIS		OAKVILLE ON Well ID: 7185195	ESE/142.1	-1.07	103
24	WWIS		ON Well ID: 7239540	SE/143.2	-1.88	105
25	WWIS		lot 13 con 1 ON Well ID: 2802114	SSE/150.1	-3.08	106
26	WWIS		lot 13 con 1 ON Well ID: 2806420	SE/150.4	-1.48	108
27	WWIS		OAKVILLE ON Well ID: 2810488	ESE/151.3	-1.14	111
28	WWIS		Oakville ON Well ID: 7135066	ESE/152.4	-0.89	114
29	WWIS		lot 13 OAKVILLE ON Well ID: 7046325	SSE/158.3	-1.08	115
30	EHS		305 Dundas St E Oakville ON L6H7C3	ESE/165.5	-0.93	117
31	WWIS		Oakville ON Well ID: 7135079	E/166.0	-0.61	117
32	WWIS		lot 13 con 1 ON Well ID: 2804186	ESE/167.3	-0.33	125
33	WWIS		Oakville ON	SE/169.3	-1.00	128

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<i>Well ID:</i> 7229637			
34	WWIS		lot 13 con 1 ON <i>Well ID:</i> 2802113	ESE/171.8	-0.31	131
35	WWIS		lot 12 con 1 ON <i>Well ID:</i> 2805423	E/175.0	-0.28	134
36	RST	JAGDAMBE LTD	305 DUNDAS ST E OAKVILLE ON L6H7C3	ESE/176.0	-0.62	137
36	RST	DEV'S ESSO	305 DUNDAS ST E OAKVILLE ON L6H7C3	ESE/176.0	-0.62	137
36	GEN	Imperial Oil	305 Dundas Street East Oakville ON	ESE/176.0	-0.62	137
36	RST	ARMANI'S ESSO	305 DUNDAS ST E OAKVILLE ON L6H7C3	ESE/176.0	-0.62	137
36	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.0	-0.62	138
36	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.0	-0.62	138
36	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.0	-0.62	138
36	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.0	-0.62	139
36	RST	ARMAN'S; ESSO	305 DUNDAS ST E OAKVILLE ON L6H7C3	ESE/176.0	-0.62	139
37	SPL	ESSO PETROLEUM CANADA	305 DUNDAS ST. EAST. SERVICE STATION OAKVILLE TOWN ON L6H 7C3	ESE/176.1	-0.62	139
37	SPL	ESSO CHEMICAL	ESSO SERVICE STATION 305 DUNDAS ST WEST TANK TRUCK (CARGO)	ESE/176.1	-0.62	140

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			OAKVILLE TOWN ON			
37	PRT	MIKE'S ESSO 765853 ONTARIO LIMITED	305 DUNDAS ST E OAKVILLE ON L6H 7C3	ESE/176.1	-0.62	140
37	PRT	MIKE'S ESSO 765853 ONTARIO LIMITED	305 DUNDAS ST E OAKVILLE ON L6J4Z2	ESE/176.1	-0.62	141
37	SPL	IMPERIAL OIL LTD.	305 DUNDAS STREET EAST ESSO SERVICE STATION OAKVILLE TOWN ON L6H 7C3	ESE/176.1	-0.62	141
37	RST	FIVE ESSO	305 DUNDAS ST E OAKVILLE ON L6J4Z2	ESE/176.1	-0.62	141
37	RST	COMMISSO'S ESSO	305 DUNDAS ST E OAKVILLE ON L6J4Z2	ESE/176.1	-0.62	141
37	EHS		305 Dundas St. E. Oakville ON L6H 7C3	ESE/176.1	-0.62	142
37	RST	ROYAL ESSO	305 DUNDAS ST E OAKVILLE ON L6H 7C3	ESE/176.1	-0.62	142
37	EHS		305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	142
37	EHS		305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	142
37	FSTH	SHIMERAN NESSAN O/A ROYAL ESSO GAS STATION	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	142
37	SPL	Imperial Oil Limited	305 Dundas Street Oakville ON	ESE/176.1	-0.62	143
37	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	144

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
37	EHS		305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	144
37	EXP	1150784 ONTARIO LTD O/A HORNBY ESSO	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	144
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	144
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	145
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	145
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	145
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON L6J 4Z2	ESE/176.1	-0.62	145
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	145
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	146
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	146
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	146
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	146
37	EXP	VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	147

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
37	EXP	1150784 ONTARIO LTD O/A HORNBY ESSO	305 DUNDAS ST W OAKVILLE ON	ESE/176.1	-0.62	147
37	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	147
37	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	148
37	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	148
37	GEN	Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	ESE/176.1	-0.62	148
38	FST	1383507 ONTARIO LTD	325 DUNDAS ST E OAKVILLE ON L6H 7E3	E/176.3	-0.31	149
38	FST	1383507 ONTARIO LTD	325 DUNDAS ST E OAKVILLE ON L6H 7E3	E/176.3	-0.31	149
38	PINC		325 DUNDAS STREET EAST, OAKVILLE ON	E/176.3	-0.31	149
39	WWIS		ON Well ID: 7218609	SSE/180.6	0.11	150
40	RSC	GREEN GINGER DEVELOPMENTS INC.	271 DUNDAS ST E, OAKVILLE, ON, L6H 7C3 ON L6H 7C3	SSE/181.5	-1.87	150
41	WWIS		ON Well ID: 7221399	SSE/185.1	0.11	151
42	WWIS		OAKVILLE ON Well ID: 2810489	ESE/185.7	-0.22	151
43	EHS		325 Dundas Street East Oakville ON L6H 7E3	ESE/187.5	0.00	154

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
44	WWIS		Oakville ON <i>Well ID:</i> 7103280	SE/191.3	-0.62	154
45	SPL	CANADA PACKERS	CORNER OF HWY 5 & TRAFALGAR RD. TORONTO PLANT [ST. CLAIR AVENUE] OAKVILLE TOWN ON	ESE/200.8	0.00	159
45	SPL	TEXACO	HWY 5 & TRAFALGAR ROAD-TEXACO SERVICE STATION SERVICE STATION OAKVILLE TOWN ON	ESE/200.8	0.00	160
45	SPL	TEXACO	DUNDAS AND TRAFALGAR RD SERVICE STATION OAKVILLE TOWN ON	ESE/200.8	0.00	160
45	SPL	TRANSPORT TRUCK	TRAFALGAR RD/DUNDAS ST. MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	ESE/200.8	0.00	161
45	EHS		Trafalgar Road & Hwy 5 Oakville ON	ESE/200.8	0.00	161
45	EHS		Highway 5 and Trafalgar Road Oakville ON	ESE/200.8	0.00	161
45	SPL		Dundas Street & Trafalgar Rd Oakville ON	ESE/200.8	0.00	162
45	SPL	Rothsay Recycling<UNOFFICIAL>	Trafalgar and Dundas Oakville ON	ESE/200.8	0.00	162
45	EHS		Dundas St Etrafalgar Rd Oakville ON	ESE/200.8	0.00	162
46	PRT	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J4Z2	E/211.1	0.00	163
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	163
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	163

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	163
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	164
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	164
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	164
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	164
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	165
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	165
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	165
46	EXP	IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	E/211.1	0.00	165
47	WWIS		OAKVILLE ON Well ID: 7258123	SE/219.9	-3.33	165
48	WWIS		lot 13 OAKVILLE ON Well ID: 7046326	SW/224.8	-1.55	168
49	WWIS		ON Well ID: 7218621	WSW/232.7	0.02	169
50	ECA	Trafalgar Heights Inc.	278 Dundas St E Oakville ON L4K 1W8	SE/246.2	-1.44	170

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
51	WWIS		MILTON ON <i>Well ID:</i> 7224935	NW/253.9	2.41	170
52	WWIS		MILTON ON <i>Well ID:</i> 7224938	ESE/254.8	1.07	173
53	WWIS		OAKVILLE ON <i>Well ID:</i> 7258120	SE/265.7	-0.66	175
54	SPL		211 Squire Cres Unit 6 Oakville ON	SW/272.6	-1.05	177
55	PINC		284 SQUIRE CRESCENT, OAKVILLE ON	WSW/276.9	-1.00	178
55	SPL	Union Gas Limited	284 Squire Crescent Oakville ON	WSW/276.9	-1.00	178
56	SPL		205 Huguenot Rd, Oakville ON	SW/282.7	-1.00	179
57	WWIS		lot 13 con 1 ON <i>Well ID:</i> 2802304	SE/285.2	-0.88	179
58	WWIS		OAKVILLE ON <i>Well ID:</i> 7054129	W/296.2	-0.27	181
59	WWIS		lot 13 con 1 ON <i>Well ID:</i> 2802305	SE/299.4	-2.42	184
60	PES	OAKVILLE LONGO'S	338 DUNDAS ST E OAKVILLE ON L6H 6Z9	E/299.5	0.00	186
60	PES	OAKVILLE LONGO'S	338 DUNDAS ST E OAKVILLE ON L6H 6Z9	E/299.5	0.00	187
60	PES	OAKVILLE LONGO'S	338 DUNDAS ST E OAKVILLE ON L6J4Z2	E/299.5	0.00	187

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
60	PES	LONGO BROTHERS FRUIT MARKET INC.	338 DUNDAS STREET EAST OAKVILLE ON	E/299.5	0.00	187

Executive Summary: Summary By Data Source

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Jun 30, 2020 has found that there are 1 ECA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Trafalgar Heights Inc.	278 Dundas St E Oakville ON L4K 1W8	246.2	<u>50</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Apr 30, 2020 has found that there are 13 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3064 Trafalgar Rd Oakville ON	0.0	<u>1</u>
	3064 Trafalgar Rd Oakville ON L6H 7B9	0.0	<u>4</u>
	3040 Trafalgar Rd Oakville ON L6H7B9	34.4	<u>10</u>
	3030 Trafalgar Road Oakville ON L6H 7B9	72.6	<u>13</u>
	305 Dundas St E Oakville ON L6H7C3	165.5	<u>30</u>
	305 Dundas Street East Oakville ON L6H 7C3	176.1	<u>37</u>
	305 Dundas Street East Oakville ON L6H 7C3	176.1	<u>37</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	305 Dundas Street East Oakville ON L6H 7C3	176.1	37
	305 Dundas St. E. Oakville ON L6H 7C3	176.1	37
	325 Dundas Street East Oakville ON L6H 7E3	187.5	43
	Dundas St Etrafalgar Rd Oakville ON	200.8	45
	Highway 5 and Trafalgar Road Oakville ON	200.8	45
	Trafalgar Road & Hwy 5 Oakville ON	200.8	45

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Feb 28, 2017 has found that there are 24 EXP site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1150784 ONTARIO LTD O/A HORNBY ESSO	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37

Site	Address	Distance (m)	Map Key
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON L6J 4Z2	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
VIVAN KHAMIS O/A GAS STN	305 DUNDAS ST W OAKVILLE ON	176.1	37
1150784 ONTARIO LTD O/A HORNBY ESSO	305 DUNDAS ST W OAKVILLE ON	176.1	37
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J 4Z2	211.1	46

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2017 has found that there are 2 FST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1383507 ONTARIO LTD	325 DUNDAS ST E OAKVILLE ON L6H 7E3	176.3	38
1383507 ONTARIO LTD	325 DUNDAS ST E OAKVILLE ON L6H 7E3	176.3	38

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 1 FSTH site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHIMERAN NESSAN O/A ROYAL ESSO GAS STATION	305 DUNDAS ST W OAKVILLE ON	176.1	37

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Apr 30, 2020 has found that there are 17 GEN site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	18.8	6
OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	18.8	6
OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	18.8	6
OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	18.8	6
OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	18.8	6

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OakPark Pet Hospital	3070 Trafalgar Road Oakville ON L6H 7B9	18.8	<u>7</u>
OakPark Pet Hospital	3070 Trafalgar Road Oakville ON	18.8	<u>7</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.0	<u>36</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.0	<u>36</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.0	<u>36</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.0	<u>36</u>
Imperial Oil	305 Dundas Street East Oakville ON	176.0	<u>36</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.1	<u>37</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.1	<u>37</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.1	<u>37</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.1	<u>37</u>
Imperial Oil	305 Dundas Street East Oakville ON L6H 7C3	176.1	<u>37</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

PES - Pesticide Register

A search of the PES database, dated Oct 2011-Jun 30, 2020 has found that there are 4 PES site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OAKVILLE LONGO'S	338 DUNDAS ST E OAKVILLE ON L6H 6Z9	299.5	60
OAKVILLE LONGO'S	338 DUNDAS ST E OAKVILLE ON L6J4Z2	299.5	60
LONGO BROTHERS FRUIT MARKET INC.	338 DUNDAS STREET EAST OAKVILLE ON	299.5	60
OAKVILLE LONGO'S	338 DUNDAS ST E OAKVILLE ON L6H 6Z9	299.5	60

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 2 PINC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	325 DUNDAS STREET EAST, OAKVILLE ON	176.3	38
	284 SQUIRE CRESCENT, OAKVILLE ON	276.9	55

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 3 PRT site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
MIKE'S ESSO 765853 ONTARIO LIMITED	305 DUNDAS ST E OAKVILLE ON L6H 7C3	176.1	37
MIKE'S ESSO 765853 ONTARIO LIMITED	305 DUNDAS ST E OAKVILLE ON L6J4Z2	176.1	37
IRON CITY SHELL	341 DUNDAS ST E OAKVILLE ON L6J4Z2	211.1	46

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-May 2020 has found that there are 3 RSC site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
DUNDAS-TRAFALGAR INC.	3070 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9 Oakville ON	18.8	7
DUNDAS-TRAFALGAR INC.	3075 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9 Oakville ON	41.9	11
GREEN GINGER DEVELOPMENTS INC.	271 DUNDAS ST E, OAKVILLE, ON, L6H 7C3 ON L6H 7C3	181.5	40

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jan 31, 2020 has found that there are 7 RST site(s) within approximately 0.30 kilometers of the project property.

Site	Address	Distance (m)	Map Key
ARMAN'S; ESSO	305 DUNDAS ST E OAKVILLE ON L6H7C3	176.0	36
ARMANI'IS ESSO	305 DUNDAS ST E OAKVILLE ON L6H7C3	176.0	36

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
JAGDAMBE LTD	305 DUNDAS ST E OAKVILLE ON L6H7C3	176.0	<u>36</u>
DEV'S ESSO	305 DUNDAS ST E OAKVILLE ON L6H7C3	176.0	<u>36</u>
FIVE ESSO	305 DUNDAS ST E OAKVILLE ON L6J4Z2	176.1	<u>37</u>
COMMISSO'S ESSO	305 DUNDAS ST E OAKVILLE ON L6J4Z2	176.1	<u>37</u>
ROYAL ESSO	305 DUNDAS ST E OAKVILLE ON L6H 7C3	176.1	<u>37</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Nov 2019 has found that there are 13 SPL site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ESSO PETROLEUM CANADA	305 DUNDAS ST. EAST. SERVICE STATION OAKVILLE TOWN ON L6H 7C3	176.1	<u>37</u>
ESSO CHEMICAL	ESSO SERVICE STATION 305 DUNDAS ST WEST TANK TRUCK (CARGO) OAKVILLE TOWN ON	176.1	<u>37</u>
IMPERIAL OIL LTD.	305 DUNDAS STREET EAST ESSO SERVICE STATION OAKVILLE TOWN ON L6H 7C3	176.1	<u>37</u>
Imperial Oil Limited	305 Dundas Street Oakville ON	176.1	<u>37</u>
TRANSPORT TRUCK	TRAFALGAR RD/DUNDAS ST. MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	200.8	<u>45</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Dundas Street & Trafalgar Rd Oakville ON	200.8	45
TEXACO	DUNDAS AND TRAFALGAR RD SERVICE STATION OAKVILLE TOWN ON	200.8	45
CANADA PACKERS	CORNER OF HWY 5 & TRAFALGAR RD. TORONTO PLANT [ST. CLAIR AVENUE] OAKVILLE TOWN ON	200.8	45
TEXACO	HWY 5 & TRAFALGAR ROAD-TEXACO SERVICE STATION SERVICE STATION OAKVILLE TOWN ON	200.8	45
Rothsay Recycling<UNOFFICIAL>	Trafalger and Dundas Oakville ON	200.8	45
	211 Squire Cres Unit 6 Oakville ON	272.6	54
Union Gas Limited	284 Squire Crescent Oakville ON	276.9	55
	205 Huguenot Rd, Oakville ON	282.7	56

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 44 WWIS site(s) within approximately 0.30 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	OAKVILLE ON <i>Well ID: 7301813</i>	0.0	2

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON <i>Well ID: 7315066</i>	0.0	<u>3</u>
	OAKVILLE ON <i>Well ID: 7301814</i>	0.0	<u>4</u>
	Oakville ON <i>Well ID: 7228678</i>	3.3	<u>5</u>
	lot 13 con 1 OAKVILLE ON <i>Well ID: 7261315</i>	27.2	<u>8</u>
	lot 13 con 1 OAKVILLE ON <i>Well ID: 7261314</i>	27.2	<u>8</u>
	lot 13 con 1 ON <i>Well ID: 2802115</i>	29.6	<u>9</u>
	lot 13 con 1 ON <i>Well ID: 2802116</i>	59.5	<u>12</u>
	lot 13 con 1 ON <i>Well ID: 2802110</i>	79.2	<u>14</u>
	lot 13 con 1 ON <i>Well ID: 2802109</i>	81.8	<u>15</u>
	lot 13 con 1 ON <i>Well ID: 2802111</i>	86.2	<u>16</u>
	Oakville ON <i>Well ID: 7167064</i>	89.1	<u>17</u>
	MILTON ON	119.6	<u>18</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7224936		
	Oakville ON	137.5	<u>19</u>
	<i>Well ID:</i> 7111065		
	Oakville ON	138.0	<u>20</u>
	<i>Well ID:</i> 7103292		
	OAKVILLE ON	138.7	<u>21</u>
	<i>Well ID:</i> 2810317		
	OAKVILLE ON	138.7	<u>21</u>
	<i>Well ID:</i> 2810389		
	OAKVILLE ON	138.7	<u>21</u>
	<i>Well ID:</i> 2810390		
	lot 13 OAKVILLE ON	139.5	<u>22</u>
	<i>Well ID:</i> 7046328		
	OAKVILLE ON	142.1	<u>23</u>
	<i>Well ID:</i> 7185195		
	ON	143.2	<u>24</u>
	<i>Well ID:</i> 7239540		
	lot 13 con 1 ON	150.1	<u>25</u>
	<i>Well ID:</i> 2802114		
	lot 13 con 1 ON	150.4	<u>26</u>
	<i>Well ID:</i> 2806420		
	OAKVILLE ON	151.3	<u>27</u>
	<i>Well ID:</i> 2810488		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Oakville ON <i>Well ID:</i> 7135066	152.4	<u>28</u>
	lot 13 OAKVILLE ON <i>Well ID:</i> 7046325	158.3	<u>29</u>
	Oakville ON <i>Well ID:</i> 7135079	166.0	<u>31</u>
	lot 13 con 1 ON <i>Well ID:</i> 2804186	167.3	<u>32</u>
	Oakville ON <i>Well ID:</i> 7229637	169.3	<u>33</u>
	lot 13 con 1 ON <i>Well ID:</i> 2802113	171.8	<u>34</u>
	lot 12 con 1 ON <i>Well ID:</i> 2805423	175.0	<u>35</u>
	ON <i>Well ID:</i> 7218609	180.6	<u>39</u>
	ON <i>Well ID:</i> 7221399	185.1	<u>41</u>
	OAKVILLE ON <i>Well ID:</i> 2810489	185.7	<u>42</u>
	Oakville ON <i>Well ID:</i> 7103280	191.3	<u>44</u>
	OAKVILLE ON	219.9	<u>47</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7258123		
	lot 13 OAKVILLE ON	224.8	48
	<i>Well ID:</i> 7046326		
	ON	232.7	49
	<i>Well ID:</i> 7218621		
	MILTON ON	253.9	51
	<i>Well ID:</i> 7224935		
	MILTON ON	254.8	52
	<i>Well ID:</i> 7224938		
	OAKVILLE ON	265.7	53
	<i>Well ID:</i> 7258120		
	lot 13 con 1 ON	285.2	57
	<i>Well ID:</i> 2802304		
	OAKVILLE ON	296.2	58
	<i>Well ID:</i> 7054129		
	lot 13 con 1 ON	299.4	59
	<i>Well ID:</i> 2802305		



Map : 0.3 Kilometer Radius

Order Number: 20200728114

Address: 3064 Trafalgar Road, Oakville, ON



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Ferry Route/Ice Road		



Aerial Year: 2018


Address: 3064 Trafalgar Road, Oakville, ON

Source: ESRI World Imagery

Order Number: 20200728114



© ERIS Information Limited Partnership



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO-USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Address: 3064 Trafalgar Road, ON

Source: ESRI World Topographic Map

Order Number: 20200728114



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1</u>	1 of 1	NW/0.0	170.8 / 0.00	3064 Trafalger Rd Oakville ON	EHS
Order No: 20171027112 Status: C Report Type: Standard Report Report Date: 03-NOV-17 Date Received: 27-OCT-17 Previous Site Name: Lot/Building Size: Additional Info Ordered: City Directory		Nearest Intersection: Municipality: OAKVILLE Client Prov/State: ON Search Radius (km): .25 X: -79.722254 Y: 43.488933			

<u>2</u>	1 of 1	WNW/0.0	170.8 / 0.01	OAKVILLE ON	WWIS
Well ID: 7301813 Construction Date: Primary Water Use: Test Hole Sec. Water Use: Monitoring Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z269679 Tag: A238887 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: Date Received: 12/20/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7383 Form Version: 7 Owner: Street Name: 3064 TRAFALGAR RD County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

Bore Hole Information

Bore Hole ID: 1006915090 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 11/8/2017 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment:	Elevation: 171.191314 Elevrc: Zone: 17 East83: 603299 North83: 4815918 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007088515			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		12			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007088514			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		12			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007088523			
Layer:		1			
Plug From:		2.5			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007088525			
Layer:		3			
Plug From:		24			
Plug To:		35			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007088524			
Layer:		2			
Plug From:		1			
Plug To:		24			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		3			
Method Construction:		Rotary (Reverse)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007088513			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007088518			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		2.5			
Depth To:		25			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007088519			
Layer:		1			
Slot:		10			
Screen Top Depth:		25			
Screen End Depth:		35			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Hole Diameter</u>					
Hole ID:		1007088516			
Diameter:		6			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

3

1 of 1

W/0.0

170.8 / 0.01

ON

WWIS

Well ID: 7315066
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status:
Water Type:
Casing Material:
Audit No: Z288733
Tag: A200644

Data Entry Status: Yes
Data Src:
Date Received: 7/20/2018
Selected Flag: Yes
Abandonment Rec:
Contractor: 6875
Form Version: 7
Owner:
Street Name:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 1007205693 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 6/29/2018 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: Elevrc: Zone: 17 East83: 603293 North83: 4815908 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
4	1 of 2	ENE/0.0	170.9 / 0.04	3064 Trafalgar Rd Oakville ON L6H 7B9	EHS
Order No: 20060503001 Status: C Report Type: Custom Report Report Date: 5/11/2006 Date Received: 5/3/2006 Previous Site Name: Lot/Building Size: Additional Info Ordered:				Nearest Intersection: Dundas & Trafalgar Rds Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.722401 Y: 43.489766	
4	2 of 2	ENE/0.0	170.9 / 0.04	OAKVILLE ON	WWIS
Well ID: 7301814 Construction Date: Primary Water Use: Test Hole Sec. Water Use: Monitoring Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z269678 Tag: A238886 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:				Data Entry Status: Data Src: Date Received: 12/20/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7383 Form Version: 7 Owner: Street Name: 3064 TRAFALGAR RD County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1006915093	Elevation:	169.848251
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603360
Code OB Desc:		North83:	4815919
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1007088528
Layer:	2
Color:	2
General Color:	GREY
Mat1:	17
Most Common Material:	SHALE
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	12
Formation End Depth:	35
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1007088527
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	06
Other Materials:	SILT
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	12
Formation End Depth UOM:	ft

Annular Space/Abandonment

Sealing Record

Plug ID:	1007088537
-----------------	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	2				
Plug From:	1				
Plug To:	24				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007088538				
Layer:	3				
Plug From:	24				
Plug To:	35				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007088536				
Layer:	1				
Plug From:	2.5				
Plug To:	1				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1007088526				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1007088531				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	2.5				
Depth To:	25				
Casing Diameter:	2				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	1007088532				
Layer:	1				
Slot:	10				
Screen Top Depth:	25				
Screen End Depth:	35				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1007088529			
Diameter:		6			
Depth From:		0			
Depth To:		35			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

5	1 of 1	NNE/3.3	170.9 / 0.09	Oakville ON	WWIS
<u>Well ID:</u> 7228678					
<u>Construction Date:</u>					
<u>Primary Water Use:</u> Monitoring					
<u>Sec. Water Use:</u>					
<u>Final Well Status:</u> 0					
<u>Water Type:</u>					
<u>Casing Material:</u>					
<u>Audit No:</u> Z192883					
<u>Tag:</u> A168623					
<u>Construction Method:</u>					
<u>Elevation (m):</u>					
<u>Elevation Reliability:</u>					
<u>Depth to Bedrock:</u>					
<u>Well Depth:</u>					
<u>Overburden/Bedrock:</u>					
<u>Pump Rate:</u>					
<u>Static Water Level:</u>					
<u>Flowing (Y/N):</u>					
<u>Flow Rate:</u>					
<u>Clear/Cloudy:</u>					
<u>Data Entry Status:</u>					
<u>Data Src:</u>					
<u>Date Received:</u> 10/1/2014					
<u>Selected Flag:</u> Yes					
<u>Abandonment Rec:</u>					
<u>Contractor:</u> 7295					
<u>Form Version:</u> 7					
<u>Owner:</u>					
<u>Street Name:</u> 3070-3076 TRAFALGAR RD					
<u>County:</u> HALTON					
<u>Municipality:</u> OAKVILLE TOWN					
<u>Site Info:</u>					
<u>Lot:</u>					
<u>Concession:</u>					
<u>Concession Name:</u>					
<u>Easting NAD83:</u>					
<u>Northing NAD83:</u>					
<u>Zone:</u>					
<u>UTM Reliability:</u>					

Bore Hole Information

<u>Bore Hole ID:</u>	1005144571	<u>Elevation:</u>	168.260894
<u>DP2BR:</u>		<u>Elevrc:</u>	
<u>Spatial Status:</u>		<u>Zone:</u>	17
<u>Code OB:</u>		<u>East83:</u>	603329
<u>Code OB Desc:</u>		<u>North83:</u>	4815969
<u>Open Hole:</u>		<u>Org CS:</u>	UTM83
<u>Cluster Kind:</u>		<u>UTMRC:</u>	4
<u>Date Completed:</u>	8/26/2014	<u>UTMRC Desc:</u>	margin of error : 30 m - 100 m
<u>Remarks:</u>		<u>Location Method:</u>	gis
<u>Elevrc Desc:</u>			
<u>Location Source Date:</u>			
<u>Improvement Location Source:</u>			
<u>Improvement Location Method:</u>			
<u>Source Revision Comment:</u>			
<u>Supplier Comment:</u>			

**Overburden and Bedrock
Materials Interval**

<u>Formation ID:</u>	1005371935
<u>Layer:</u>	3
<u>Color:</u>	7
<u>General Color:</u>	RED
<u>Mat1:</u>	17
<u>Most Common Material:</u>	SHALE
<u>Mat2:</u>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Mat3:		73			
Other Materials:		HARD			
Formation Top Depth:		10			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005371933			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005371934			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		17			
Other Materials:		SHALE			
Mat3:					
Other Materials:					
Formation Top Depth:		5			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005371942			
Layer:		1			
Plug From:		0			
Plug To:		10			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1005371932			
Casing No:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005371938			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		11			
Casing Diameter:		1.8			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005371939			
Layer:		1			
Slot:		10			
Screen Top Depth:		11			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Hole Diameter</u>					
Hole ID:		1005371936			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>6</u>	1 of 5	N/18.8	171.3 / 0.46	OakPark Pet Hospital 3070 Trafalgar Road Oakville ON L6H 7B9	GEN
Generator No:	ON8814660			PO Box No:	
Status:				Country:	
Approval Years:	02,03,04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	261				
Waste Class Desc:	PHARMACEUTICALS				
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:	264				
Waste Class Desc:	PHOTOPROCESSING WASTES				
<u>6</u>	2 of 5	N/18.8	171.3 / 0.46	OakPark Pet Hospital 3070 Trafalgar Road	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Oakville ON L6H 7B9					
Generator No:	ON8814660			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:	Veterinary Services				
<u>Detail(s)</u>					
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
6	3 of 5	N/18.8	171.3 / 0.46	OakPark Pet Hospital 3070 Trafalgar Road Oakville ON L6H 7B9	GEN
Generator No:	ON8814660			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:	Veterinary Services				
<u>Detail(s)</u>					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
6	4 of 5	N/18.8	171.3 / 0.46	OakPark Pet Hospital 3070 Trafalgar Road Oakville ON L6H 7B9	GEN
Generator No:	ON8814660			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:	Veterinary Services				
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<u>6</u>	5 of 5	N/18.8	171.3 / 0.46	OakPark Pet Hospital 3070 Trafalgar Road Oakville ON L6H 7B9	GEN
Generator No:	ON8814660			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:	Veterinary Services				
<u>Detail(s)</u>					
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<u>7</u>	1 of 3	N/18.8	171.3 / 0.46	OakPark Pet Hospital 3070 Trafalgar Road Oakville ON	GEN
Generator No:	ON8814660			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	541940				
SIC Description:	VETERINARY SERVICES				
<u>Detail(s)</u>					
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
<u>7</u>	2 of 3	N/18.8	171.3 / 0.46	DUNDAS-TRAFALGAR INC. 3070 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9 Oakville ON	RSC
RSC ID:	218729			Cert Date:	
RA No:				Cert Prop Use No:	
RSC Type:	Phase 1 RSC			Intended Prop Use:	Residential
Curr Property Use:	Commercial			Qual Person Name:	STEPHEN SEARS
Ministry District:	Halton-Peel District Office			Stratified (Y/N):	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Filing Date:	2015/07/22			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	
Date Returned:				Accuracy Estimate:	
Restoration Type:				Telephone:	
Soil Type:				Fax:	
Criteria:				Email:	
CPU Issued Sect 1686:					
Asmt Roll No:	2401010030175000000				
Prop ID No (PIN):	24929-0102 (LT)				
Property Municipal Address:	3070 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9				
Mailing Address:					
Latitude & Longitude:					
UTM Coordinates:					
Consultant:					
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52821&fileName=BROWNFIELDS-E.pdf				
<u>Document(s) Detail</u>					
Document Heading:	Supporting Documents				
Document Name:	transfer.pdf				
Document Type:	Copy of any deed(s), transfer(s) or other document(s)				
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52878&fileName=transfer.pdf				
Document Heading:	Supporting Documents				
Document Name:	PlanofSurvey.pdf				
Document Type:	A Current plan of Survey				
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52817&fileName=PlanofSurvey.pdf				
Document Heading:	Supporting Documents				
Document Name:	TableofCandPUUses.pdf				
Document Type:	Table of Current and Past Property Use				
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52823&fileName=TableofCandPUUses.pdf				
Document Heading:	Supporting Documents				
Document Name:	LawyersLetter.pdf				
Document Type:	Lawyer's letter consisting of a legal description of the property				
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52826&fileName=LawyersLetter.pdf				
Document Heading:	Supporting Documents				
Document Name:	CertofStatus.pdf				
Document Type:	Certificate of Status				
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52818&fileName=CertofStatus.pdf				
Document Heading:	Supporting Documents				
Document Name:	PhaseOneCSM.pdf				
Document Type:	Phase 1 Conceptual Site Model				
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52820&fileName=PhaseOneCSM.pdf				
7	3 of 3	N/18.8	171.3 / 0.46	OakPark Pet Hospital 3070 Trafalgar Road Oakville ON L6H 7B9	GEN

Generator No: ON8814660 **PO Box No:** **Country:** Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Laura Croskery
MHSW Facility:	No			Phone No Admin:	905-257-7387 Ext.
SIC Code:	541940				
SIC Description:		VETERINARY SERVICES			
Detail(s)					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		264			
Waste Class Desc:		PHOTOPROCESSING WASTES			

<u>8</u>	1 of 2	NNW/27.2	170.9 / 0.07	lot 13 con 1 OAKVILLE ON	WWIS
Well ID:	7261315			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	4/12/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7219
Casing Material:				Form Version:	7
Audit No:	Z200930			Owner:	
Tag:	A176370			Street Name:	3070 TRAFALGAR RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1005928953	Elevation:	169.726303
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603290
Code OB Desc:		North83:	4815962
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	8/15/2015	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug ID:</i>		1006021363			
<i>Layer:</i>		3			
<i>Plug From:</i>		8			
<i>Plug To:</i>		111			
<i>Plug Depth UOM:</i>		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1006021362			
<i>Layer:</i>		2			
<i>Plug From:</i>		7			
<i>Plug To:</i>		8			
<i>Plug Depth UOM:</i>		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1006021361			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		7			
<i>Plug Depth UOM:</i>		ft			
 <u>Pipe Information</u>					
<i>Pipe ID:</i>		1006021352			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1006021357			
<i>Layer:</i>		1			
<i>Material:</i>		3			
<i>Open Hole or Material:</i>		CONCRETE			
<i>Depth From:</i>		0			
<i>Depth To:</i>		11			
<i>Casing Diameter:</i>		36			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
 <u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1006021358			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>					
 <u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1006021353			
<i>Pump Set At:</i>					
<i>Static Level:</i>		8			
<i>Final Level After Pumping:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
Hole Diameter					
Hole ID:		1006021355			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>8</u>	2 of 2	NNW/27.2	170.9 / 0.07	lot 13 con 1 OAKVILLE ON	WWIS
Well ID: 7261314					
Construction Date:					
Primary Water Use: Not Used					
Sec. Water Use:					
Final Well Status: Abandoned-Other					
Water Type:					
Casing Material:					
Audit No: Z200929					
Tag: A176369					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received: 4/12/2016					
Selected Flag: Yes					
Abandonment Rec: Yes					
Contractor: 7219					
Form Version: 7					
Owner:					
Street Name: 3070 TRAFALGAR RD					
County: HALTON					
Municipality: OAKVILLE TOWN					
Site Info:					
Lot: 013					
Concession: 01					
Concession Name: DS N					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Bore Hole Information					
Bore Hole ID: 1005928950					
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed: 8/15/2015					
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation: 169.726303					
Elevrc:					
Zone: 17					
East83: 603290					
North83: 4815962					
Org CS: UTM83					
UTMRC: 4					
UTMRC Desc: margin of error : 30 m - 100 m					
Location Method: wwr					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Annular Space/Abandonment Sealing Record

Plug ID: 1006021351
Layer: 1
Plug From: 0
Plug To: 15
Plug Depth UOM: ft

Pipe Information

Pipe ID: 1006021342
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006021347
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 15
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006021348
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1006021343
Pump Set At:
Static Level: 10
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 0
Water State After Test:
Pumping Test Method: 0
Pumping Duration HR:
Pumping Duration MIN:
Flowing: N

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1006021345			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

9	1 of 1	E/29.6	170.2 / -0.68	lot 13 con 1 ON	WWIS
Well ID:	2802115			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/31/1967
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1325
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10148669	Elevation:	168.975875
DP2BR:	11	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	603406.6
Code OB Desc:	Bedrock	North83:	4815905
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	12/13/1966	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	931427689
Layer:	2
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:	1				
Formation End Depth:	11				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931427690				
Layer:	3				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	11				
Formation End Depth:	17				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931427688				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	1				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10697239				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930252971				
Layer:	1				
Material:	3				
Open Hole or Material:	CONCRETE				
Depth From:					
Depth To:	17				
Casing Diameter:	30				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802115			
Pump Set At:					
Static Level:		7			
Final Level After Pumping:					
Recommended Pump Depth:		15			
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:		1			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		933604159			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		12			
Water Found Depth UOM:		ft			
<u>10</u>	1 of 1	ESE/34.4	169.8 / -1.04	3040 Trafalgar Rd Oakville ON L6H7B9	EHS
Order No:		20180206103		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		14-FEB-18		Search Radius (km): .25	
Date Received:		06-FEB-18		X: -79.721413	
Previous Site Name:				Y: 43.488641	
Lot/Building Size:					
Additional Info Ordered:					
<u>11</u>	1 of 1	NNE/41.9	171.9 / 1.05	DUNDAS-TRAFALGAR INC. 3075 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9 Oakville ON	RSC
RSC ID:		218748		Cert Date:	
RA No:				Cert Prop Use No:	
RSC Type:		Phase 1 RSC		Intended Prop Use: Residential	
Curr Property Use:		Commercial		Qual Person Name: STEPHEN SEARS	
Ministry District:		Halton-Peel District Office		Stratified (Y/N):	
Filing Date:		2015/07/22		Audit (Y/N):	
Date Ack:					
Date Returned:					
Restoration Type:					
Soil Type:					
Criteria:					
CPU Issued Sect 1686:					
Asmt Roll No:		2401010020117000000			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Prop ID No (PIN): Property Municipal Address: Mailing Address: Latitude & Longitude: UTM Coordinates: Consultant: Legal Desc: Measurement Method: Applicable Standards: RSC PDF:		24930-0152 (LT) 3075 TRAFALGAR ROAD, OAKVILLE, ON L6H 7B9		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52864&fileName=BROWNFIELDS-E.pdf	
<u>Document(s) Detail</u>					
Document Heading:		Supporting Documents			
Document Name:		PlanofSurvey.pdf			
Document Type:		A Current plan of Survey			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52870&fileName=PlanofSurvey.pdf			
Document Heading:		Supporting Documents			
Document Name:		PhaseOneCSM.pdf			
Document Type:		Phase 1 Conceptual Site Model			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52873&fileName=PhaseOneCSM.pdf			
Document Heading:		Supporting Documents			
Document Name:		CertofStatus.pdf			
Document Type:		Certificate of Status			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52867&fileName=CertofStatus.pdf			
Document Heading:		Supporting Documents			
Document Name:		TableofCandPUses.pdf			
Document Type:		Table of Current and Past Property Use			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52869&fileName=TableofCandPUses.pdf			
Document Heading:		Supporting Documents			
Document Name:		TransferDeed.pdf			
Document Type:		Copy of any deed(s), transfer(s) or other document(s)			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52871&fileName=TransferDeed.pdf			
Document Heading:		Supporting Documents			
Document Name:		LawyersLetter.pdf			
Document Type:		Lawyer's letter consisting of a legal description of the property			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52868&fileName=LawyersLetter.pdf			

12	1 of 1	E/59.5	169.8 / -1.04	lot 13 con 1 ON	WWIS
Well ID:	2802116			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	5/24/1967
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1325
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10148670			Elevation:	168.849212
DP2BR:	11			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	603424.6
Code OB Desc:	Bedrock			North83:	4815880
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	8/26/1966			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427693				
Layer:	3				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	11				
Formation End Depth:	17				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427691				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	2				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931427692			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		11			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697240			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930252972			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		15			
Casing Diameter:		30			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930252973			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		17			
Casing Diameter:		30			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802116			
Pump Set At:					
Static Level:		10			
Final Level After Pumping:		16			
Recommended Pump Depth:		16			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Rate:	1				
Flowing Rate:					
Recommended Pump Rate:	1				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	0				
Pumping Duration MIN:	30				
Flowing:	N				

Water Details

Water ID: 933604160
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 14
Water Found Depth UOM: ft

13	1 of 1	ESE/72.6	169.8 / -1.01	3030 Trafalgar Road Oakville ON L6H 7B9	EHS
Order No:	20190930197			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	03-OCT-19			Search Radius (km):	.25
Date Received:	30-SEP-19			X:	-79.720902
Previous Site Name:				Y:	43.488543
Lot/Building Size:					
Additional Info Ordered:					

14	1 of 1	NW/79.2	171.9 / 1.03	lot 13 con 1 ON	WWIS
Well ID:	2802110			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	1/30/1953
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Abandoned-Supply			Abandonment Rec:	
Water Type:				Contractor:	1642
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID: 10148664
DP2BR: 23
Spatial Status:

Elevation: 168.905548
Elevrc:
Zone: 17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:	r			East83:	603262.6
Code OB Desc:	Bedrock			North83:	4816009
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	7/31/1952			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427678			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		23			
Formation End Depth:		72			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427677			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		23			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697234			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:			930252964		
Layer:			1		
Material:					
Open Hole or Material:					
Depth From:					
Depth To:			6		
Casing Diameter:			inch		
Casing Diameter UOM:					
Casing Depth UOM:			ft		
<u>Results of Well Yield Testing</u>					
Pump Test ID:			992802110		
Pump Set At:					
Static Level:			22		
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:			ft		
Rate UOM:			GPM		
Water State After Test Code:			1		
Water State After Test:			CLEAR		
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:			N		
<u>Water Details</u>					
Water ID:			933604153		
Layer:			1		
Kind Code:			1		
Kind:			FRESH		
Water Found Depth:			60		
Water Found Depth UOM:			ft		

[15](#) 1 of 1 **NNW/81.8** **171.8 / 0.98** **lot 13 con 1 ON** **WWIS**

Well ID:	2802109	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Not Used	Date Received:	1/30/1953
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Abandoned-Quality	Abandonment Rec:	
Water Type:		Contractor:	1642
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	013
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS N
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Bore Hole Information

Bore Hole ID:	10148663	Elevation:	169.764007
DP2BR:	34	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	603275.6
Code OB Desc:	Bedrock	North83:	4816027
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	7/24/1952	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931427676
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	34
Formation End Depth:	95
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931427675
Layer:	1
Color:	
General Color:	
Mat1:	23
Most Common Material:	PREVIOUSLY DUG
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	34
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10697233			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930252963			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802109			
Pump Set At:					
Static Level:		32			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		933604152			
Layer:		1			
Kind Code:		2			
Kind:		SALTY			
Water Found Depth:		95			
Water Found Depth UOM:		ft			

[16](#)

1 of 1

WNW/86.2

171.8 / 0.97

lot 13 con 1
ON

WWIS

Well ID:	2802111	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	1/30/1953
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Supply	Abandonment Rec:	
Water Type:		Contractor:	1642
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	013

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10148665			Elevation:	170.256683
DP2BR:	17			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	603190.6
Code OB Desc:	Bedrock			North83:	4815941
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	9/29/1952			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427680				
Layer:	2				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	17				
Formation End Depth:	70				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427679				
Layer:	1				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	17				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697235			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930252965			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802111			
Pump Set At:					
Static Level:		25			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		933604154			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		55			
Water Found Depth UOM:		ft			

17

1 of 1

ESE/89.1

169.8 / -1.00

Oakville ON

WWIS

Well ID: 7167064
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:

Data Entry Status:
Data Src:
Date Received: 8/9/2011
Selected Flag: Yes
Abandonment Rec: Yes
Contractor: 6032

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	7
Audit No:	Z121300			Owner:	
Tag:				Street Name:	3024 TRAFALGER RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1003548273			Elevation:	168.496887
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603443
Code OB Desc:				North83:	4815856
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	6/28/2011			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003917640				
Layer:	2				
Plug From:	6.5				
Plug To:	1				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003917639				
Layer:	1				
Plug From:	10.5				
Plug To:	6.5				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	A				
Method Construction:	Digging				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1003917627				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1003917632				
Layer:	1				
Material:	3				
Open Hole or Material:	CONCRETE				
Depth From:	0				
Depth To:	9				
Casing Diameter:	30				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	1003917633				
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1003917628				
Pump Set At:	10.5				
Static Level:	7				
Final Level After Pumping:	10.5				
Recommended Pump Depth:					
Pumping Rate:	20				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	3				
Water State After Test:	OTHER				
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:	7				
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1003917634				
Test Type:	Draw Down				
Test Duration:	5				
Test Level:	9.5				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	1003917635				
Test Type:	Draw Down				
Test Duration:	10				
Test Level:	10.5				
Test Level UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 1003917636
Test Type: Recovery
Test Duration: 60
Test Level: 10.5
Test Level UOM: ft

Hole Diameter

Hole ID: 1003917630
Diameter: 30
Depth From: 0
Depth To: 10.5
Hole Depth UOM: ft
Hole Diameter UOM: inch

[18](#) 1 of 1 **ESE/119.6** **169.9 / -0.99** **MILTON ON** **WWIS**

Well ID: 7224936
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z189610
Tag: A165988

Data Entry Status:
Data Src:
Date Received: 7/31/2014
Selected Flag: Yes
Abandonment Rec:
Contractor: 7472
Form Version: 7
Owner:
Street Name: TRAFALGAR RD. SOUTH OF HWY 407 TO GLENASHTON DR.
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 1005006718
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 6/25/2014
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation: 167.336059
Elevrc:
Zone: 17
East83: 603466
North83: 4815836
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1005259474			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		79			
Other Materials:		PACKED			
Formation Top Depth:		1.5			
Formation End Depth:		4.6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005259475			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		17			
Other Materials:		SHALE			
Mat3:		79			
Other Materials:		PACKED			
Formation Top Depth:		4.6			
Formation End Depth:		7.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005259473			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005259482			
Layer:		1			
Plug From:		0			
Plug To:		3.9			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1005259483			
Layer:		2			
Plug From:		3.9			
Plug To:		7.2			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005259472			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005259478			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.2			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005259479			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.2			
Screen End Depth:		7.2			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1005259476			
Diameter:		21			
Depth From:		0			
Depth To:		7.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[19](#)

1 of 1

ESE/137.5

169.8 / -1.02

Oakville ON

WWIS

Well ID: 7111065
Construction Date:
Primary Water Use: Other
Sec. Water Use:

Data Entry Status:
Data Src:
Date Received: 9/8/2008
Selected Flag: Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M01779			Owner:	
Tag:	A069660			Street Name:	325 DUNDAS ST. EAST
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778997			Elevation:	165.497009
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603542
Code OB Desc:				North83:	4815688
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/7/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002779001				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING				
<u>Pipe Information</u>					
Pipe ID:	1002779002				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002779004				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.5			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002779003			
Layer:					
Slot:					
Screen Top Depth:		1.5			
Screen End Depth:		4.5			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002779005			
Pump Set At:					
Static Level:		4.1			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778999			
Diameter:		21			
Depth From:					
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1001782437			Elevation:	167.354614
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603464
Code OB Desc:				North83:	4815806
Open Hole:	N			Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	5/6/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002779011			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		02			
Other Materials:		TOPSOIL			
Formation Top Depth:		0			
Formation End Depth:		0.6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002779012			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		34			
Other Materials:		TILL			
Mat3:					
Other Materials:					
Formation Top Depth:		0.6			
Formation End Depth:		2.1			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002779013			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:		17			
Other Materials:		SHALE			
Formation Top Depth:		2.1			
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002779015			
Layer:		1			
Plug From:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002779016			
Layer:		2			
Plug From:		0.3			
Plug To:		1			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002779010			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002779018			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:					
Casing Diameter:		5.9			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002779019			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1002779017			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		4			
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1002779014			
Diameter:		21			
Depth From:		0			
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778952			Elevation:	167.351425
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603493
Code OB Desc:				North83:	4815686
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/6/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002778956			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002778957			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002778959			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Construction Record - Screen

Screen ID: 1002778958
 Layer:
 Slot:
 Screen Top Depth: 1
 Screen End Depth: 2.4
 Screen Material:
 Screen Depth UOM: m
 Screen Diameter UOM:
 Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002778960
 Pump Set At:
 Static Level: 1.7
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: m
 Rate UOM:
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1002778954
 Diameter: 21
 Depth From:
 Depth To: 2.4
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002778970	Elevation:	168.737014
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603498
Code OB Desc:		North83:	4815645
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	5/6/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1002778974			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002778975			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002778977			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.9			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002778976			
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		3.9			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778978			
Pump Set At:					
Static Level:		1.2			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778972			
Diameter:		21			
Depth From:					
Depth To:		3.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778988			Elevation:	168.281738
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603539
Code OB Desc:				North83:	4815648
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/7/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002778992			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002778993			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002778995			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.9			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002778994			
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		3.9			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778996			
Pump Set At:					
Static Level:		4.4			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778990			
Diameter:		21			
Depth From:					
Depth To:		3.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778943		Elevation:	170.244079	
DP2BR:			Elevrc:		
Spatial Status:			Zone:	17	
Code OB:			East83:	603469	
Code OB Desc:			North83:	4815667	
Open Hole:			Org CS:	UTM83	
Cluster Kind:	This is a record from cluster log sheet		UTMRC:	3	
Date Completed:	5/6/2008		UTMRC Desc:	margin of error : 10 - 30 m	
Remarks:			Location Method:	wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002778947			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORE/AIR			
<u>Pipe Information</u>					
Pipe ID:		1002778948			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002778950			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002778949			
Layer:					
Slot:					
Screen Top Depth:		3			
Screen End Depth:		6.1			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778951			
Pump Set At:					
Static Level:		2			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1002778945				
Diameter:	21				
Depth From:					
Depth To:	6.1				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778876			Elevation:	166.025573
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603562
Code OB Desc:				North83:	4815668
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/8/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002778880				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING				
<u>Pipe Information</u>					
Pipe ID:	1002778881				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002778883				
Layer:					
Material:	5				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002778882			
Layer:					
Slot:					
Screen Top Depth:		1			
Screen End Depth:		4			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778884			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778878			
Diameter:		21			
Depth From:					
Depth To:		4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778885			Elevation:	167.366119
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603528
Code OB Desc:				North83:	4815665
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/8/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002778889			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002778890			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002778892			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.5			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002778891			
Layer:					
Slot:					
Screen Top Depth:		1.5			
Screen End Depth:		4.5			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778893			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778887			
Diameter:		21			
Depth From:					
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002778961		Elevation:	
DP2BR:				167.525253	
Spatial Status:				Elevrc:	
Code OB:				Zone:	
Code OB Desc:				17	
Open Hole:				East83:	
Cluster Kind:		This is a record from cluster log sheet		603511	
Date Completed:		5/6/2008		North83:	
Remarks:				4815671	
Elevrc Desc:				Org CS:	
Location Source Date:				UTM83	
Improvement Location Source:				UTMRC:	
Improvement Location Method:				3	
Source Revision Comment:				UTMRC Desc:	
Supplier Comment:				margin of error : 10 - 30 m	
				Location Method:	
				wwr	
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002778965			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002778966			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		1002778968			
Layer:					
Material:	5				
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:	0.9				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:		1002778967			
Layer:					
Slot:					
Screen Top Depth:	0.9				
Screen End Depth:	3.9				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778969			
Pump Set At:					
Static Level:	1.5				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778963			
Diameter:	21				
Depth From:					
Depth To:	3.9				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778979			Elevation:	168.590606
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603527
Code OB Desc:				North83:	4815639
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/7/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002778983			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:		BORING			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002778984			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002778986			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.9			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002778985			
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		3.9			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778987			
Pump Set At:					
Static Level:		4.3			
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778981			
Diameter:		21			
Depth From:					
Depth To:		3.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778925			Elevation:	166.92955
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603478
Code OB Desc:				North83:	4815695
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/5/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002778929			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002778930			
Casing No:		0			
Comment:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1002778932			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		1.1			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1002778931			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		1.1			
<i>Screen End Depth:</i>		4.1			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1002778933			
<i>Pump Set At:</i>					
<i>Static Level:</i>		3			
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>		m			
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1002778927			
<i>Diameter:</i>		21			
<i>Depth From:</i>					
<i>Depth To:</i>		4.1			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1002778916		<i>Elevation:</i>	167.729415	
<i>DP2BR:</i>			<i>Elevrc:</i>		
<i>Spatial Status:</i>			<i>Zone:</i>	17	
<i>Code OB:</i>			<i>East83:</i>	603518	
<i>Code OB Desc:</i>			<i>North83:</i>	4815665	
<i>Open Hole:</i>			<i>Org CS:</i>	UTM83	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	5/5/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002778920				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING				
<u>Pipe Information</u>					
Pipe ID:	1002778921				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002778923				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	1.5				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002778922				
Layer:					
Slot:					
Screen Top Depth:	1.5				
Screen End Depth:	4.4				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1002778924				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:					
Static Level:		1.9			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778918			
Diameter:		21			
Depth From:					
Depth To:		4.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002779006			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	9
Date Completed:				UTMRC Desc:	unknown UTM
Remarks:				Location Method:	na
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Hole Diameter</u>					
Hole ID:		1002779008			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002778894			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	9
Date Completed:				UTMRC Desc:	unknown UTM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	na
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Hole Diameter</u>					
Hole ID:		1002778896			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002778934		Elevation: 170.070816	
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:		This is a record from cluster log sheet			
Date Completed:		5/5/2008			
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002778938			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002778939			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		1002778941			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002778940			
Layer:					
Slot:					
Screen Top Depth:		1			
Screen End Depth:		2.1			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002778942			
Pump Set At:					
Static Level:		1.7			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002778936			
Diameter:		21			
Depth From:					
Depth To:		2.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					

[20](#)

1 of 1

ESE/138.0

169.8 / -1.04

Oakville ON

WWIS

Well ID: 7103292
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Test Hole
Water Type:
Casing Material:
Audit No: M01210
Tag: A062409

Data Entry Status:
Data Src:
Date Received: 3/26/2008
Selected Flag: Yes
Abandonment Rec:
Contractor: 6607
Form Version: 5
Owner:
Street Name: 305 DUNDAS ST. E.

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1002669617			Elevation: 167.471862 Elevrc: Zone: 17 East83: 603496 North83: 4815840 Org CS: UTM83 UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr	
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1002669621				
<u>Method of Construction & Well Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:	1002669622		0		
<u>Construction Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To:	1002669624		5	PLASTIC	1.2

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002669623			
Layer:					
Slot:					
Screen Top Depth:		1.2			
Screen End Depth:		4.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002669625			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002669619			
Diameter:		15			
Depth From:					
Depth To:		4.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1001555298			Elevation:	167.413726
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603495
Code OB Desc:				North83:	4815842
Open Hole:	N			Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	1/18/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1002669629		
Layer:			3		
Color:			7		
General Color:			RED		
Mat1:			17		
Most Common Material:			SHALE		
Mat2:					
Other Materials:					
Mat3:			71		
Other Materials:			FRACTURED		
Formation Top Depth:			3.3		
Formation End Depth:			8.8		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1002669628		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			06		
Other Materials:			SILT		
Mat3:			28		
Other Materials:			SAND		
Formation Top Depth:			1.2		
Formation End Depth:			3.3		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			1002669627		
Layer:			1		
Color:			6		
General Color:			BROWN		
Mat1:			11		
Most Common Material:			GRAVEL		
Mat2:			28		
Other Materials:			SAND		
Mat3:					
Other Materials:					
Formation Top Depth:			0		
Formation End Depth:			1.2		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1002669631		
Layer:			1		
Plug From:			0		
Plug To:			5.4		
Plug Depth UOM:			m		
<u>Method of Construction & Well Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Method Construction ID:
Method Construction Code: E
Method Construction: Auger
Other Method Construction:

Pipe Information

Pipe ID: 1002669626
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002669633
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 5.7
Casing Diameter: 5.1
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002669634
Layer: 1
Slot: 20
Screen Top Depth:
Screen End Depth:
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.4

Water Details

Water ID: 1002669632
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 6
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1002669630
Diameter: 15
Depth From: 0
Depth To: 8.8
Hole Depth UOM: m
Hole Diameter UOM: cm

21	1 of 3	ESE/138.7	169.8 / -1.00	OAKVILLE ON	WWIS
--------------------	--------	-----------	---------------	-------------	------

Well ID: 2810317 Construction Date: Primary Water Use:	Data Entry Status: Data Src: Date Received: 8/16/2005
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z32268 Tag: A027684 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Selected Flag: Yes Abandonment Rec: Contractor: 6607 Form Version: 3 Owner: Street Name: 305 DUNDAS ST County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 11319272 DP2BR: 13 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 7/4/2005 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: 167.134552 Elevrc: Zone: 17 East83: 603469 North83: 4815810 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: 933007497 Layer: 2 Color: 7 General Color: RED Mat1: 17 Most Common Material: SHALE Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 4 Formation End Depth: 4.5 Formation End Depth UOM: m					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID: 933007496 Layer: 1 Color: 6 General Color: BROWN Mat1: 06 Most Common Material: SILT Mat2: 05					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:		CLAY			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		4			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933274975			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933274974			
Layer:		2			
Plug From:		0.3			
Plug To:		1.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11334127			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930860260			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933414108			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.5			
Screen Material:		5			
Screen Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		934063504			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		3			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11537851			
Diameter:		21			
Depth From:		0			
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

21	2 of 3	ESE/138.7	169.8 / -1.00	OAKVILLE ON	WWIS
Well ID:		2810389		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	10/24/2005
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	3
Audit No:		Z38194		Owner:	
Tag:		A034605		Street Name:	305 DUNDAS (AT TRAFALGAR)
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:		11319344	Elevation:	167.134552
DP2BR:		12	Elevrc:	
Spatial Status:			Zone:	17
Code OB:		r	East83:	603469
Code OB Desc:		Bedrock	North83:	4815810
Open Hole:			Org CS:	UTM83
Cluster Kind:			UTMRC:	4
Date Completed:		7/5/2005	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:			Location Method:	wwr
Elevrc Desc:				
Location Source Date:				
Improvement Location Source:				
Improvement Location Method:				
Source Revision Comment:				
Supplier Comment:				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933007681			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		3.8			
Formation End Depth:		4.6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933007680			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		28			
Other Materials:		SAND			
Formation Top Depth:		0			
Formation End Depth:		3.8			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933279455			
Layer:		2			
Plug From:		0.3			
Plug To:		1.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933279454			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		11334199			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930860347			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933415181			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.6			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		934066548			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		2.8			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11537933			
Diameter:		21			
Depth From:		0			
Depth To:		4.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[21](#)

3 of 3

ESE/138.7

169.8 / -1.00

OAKVILLE ON

WWIS

Well ID: 2810390
 Construction Date:
 Primary Water Use:
 Sec. Water Use:
 Final Well Status: Observation Wells
 Water Type:
 Casing Material:
 Audit No: Z38193
 Tag: A034604
 Construction Method:

Data Entry Status:
 Data Src:
 Date Received: 10/24/2005
 Selected Flag: Yes
 Abandonment Rec:
 Contractor: 6607
 Form Version: 3
 Owner:
 Street Name: 305 DUNDAS ST (AT TRAFALGAR)
 County: HALTON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11319345	Elevation:	167.134552
DP2BR:	10	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	603469
Code OB Desc:	Bedrock	North83:	4815810
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	7/6/2005	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	933007682
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Other Materials:	CLAY
Mat3:	28
Other Materials:	SAND
Formation Top Depth:	0
Formation End Depth:	3
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	933007683
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	3
Formation End Depth:	4.6
Formation End Depth UOM:	m

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		933279457			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		0.3			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		933279456			
<i>Layer:</i>		2			
<i>Plug From:</i>		0.3			
<i>Plug To:</i>		1.2			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>					
<i>Method Construction Code:</i>		6			
<i>Method Construction:</i>		Boring			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		11334200			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930860348			
<i>Layer:</i>		1			
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.5			
<i>Casing Diameter:</i>		5			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		933415182			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.5			
<i>Screen End Depth:</i>		4.6			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.4			
<u>Hole Diameter</u>					
<i>Hole ID:</i>		11537934			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		21			
Depth From:		0			
Depth To:		4.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

22	1 of 1	SW/139.5	170.4 / -0.48	lot 13 OAKVILLE ON	WWIS
Well ID:	7046328			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Not Used			Date Received:	7/12/2007
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	3108
Casing Material:				Form Version:	3
Audit No:	Z08356			Owner:	
Tag:				Street Name:	257 DUNDAS ST
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	23046328			Elevation:	169.79457
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603220
Code OB Desc:				North83:	4815721
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	6/22/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock Materials Interval

Formation ID:	30246328
Layer:	2
Color:	
General Color:	
Mat1:	28
Most Common Material:	SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	11
Formation End Depth:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		30146328			
Layer:		1			
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		11			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44000807			
Layer:		1			
Plug From:		0			
Plug To:		11			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44000808			
Layer:		2			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		29046328			
Casing No:		0			
Comment:					
Alt Name:					

[23](#)

1 of 1

ESE/142.1

169.8 / -1.07

OAKVILLE ON

WWIS

Well ID: 7185195
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:

Data Entry Status:
Data Src:
Date Received: 8/9/2012
Selected Flag: Yes
Abandonment Rec: Yes
Contractor: 6032

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	7
Audit No:	Z131729			Owner:	
Tag:				Street Name:	305 DUNDAS ST E
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1004103053			Elevation:	167.854049
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603464
Code OB Desc:				North83:	4815799
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/20/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004398211				
Layer:	4				
Plug From:	0				
Plug To:	5				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004398209				
Layer:	2				
Plug From:	0				
Plug To:	25				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004398208				
Layer:	1				
Plug From:	0				
Plug To:	15				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID: 1004398210					
Layer: 3					
Plug From: 0					
Plug To: 30					
Plug Depth UOM: ft					
<u>Pipe Information</u>					
Pipe ID: 1004398200					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1004398204					
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1004398205					
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter:					
<u>Hole Diameter</u>					
Hole ID: 1004398202					
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					

24	1 of 1	SE/143.2	169.0 / -1.88	ON	WWIS
Well ID: 7239540					
Construction Date:					
Primary Water Use:					
Sec. Water Use:					
Final Well Status:					
Water Type:					
Casing Material:					
Audit No: C23945					
Tag: A157288					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Data Entry Status: Yes					
Data Src:					
Date Received: 4/8/2015					
Selected Flag: Yes					
Abandonment Rec:					
Contractor: 6607					
Form Version: 8					
Owner:					
Street Name:					
County: HALTON					
Municipality: OAKVILLE TOWN					
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 1005320975 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 4/30/2014 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: 168.134658 Elevrc: Zone: 17 East83: 603444 North83: 4815774 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	

25	1 of 1	SSE/150.1	167.8 / -3.08	lot 13 con 1 ON	WWIS
Well ID: 2802114 Construction Date: Primary Water Use: Livestock Sec. Water Use: Domestic Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Entry Status: Data Src: 1 Date Received: 12/4/1961 Selected Flag: Yes Abandonment Rec: Contractor: 3414 Form Version: 1 Owner: Street Name: County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: 013 Concession: 01 Concession Name: DS N Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

<u>Bore Hole Information</u>					
Bore Hole ID: 10148668 DP2BR: 19 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 9/29/1961 Remarks: Elevrc Desc:				Elevation: 168.166717 Elevrc: Zone: 17 East83: 603400.6 North83: 4815716 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5	

Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 931427687
Layer: 2
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 19
Formation End Depth: 28
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931427686
Layer: 1
Color:
General Color:
Mat1: 23
Most Common Material: PREVIOUSLY DUG
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 19
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10697238
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930252970
Layer: 1
Material:
Open Hole or Material:
Depth From:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802114			
Pump Set At:					
Static Level:		18			
Final Level After Pumping:		25			
Recommended Pump Depth:		25			
Pumping Rate:		4			
Flowing Rate:					
Recommended Pump Rate:		4			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933604158			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		28			
Water Found Depth UOM:		ft			
26	1 of 1	SE/150.4	169.4 / -1.48	lot 13 con 1 ON	WWIS
Well ID:	2806420			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	3/20/1986
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3349
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10152691			Elevation:	168.620239
DP2BR:	19			Elevrc:	
Spatial Status:				Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:	r			East83:	603455.3
Code OB Desc:	Bedrock			North83:	4815776
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	7/24/1984			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 931442731
 Layer: 3
 Color: 7
 General Color: RED
 Mat1: 17
 Most Common Material: SHALE
 Mat2:
 Other Materials:
 Mat3:
 Other Materials:
 Formation Top Depth: 19
 Formation End Depth: 43
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931442729
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 02
 Most Common Material: TOPSOIL
 Mat2: 05
 Other Materials: CLAY
 Mat3:
 Other Materials:
 Formation Top Depth: 0
 Formation End Depth: 2
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931442730
 Layer: 2
 Color: 7
 General Color: RED
 Mat1: 05
 Most Common Material: CLAY
 Mat2: 85
 Other Materials: SOFT
 Mat3:
 Other Materials:
 Formation Top Depth: 2
 Formation End Depth: 19
 Formation End Depth UOM: ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10701261			
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930259606			
Layer:	2				
Material:	4				
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:	43				
Casing Diameter:	6				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:		930259605			
Layer:	1				
Material:	1				
Open Hole or Material:		STEEL			
Depth From:					
Depth To:	22				
Casing Diameter:	6				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992806420			
Pump Set At:					
Static Level:	16				
Final Level After Pumping:	18				
Recommended Pump Depth:	38				
Pumping Rate:	7				
Flowing Rate:					
Recommended Pump Rate:	7				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	2				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	N				
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 934449673					
Test Type: Draw Down					
Test Duration: 30					
Test Level: 18					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934717602					
Test Type: Draw Down					
Test Duration: 45					
Test Level: 18					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934969808					
Test Type: Draw Down					
Test Duration: 60					
Test Level: 18					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934175599					
Test Type: Draw Down					
Test Duration: 15					
Test Level: 18					
Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 933609706					
Layer: 2					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 41					
Water Found Depth UOM: ft					
<u>Water Details</u>					
Water ID: 933609705					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 29					
Water Found Depth UOM: ft					

[27](#)

1 of 1

ESE/151.3

169.7 / -1.14

OAKVILLE ON

WWIS

Well ID: 2810488
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z42212
Tag: A036817
Construction Method:

Data Entry Status:
Data Src:
Date Received: 2/13/2006
Selected Flag: Yes
Abandonment Rec:
Contractor: 6607
Form Version: 3
Owner:
Street Name: 305 DUNDAS ST
County: HALTON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11552398	Elevation:	168.674072
DP2BR:	7	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	603459
Code OB Desc:	Bedrock	North83:	4815779
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	1/6/2006	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	933042890
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	2.1
Formation End Depth:	7.5
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	933042889
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	01
Other Materials:	FILL
Formation Top Depth:	0
Formation End Depth:	2.1
Formation End Depth UOM:	m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933286783			
Layer:		1			
Plug From:		0			
Plug To:		4.2			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11562005			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930874538			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.5			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933416880			
Layer:		1			
Slot:		10			
Screen Top Depth:		4.5			
Screen End Depth:		7.5			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		934073067			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		6			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11683512			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		15			
Depth From:		0			
Depth To:		7.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

28	1 of 1	ESE/152.4	170.0 / -0.89	Oakville ON	WWIS
Well ID:	7135066			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Public			Date Received:	12/2/2009
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	6607
Casing Material:				Form Version:	7
Audit No:	Z101309			Owner:	
Tag:				Street Name:	325 DUNDAS ST. E.
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1002855248	Elevation:	168.96846
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603518
Code OB Desc:		North83:	4815851
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	10/30/2009	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1003042640
Layer:	1
Plug From:	0
Plug To:	12
Plug Depth UOM:	m

Pipe Information

Pipe ID:	1003042637
Casing No:	0
Comment:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003042642			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003042643			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1003042641			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		15			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003042639			
Diameter:		6			
Depth From:		0			
Depth To:		12			
Hole Depth UOM:		m			
Hole Diameter UOM:		inch			

[29](#) 1 of 1 SSE/158.3 169.8 / -1.08 lot 13 OAKVILLE ON [WWIS](#)

Well ID:	7046325	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Not Used	Date Received:	7/12/2007
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	3108
Casing Material:		Form Version:	3
Audit No:	Z08357	Owner:	
Tag:		Street Name:	271 DUNDAS ST
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	013
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	23046325 6/22/2007			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	169.802703 17 603383 4815694 UTM83 3 margin of error : 10 - 30 m wwr
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	30146325 1 0 22 ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	30246325 2 28 SAND 01 FILL 22 ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	44000804				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Plug From:		0			
Plug To:		22			
Plug Depth UOM:		ft			

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: B
Method Construction: Other Method
Other Method Construction:

Pipe Information

Pipe ID: 29046325
Casing No: 0
Comment:
Alt Name:

30	1 of 1	ESE/165.5	169.9 / -0.93	305 Dundas St E Oakville ON L6H7C3	EHS
Order No:	20130531012			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	10-JUN-13			Search Radius (km):	.25
Date Received:	31-MAY-13			X:	-79.720294
Previous Site Name:				Y:	43.487781
Lot/Building Size:					
Additional Info Ordered:					

31	1 of 1	E/166.0	170.2 / -0.61	Oakville ON	WWIS
Well ID:	7135079			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	12/2/2009
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M06180			Owner:	
Tag:				Street Name:	325 DUNDAS
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID: 1003215136
DP2BR:
Spatial Status:
Elevation:
Elevrc:
Zone: 17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	589660
Code OB Desc:				North83:	4818021
Open Hole:				Org CS:	
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	9
Date Completed:	10/28/2009			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003215140				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING				
<u>Hole Diameter</u>					
Hole ID:	1003215138				
Diameter:	21				
Depth From:					
Depth To:	4.5				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1003215161			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	589651
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	9
Date Completed:	10/29/2009			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	na
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003215165				
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Plug From:
 Plug To:
 Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID:
 Method Construction Code:
 Method Construction:
 Other Method Construction: BORING

Hole Diameter

Hole ID: 1003215163
 Diameter: 21
 Depth From:
 Depth To: 3
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003215171	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	589687
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	10/29/2009	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1003215175
 Layer:
 Plug From:
 Plug To:
 Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID:
 Method Construction Code:
 Method Construction:
 Other Method Construction: BORING

Hole Diameter

Hole ID: 1003215173
 Diameter: 21
 Depth From:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Depth To:</i>		3			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Bore Hole Information

<i>Bore Hole ID:</i>	1003215151	<i>Elevation:</i>	
<i>DP2BR:</i>		<i>Elevrc:</i>	
<i>Spatial Status:</i>		<i>Zone:</i>	17
<i>Code OB:</i>		<i>East83:</i>	589617
<i>Code OB Desc:</i>		<i>North83:</i>	
<i>Open Hole:</i>		<i>Org CS:</i>	
<i>Cluster Kind:</i>	This is a record from cluster log sheet	<i>UTMRC:</i>	9
<i>Date Completed:</i>	10/29/2009	<i>UTMRC Desc:</i>	unknown UTM
<i>Remarks:</i>		<i>Location Method:</i>	na
<i>Elevrc Desc:</i>			
<i>Location Source Date:</i>			
<i>Improvement Location Source:</i>			
<i>Improvement Location Method:</i>			
<i>Source Revision Comment:</i>			
<i>Supplier Comment:</i>			

Annular Space/Abandonment Sealing Record

<i>Plug ID:</i>	1003215155
<i>Layer:</i>	
<i>Plug From:</i>	
<i>Plug To:</i>	
<i>Plug Depth UOM:</i>	

Method of Construction & Well Use

<i>Method Construction ID:</i>	
<i>Method Construction Code:</i>	
<i>Method Construction:</i>	
<i>Other Method Construction:</i>	BORING

Hole Diameter

<i>Hole ID:</i>	1003215153
<i>Diameter:</i>	21
<i>Depth From:</i>	
<i>Depth To:</i>	4.8
<i>Hole Depth UOM:</i>	m
<i>Hole Diameter UOM:</i>	cm

Bore Hole Information

<i>Bore Hole ID:</i>	1003215166	<i>Elevation:</i>	
<i>DP2BR:</i>		<i>Elevrc:</i>	
<i>Spatial Status:</i>		<i>Zone:</i>	17
<i>Code OB:</i>		<i>East83:</i>	589694
<i>Code OB Desc:</i>		<i>North83:</i>	
<i>Open Hole:</i>		<i>Org CS:</i>	
<i>Cluster Kind:</i>	This is a record from cluster log sheet	<i>UTMRC:</i>	9
<i>Date Completed:</i>	10/29/2009	<i>UTMRC Desc:</i>	unknown UTM
<i>Remarks:</i>		<i>Location Method:</i>	na
<i>Elevrc Desc:</i>			
<i>Location Source Date:</i>			
<i>Improvement Location Source:</i>			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1003215170			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u><i>Method of Construction & Well Use</i></u>					
<i>Method Construction ID:</i>					
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<u><i>Hole Diameter</i></u>					
<i>Hole ID:</i>		1003215168			
<i>Diameter:</i>		21			
<i>Depth From:</i>					
<i>Depth To:</i>		3.5			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u><i>Bore Hole Information</i></u>					
<i>Bore Hole ID:</i>		1003215156		<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	589621
<i>Code OB Desc:</i>				<i>North83:</i>	
<i>Open Hole:</i>				<i>Org CS:</i>	9
<i>Cluster Kind:</i>		This is a record from cluster log sheet		<i>UTMRC:</i>	unknown UTM
<i>Date Completed:</i>		10/30/2009		<i>UTMRC Desc:</i>	na
<i>Remarks:</i>				<i>Location Method:</i>	
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>		1003215160			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u><i>Method of Construction & Well Use</i></u>					
<i>Method Construction ID:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Hole Diameter</u>					
Hole ID:		1003215158			
Diameter:		21			
Depth From:					
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1003215176		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 589616	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:		This is a record from cluster log sheet		UTMRC: 9	
Date Completed:		10/30/2009		UTMRC Desc: unknown UTM	
Remarks:				Location Method: na	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003215180			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Hole Diameter</u>					
Hole ID:		1003215178			
Diameter:		21			
Depth From:					
Depth To:		3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002855650		Elevation: 170.025436	
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Spatial Status:
Code OB:
Code OB Desc:
Open Hole: N
Cluster Kind:
Date Completed: 10/30/2009
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Zone: 17
East83: 603537
North83: 4815859
Org CS: UTM83
UTMRC: 3
UTMRC Desc: margin of error : 10 - 30 m
Location Method: gis

Annular Space/Abandonment Sealing Record

Plug ID: 1003215187
Layer: 1
Plug From: 0
Plug To: 3.5
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Hole Diameter

Hole ID: 1003215186
Diameter: 21
Depth From: 0
Depth To: 3.5
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1003215141
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind: This is a record from cluster log sheet
Date Completed: 10/28/2009
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83: 589666
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Annular Space/Abandonment Sealing Record

Plug ID: 1003215145

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Layer:
 Plug From:
 Plug To:
 Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID:
 Method Construction Code:
 Method Construction:
 Other Method Construction: BORING

Hole Diameter

Hole ID: 1003215143
 Diameter: 21
 Depth From:
 Depth To: 3
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003215146	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	589602
Code OB Desc:		North83:	
Open Hole:		Org CS:	
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	10/29/2009	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1003215150
 Layer:
 Plug From:
 Plug To:
 Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID:
 Method Construction Code:
 Method Construction:
 Other Method Construction: BORING

Hole Diameter

Hole ID: 1003215148
 Diameter: 21

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		2.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1003215181		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	589690
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	9
Date Completed:		10/29/2009		UTMRC Desc:	unknown UTM
Remarks:				Location Method:	na
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003215185			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Hole Diameter</u>					
Hole ID:		1003215183			
Diameter:		21			
Depth From:					
Depth To:		3.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[32](#)

1 of 1

ESE/167.3

170.5 / -0.33

lot 13 con 1
ON

WWIS

Well ID: 2804186
Construction Date:
Primary Water Use: Commerical
Sec. Water Use: 0
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:

Data Entry Status:
Data Src: 1
Date Received: 7/3/1973
Selected Flag: Yes
Abandonment Rec:
Contractor: 4610
Form Version: 1
Owner:
Street Name:
County: HALTON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10150708	Elevation:	169.037139
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	603488.6
Code OB Desc:	Bedrock	North83:	4815789
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	9/12/1972	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931434881
Layer:	1
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Other Materials:	SAND
Mat3:	11
Other Materials:	GRAVEL
Formation Top Depth:	0
Formation End Depth:	16
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931434882
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	16
Formation End Depth:	62
Formation End Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			10699278		
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			930256249		
Layer:	1				
Material:	1				
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		8			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:			992804186		
Pump Set At:					
Static Level:		14			
Final Level After Pumping:		60			
Recommended Pump Depth:		50			
Pumping Rate:		4			
Flowing Rate:					
Recommended Pump Rate:		4			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			934711605		
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		60			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:			934971929		
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		60			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934452829
Test Type: Draw Down
Test Duration: 30
Test Level: 60
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934177788
Test Type: Draw Down
Test Duration: 15
Test Level: 35
Test Level UOM: ft

Water Details

Water ID: 933606925
Layer: 2
Kind Code: 4
Kind: MINERIAL
Water Found Depth: 55
Water Found Depth UOM: ft

Water Details

Water ID: 933606924
Layer: 1
Kind Code: 4
Kind: MINERIAL
Water Found Depth: 35
Water Found Depth UOM: ft

33	1 of 1	SE/169.3	169.8 / -1.00	Oakville ON	WWIS
--------------------	--------	----------	---------------	-------------	------

Well ID: 7229637
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z162654
Tag: A115330
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 10/16/2014
Selected Flag: Yes
Abandonment Rec:
Contractor: 6607
Form Version: 7
Owner:
Street Name: 305 DUNDAS ST E
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1005165244			Elevation:	168.984909
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603469
Code OB Desc:				North83:	4815763
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	7/30/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID: 1005402422
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Other Materials: GRAVEL
Mat3: 01
Other Materials: FILL
Formation Top Depth: 0
Formation End Depth: 1.5
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005402424
Layer: 3
Color: 6
General Color: BROWN
Mat1: 17
Most Common Material: SHALE
Mat2: 15
Other Materials: LIMESTONE
Mat3: 74
Other Materials: LAYERED
Formation Top Depth: 3.3
Formation End Depth: 19.8
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1005402423
Layer: 2
Color: 6
General Color: BROWN
Mat1: 06
Most Common Material: SILT
Mat2: 05
Other Materials: CLAY
Mat3: 66
Other Materials: DENSE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation Top Depth:</i>			1.5		
<i>Formation End Depth:</i>			3.3		
<i>Formation End Depth UOM:</i>			m		
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>			1005402436		
<i>Layer:</i>			4		
<i>Plug From:</i>			16		
<i>Plug To:</i>			18		
<i>Plug Depth UOM:</i>			m		
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>			1005402433		
<i>Layer:</i>			1		
<i>Plug From:</i>			0		
<i>Plug To:</i>			0.3		
<i>Plug Depth UOM:</i>			m		
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>			1005402435		
<i>Layer:</i>			3		
<i>Plug From:</i>			3.6		
<i>Plug To:</i>			16		
<i>Plug Depth UOM:</i>			m		
 <u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>			1005402434		
<i>Layer:</i>			2		
<i>Plug From:</i>			0.3		
<i>Plug To:</i>			3.6		
<i>Plug Depth UOM:</i>			m		
 <u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>					
<i>Method Construction Code:</i>			2		
<i>Method Construction:</i>			Rotary (Convent.)		
<i>Other Method Construction:</i>			BORING AND DIAMOND		
 <u>Pipe Information</u>					
<i>Pipe ID:</i>			1005402421		
<i>Casing No:</i>			0		
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u>Construction Record - Casing</u>					
<i>Casing ID:</i>			1005402429		
<i>Layer:</i>			1		
<i>Material:</i>			5		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		PLASTIC			
Depth From:		0.1			
Depth To:		18.3			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
 <u>Construction Record - Screen</u>					
Screen ID:		1005402430			
Layer:		1			
Slot:		10			
Screen Top Depth:		18.3			
Screen End Depth:		19.8			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
 <u>Water Details</u>					
Water ID:		1005402428			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		7.6			
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1005402425			
Diameter:		26			
Depth From:		0			
Depth To:		3.3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1005402427			
Diameter:		9.6			
Depth From:		9.7			
Depth To:		19.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1005402426			
Diameter:		15.5			
Depth From:		3.3			
Depth To:		9.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
34	1 of 1	ESE/171.8	170.5 / -0.31	lot 13 con 1 ON	WWIS
Well ID:		2802113		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Commerical		Date Received: 11/19/1957	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4623
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10148667	Elevation:	169.022613
DP2BR:	17	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	603505.6
Code OB Desc:	Bedrock	North83:	4815802
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	8/1/1957	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931427685
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	17
Formation End Depth:	68
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931427684
Layer:	1
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	17				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10697237				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930252969				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	68				
Casing Diameter:	8				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930252968				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	21				
Casing Diameter:	8				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	992802113				
Pump Set At:					
Static Level:	17				
Final Level After Pumping:	60				
Recommended Pump Depth:					
Pumping Rate:	5				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	4				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933604157			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933604156			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		35			
Water Found Depth UOM:		ft			

35	1 of 1	E/175.0	170.6 / -0.28	lot 12 con 1 ON	WWIS
Well ID:		2805423		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Commerical		Date Received:	10/25/1979
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	3349
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	012
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:		10151909	Elevation:	170.251007
DP2BR:		2	Elevrc:	
Spatial Status:			Zone:	17
Code OB:		r	East83:	603554.6
Code OB Desc:		Bedrock	North83:	4815883
Open Hole:			Org CS:	
Cluster Kind:			UTMRC:	4
Date Completed:		7/18/1978	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:			Location Method:	p4
Elevrc Desc:				
Location Source Date:				
Improvement Location Source:				
Improvement Location Method:				
Source Revision Comment:				
Supplier Comment:				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931439625			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		2			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931439626			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		2			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10700479			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930258235			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930258234			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		14			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992805423			
Pump Set At:					
Static Level:		38			
Final Level After Pumping:		38			
Recommended Pump Depth:		36			
Pumping Rate:		21			
Flowing Rate:					
Recommended Pump Rate:		10			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934967551			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		38			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934715395			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		38			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934181126			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		38			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934447456			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		38			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:	933608619				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	36				
Water Found Depth UOM:	ft				
<u>36</u>	1 of 9	ESE/176.0	170.2 / -0.62	JAGDAMBE LTD 305 DUNDAS ST E OAKVILLE ON L6H7C3	RST
Headcode:	01186800				
Headcode Desc:	SERVICE STATIONS GASOLINE OIL & NATURAL				
Phone:	9052577992				
List Name:					
Description:					
<u>36</u>	2 of 9	ESE/176.0	170.2 / -0.62	DEV'S ESSO 305 DUNDAS ST E OAKVILLE ON L6H7C3	RST
Headcode:	01186800				
Headcode Desc:	SERVICE STATIONS GASOLINE OIL & NATURAL				
Phone:	9052577992				
List Name:					
Description:					
<u>36</u>	3 of 9	ESE/176.0	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON	GEN
Generator No:	ON5709276				
Status:					
Approval Years:	2013				
Contam. Facility:					
MHSW Facility:					
SIC Code:	447110				
SIC Description:					
PO Box No:					
Country:					
Choice of Contact:					
Co Admin:					
Phone No Admin:					
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
<u>36</u>	4 of 9	ESE/176.0	170.2 / -0.62	ARMANI'IS ESSO 305 DUNDAS ST E OAKVILLE ON L6H7C3	RST
Headcode:	01186800				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Headcode Desc:		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
Phone:		9052577992			
List Name:		INFO-DIRECT(TM) BUSINESS FILE			
Description:					
36	5 of 9	ESE/176.0	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:	ON5709276			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Grant Pettypiece
MHSW Facility:	No			Phone No Admin:	905-695-3217 Ext.3633
SIC Code:	447110				
SIC Description:	447110				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
36	6 of 9	ESE/176.0	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:	ON5709276			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Grant Pettypiece
MHSW Facility:	No			Phone No Admin:	905-695-3217 Ext.3633
SIC Code:	447110				
SIC Description:	447110				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
36	7 of 9	ESE/176.0	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:	ON5709276			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Grant Pettypiece
MHSW Facility:	No			Phone No Admin:	905-695-3217 Ext.3633
SIC Code:	447110				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		447110			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
36	8 of 9	ESE/176.0	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:		ON5709276		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Dec 2017		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		221 L			
Waste Class Desc:		Light fuels			
Waste Class:		221 I			
Waste Class Desc:		Light fuels			
Waste Class:		251 L			
Waste Class Desc:		Waste oils/sludges (petroleum based)			
36	9 of 9	ESE/176.0	170.2 / -0.62	ARMAN'S; ESSO 305 DUNDAS ST E OAKVILLE ON L6H7C3	RST
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
Phone:		9052577992			
List Name:		INFO-DIRECT(TM) BUSINESS FILE			
Description:					
37	1 of 32	ESE/176.1	170.2 / -0.62	ESSO PETROLEUM CANADA 305 DUNDAS ST. EAST. SERVICE STATION OAKVILLE TOWN ON L6H 7C3	SPL
Ref No:		114484		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		6/12/1995		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:		PIPE/HOSE LEAK		Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Soil contamination Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 6/15/1995 Dt Document Closed: Incident Reason: ERROR Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:				Site District Office: Site Postal Code: Site Region: Site Municipality: 14403 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
ESSO SERVICE STATION-15 LGASOLINE TO PAVEMENT, ERROR, CLEANED UP.					
37	2 of 32	ESE/176.1	170.2 / -0.62	ESSO CHEMICAL ESSO SERVICE STATION 305 DUNDAS ST WEST TANK TRUCK (CARGO) OAKVILLE TOWN ON	SPL
Ref No: 66312 Site No: Incident Dt: 1/22/1992 Year: Incident Cause: PIPE/HOSE LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: NOT ANTICIPATED Nature of Impact: Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 1/22/1992 Dt Document Closed: Incident Reason: ERROR Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:				Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 14403 Site Lot: Site Conc: Northing: Easting: MCCR Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
ESSO - 1L GASOLINE TO GROUND FROM TANK TRUCK DELIVERY HOSE. CLEANED UP					
37	3 of 32	ESE/176.1	170.2 / -0.62	MIKE'S ESSO 765853 ONTARIO LIMITED 305 DUNDAS ST E OAKVILLE ON L6H 7C3	PRT
Location ID: 10345 Type: retail Expiry Date: 1995-06-30 Capacity (L): 43995 Licence #: 0054409001					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	4 of 32	ESE/176.1	170.2 / -0.62	MIKE'S ESSO 765853 ONTARIO LIMITED 305 DUNDAS ST E OAKVILLE ON L6J4Z2	PRT
Location ID: 10345 Type: retail Expiry Date: 1995-06-30 Capacity (L): 2000 Licence #: 0054409002					
37	5 of 32	ESE/176.1	170.2 / -0.62	IMPERIAL OIL LTD. 305 DUNDAS STREET EAST ESSO SERVICE STATION OAKVILLE TOWN ON L6H 7C3	SPL
Ref No: 128677 Site No: Incident Dt: 7/29/1996 Year: Incident Cause: PIPE/HOSE LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: NOT ANTICIPATED Nature of Impact: Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 7/2/1996 Dt Document Closed: Incident Reason: EQUIPMENT FAILURE Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: IMPERIAL OIL:8L GASOLINE TO GROUND. Contaminant Qty:		Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 14403 Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:			
37	6 of 32	ESE/176.1	170.2 / -0.62	FIVE ESSO 305 DUNDAS ST E OAKVILLE ON L6J4Z2	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 9052573376 List Name: Description:					
37	7 of 32	ESE/176.1	170.2 / -0.62	COMMISSO'S ESSO 305 DUNDAS ST E OAKVILLE ON L6J4Z2	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 9052577992 List Name: Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	8 of 32	ESE/176.1	170.2 / -0.62	305 Dundas St. E. Oakville ON L6H 7C3	EHS
Order No:	20030610009			Nearest Intersection:	Dundas St. E. & Trafalgar Rd.
Status:	C			Municipality:	
Report Type:	Basic Report			Client Prov/State:	ON
Report Date:	6/19/03			Search Radius (km):	0.25
Date Received:	6/10/03			X:	-79.719986
Previous Site Name:				Y:	43.487816
Lot/Building Size:					
Additional Info Ordered:					
37	9 of 32	ESE/176.1	170.2 / -0.62	ROYAL ESSO 305 DUNDAS ST E OAKVILLE ON L6H 7C3	RST
Headcode:	01186800				
Headcode Desc:	SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS				
Phone:					
List Name:					
Description:					
37	10 of 32	ESE/176.1	170.2 / -0.62	305 Dundas Street East Oakville ON L6H 7C3	EHS
Order No:	20050614001			Nearest Intersection:	Dundas at Trafalgar
Status:	C			Municipality:	Halton Region
Report Type:				Client Prov/State:	ON
Report Date:	6/15/2005			Search Radius (km):	0.5
Date Received:	6/14/2005			X:	-79.719986
Previous Site Name:				Y:	43.487816
Lot/Building Size:					
Additional Info Ordered:					
37	11 of 32	ESE/176.1	170.2 / -0.62	305 Dundas Street East Oakville ON L6H 7C3	EHS
Order No:	20050916005			Nearest Intersection:	Dundas St. & Trafalgar Rd.
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	9/26/2005			Search Radius (km):	0.25
Date Received:	9/16/2005			X:	-79.719989
Previous Site Name:				Y:	43.487822
Lot/Building Size:	4,250 sq. m.				
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans, Unplotted Water Wells				
37	12 of 32	ESE/176.1	170.2 / -0.62	SHIMERAN NESSAN O/A ROYAL ESSO GAS STATION 305 DUNDAS ST W OAKVILLE ON	FSTH
License Issue Date:	4/19/2002				
Tank Status:	Licensed				
Tank Status As Of:	August 2007				
Operation Type:	Retail Fuel Outlet				
Facility Type:	Gasoline Station - Self Serve				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Status:		Active			
Year of Installation:		2001			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2001			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2001			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Gasoline			
Status:		Removed			
Year of Installation:		1984			
Corrosion Protection:					
Capacity:		50000			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		2001			
Corrosion Protection:					
Capacity:		22730			
Tank Fuel Type:		Liquid Fuel Double Wall UST - Diesel			

37	13 of 32	ESE/176.1	170.2 / -0.62	Imperial Oil Limited 305 Dundas Street Oakville ON	SPL
Ref No:	6475-5J4RUA			Discharger Report:	
Site No:				Material Group:	Oil
Incident Dt:	1/23/2003			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Tank (Underground) Leak			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:	12			Nearest Watercourse:	
Contaminant Name:	GASOLINE			Site Address:	
Contaminant Limit 1:				Site District Office:	Halton-Peel
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	Central
Environment Impact:	Possible			Site Municipality:	Oakville
Nature of Impact:	Soil Contamination			Site Lot:	
Receiving Medium:	Land			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	1/24/2003			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:				Source Type:	
Site Name:	ESSO GAS STATION<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Esso Gas Station - small leak in piping system				
Contaminant Qty:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	14 of 32	ESE/176.1	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:	ON5709276			PO Box No:	
Status:				Country:	
Approval Years:	06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447110				
SIC Description:	Gasoline Stations with Convenience Stores				
Detail(s)					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
37	15 of 32	ESE/176.1	170.2 / -0.62	305 Dundas Street East Oakville ON L6H 7C3	EHS
Order No:	20110125033			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Select Report			Client Prov/State:	ON
Report Date:	2/3/2011			Search Radius (km):	0.25
Date Received:	1/25/2011 4:31:35 PM			X:	-79.720143
Previous Site Name:				Y:	43.487545
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
37	16 of 32	ESE/176.1	170.2 / -0.62	1150784 ONTARIO LTD O/A HORNBY ESSO 305 DUNDAS ST W OAKVILLE ON	EXP
Instance No:	9792929				
Instance ID:	395466				
Instance Type:	FS Facility				
Description:	FS Propane Refill Cntr - Cylr Fill				
Status:	EXPIRED				
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
37	17 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
Instance No:	64181629				
Instance ID:	351894				
Instance Type:	FS Liquid Fuel Tank				
Description:	FS Liquid Fuel Tank				
Status:	EXPIRED				
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	18 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
Instance No:		64181630			
Instance ID:		352659			
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Liquid Fuel Tank			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
37	19 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
Instance No:		64181628			
Instance ID:		353175			
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Liquid Fuel Tank			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
37	20 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
Instance No:		64181627			
Instance ID:		353413			
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Liquid Fuel Tank			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
37	21 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON L6J 4Z2	EXP
Instance No:		10886563			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		10/3/1989			
37	22 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OAKVILLE ON					
37	23 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
<p>Instance No: 64181631 Instance ID: 351471 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
37	24 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
<p>Instance No: 64181633 Instance ID: 351725 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
37	25 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
<p>Instance No: 64181634 Instance ID: 353127 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:</p>					
37	26 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance No: 64181632 Instance ID: 353527 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
37	27 of 32	ESE/176.1	170.2 / -0.62	VIVAN KHAMIS O/A GAS STN 305 DUNDAS ST W OAKVILLE ON	EXP
Instance No: 10886569 Instance ID: 49814 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
37	28 of 32	ESE/176.1	170.2 / -0.62	1150784 ONTARIO LTD O/A HORNBY ESSO 305 DUNDAS ST W OAKVILLE ON	EXP
Instance No: 10886578 Instance ID: 49671 Instance Type: FS Propane Tank Description: FS Propane Tank Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
37	29 of 32	ESE/176.1	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No: ON5709276 Status: Approval Years: 2009 Contam. Facility: MHSW Facility: SIC Code: 447110 SIC Description: Gasoline Stations with Convenience Stores PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 221 Waste Class Desc: LIGHT FUELS Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	30 of 32	ESE/176.1	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:	ON5709276			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447110				
SIC Description:	Gasoline Stations with Convenience Stores				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
37	31 of 32	ESE/176.1	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:	ON5709276			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447110				
SIC Description:	Gasoline Stations with Convenience Stores				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
37	32 of 32	ESE/176.1	170.2 / -0.62	Imperial Oil 305 Dundas Street East Oakville ON L6H 7C3	GEN
Generator No:	ON5709276			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447110				
SIC Description:	Gasoline Stations with Convenience Stores				
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	1 of 3	E/176.3	170.5 / -0.31	1383507 ONTARIO LTD 325 DUNDAS ST E OAKVILLE ON L6H 7E3	FST
Instance No: 64487503 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Gasoline Status: Active Capacity: 100000 Tank Material: Fiberglass (FRP) Corrosion Protection: Fiberglass Tank Type: Double Wall UST Install Year: 2009 Parent Facility Type: FS Gasoline Station - Self Serve Facility Type: FS Liquid Fuel Tank					
38	2 of 3	E/176.3	170.5 / -0.31	1383507 ONTARIO LTD 325 DUNDAS ST E OAKVILLE ON L6H 7E3	FST
Instance No: 64487504 Cont Name: Instance Type: FS Liquid Fuel Tank Fuel Type: Gasoline Status: Active Capacity: 75000 Tank Material: Fiberglass (FRP) Corrosion Protection: Fiberglass Tank Type: Double Wall UST Install Year: 2009 Parent Facility Type: FS Gasoline Station - Self Serve Facility Type: FS Liquid Fuel Tank					
38	3 of 3	E/176.3	170.5 / -0.31	325 DUNDAS STREET EAST, OAKVILLE ON	PINC
Incident ID: Incident No: 1036344 Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Fuel Occurrence Tp: Fuel Type: Tank Status: RC Established Task No: 4366334 Spills Action Centre: Method Details: E-mail Fuel Category: Natural Gas Date of Occurrence: Occurrence Start Date: 2013/05/09 Operation Type: Pipeline Type: Regulator Type: Summary: 325 DUNDAS STREET EAST, OAKVILLE - PIPELINE HIT - 4" Reported By: ldevay@uniongas.com [mailto:ldevay@uniongas.com] Affiliation: Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes:					
Health Impact: Environment Impact: Property Damage: Yes Service Interrupt: Enforce Policy: Yes Public Relation: Pipeline System: Depth: Pipe Material: PSIG: Attribute Category: FS-Perform P-line Inc Invest Regulator Location:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
39	1 of 1	SSE/180.6	170.9 / 0.11	ON	WWIS
Well ID:	7218609			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	3/28/2014
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7230
Casing Material:				Form Version:	8
Audit No:	C25577			Owner:	
Tag:	A139264			Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1004727092			Elevation:	170.197418
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603364
Code OB Desc:				North83:	4815661
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	5
Date Completed:	9/3/2013			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
40	1 of 1	SSE/181.5	169.0 / -1.87	GREEN GINGER DEVELOPMENTS INC. 271 DUNDAS ST E, OAKVILLE, ON, L6H 7C3 ON L6H 7C3	RSC
RSC ID:	114210			Cert Date:	1-Jun-11
RA No:				Cert Prop Use No:	No CPU
RSC Type:				Intended Prop Use:	Residential
Curr Property Use:	Agriculture/Other			Qual Person Name:	Harry Rosenbaum
Ministry District:	OAKVILLE			Stratified (Y/N):	
Filing Date:	28-Jun-11			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	Yes
Date Returned:				Accuracy Estimate:	21 to 100 meters
Restoration Type:				Telephone:	416-4491340
Soil Type:				Fax:	416-4490893
Criteria:				Email:	harry@greatgulfhomes.com
CPU Issued Sect 1686:	No				
Asmt Roll No:	2401-010-030-06700-0000				
Prop ID No (PIN):	24929-0269(LT)				
Property Municipal Address:	271 DUNDAS ST E, OAKVILLE, ON, L6H 7C3				
Mailing Address:	3751 VICTORIA PARK AVE, TORONTO, ON, M1W 3Z4				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude & Latitude:		43.49051050N 79.72824180W (converted from UTM)			
UTM Coordinates:		NAD83 17-602831-4816073			
Consultant:					
Legal Desc:		Part of Lot 13 and 14, Concession 1 North of Dundas Street (formerly in the Township of Trafalgar), designated as Part 1 on Plan 20R-14237, save and except Parts 6 and 14 on Plan HR892157, Town of Oakville; subject to an easement over Part 13 on Plan 20R-18189; subject to a temporary easement over Parts 4, 5, 7, 8 and 12 on Plan 20R-18189			
Measurement Method:		Digitized from a satellite image			
Applicable Standards:		Background Site Conditions Standard, with Potable Ground Water, Coarse Textured Soil, for Residential/Parkland/Institutional property use			
RSC PDF:					

41	1 of 1	SSE/185.1	171.0 / 0.11	ON	WWIS
Well ID:	7221399				
Construction Date:				Data Entry Status:	Yes
Primary Water Use:				Data Src:	
Sec. Water Use:				Date Received:	6/5/2014
Final Well Status:				Selected Flag:	Yes
Water Type:				Abandonment Rec:	Yes
Casing Material:				Contractor:	7147
Audit No:	C25039			Form Version:	8
Tag:	A158662			Owner:	
Construction Method:				Street Name:	
Elevation (m):				County:	HALTON
Elevation Reliability:				Municipality:	OAKVILLE TOWN
Depth to Bedrock:				Site Info:	
Well Depth:				Lot:	
Overburden/Bedrock:				Concession:	
Pump Rate:				Concession Name:	
Static Water Level:				Easting NAD83:	
Flowing (Y/N):				Northing NAD83:	
Flow Rate:				Zone:	
Clear/Cloudy:				UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	1004806345			Elevation:	170.126113
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603360
Code OB Desc:				North83:	4815655
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	5/21/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

42	1 of 1	ESE/185.7	170.6 / -0.22	OAKVILLE ON	WWIS
Well ID:	2810489				
Construction Date:				Data Entry Status:	
Primary Water Use:				Data Src:	
Sec. Water Use:				Date Received:	2/13/2006
Final Well Status:	Observation Wells			Selected Flag:	Yes
Water Type:				Abandonment Rec:	
Casing Material:				Contractor:	6607
				Form Version:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	Z42213			Owner:	
Tag:	A034579			Street Name:	305 DUNDAS ST
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11552399	Elevation:	169.929168
DP2BR:	7	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	603494
Code OB Desc:	Bedrock	North83:	4815767
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	1/4/2006	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	933040288
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	01
Other Materials:	FILL
Formation Top Depth:	0
Formation End Depth:	2.1
Formation End Depth UOM:	m

**Overburden and Bedrock
Materials Interval**

Formation ID:	933040289
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	2.1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		4.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933286795			
Layer:		1			
Plug From:		0			
Plug To:		1.2			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11562006			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930874546			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933416886			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.5			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		934073072			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		2.1			
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		11683513			
Diameter:		21			
Depth From:		0			
Depth To:		4.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>43</u>	1 of 1	ESE/187.5	170.8 / 0.00	325 Dundas Street East Oakville ON L6H 7E3	EHS
Order No:	20080407020			Nearest Intersection:	Trafalgar Road
Status:	C			Municipality:	Oakville
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	4/16/2008			Search Radius (km):	0.25
Date Received:	4/7/2008			X:	-79.719654
Previous Site Name:				Y:	43.48837
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans; City Directory				
<u>44</u>	1 of 1	SE/191.3	170.2 / -0.62	Oakville ON	WWIS
Well ID:	7103280			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	3/26/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M00784			Owner:	
Tag:	A062375			Street Name:	305 DUNDAS ST. E.
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1002666864			Elevation:	169.550872
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603485
Code OB Desc:				North83:	4815751
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002666868			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002666869			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002666871			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.95			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002666870			
Layer:					
Slot:					
Screen Top Depth:		0.95			
Screen End Depth:		3.65			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002666872			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002666866
Diameter: 15
Depth From:
Depth To: 3.65
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1001554538	Elevation:	169.544372
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603486
Code OB Desc:		North83:	4815749
Open Hole:	N	Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	1/15/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1002666874
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 11
Other Materials: GRAVEL
Mat3: 84
Other Materials: SILTY
Formation Top Depth: 0
Formation End Depth: 2.7
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1002666875
Layer: 2
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2:
Other Materials:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		2.7			
Formation End Depth:		7.5			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002666877			
Layer:		1			
Plug From:		0			
Plug To:		3.6			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002666873			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002666878			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		7.5			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002666879			
Layer:		1			
Slot:		0.2			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1002666876			
Diameter:		15			
Depth From:		0			
Depth To:		7.5			
Hole Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002666855			Elevation:	167.143905
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603459
Code OB Desc:				North83:	4815728
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002666859				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:	1002666860				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002666862				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	1.25				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002666861				
Layer:					
Slot:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		1.25			
Screen End Depth:		4.25			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002666863			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002666857			
Diameter:		15			
Depth From:					
Depth To:		4.25			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

45	1 of 9	ESE/200.8	170.8 / 0.00	CANADA PACKERS CORNER OF HWY 5 & TRAFALGAR RD. TORONTO PLANT [ST. CLAIR AVENUE] OAKVILLE TOWN ON	SPL
Ref No:	8249			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	8/18/1988			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	TRUCK/TRAILER OVERTURN			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	14403
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	8/18/1988			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Summary:		CANADA PACKERS - 20,000 LOF MINERAL OIL TO LAND/SEWERS FROM TANKER.			
Contaminant Qty:					
45	2 of 9	ESE/200.8	170.8 / 0.00	TEXACO HWY 5 & TRAFALGAR ROAD-TEXACO SERVICE STATION SERVICE STATION OAKVILLE TOWN ON	SPL
Ref No:	8681			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	8/30/1988			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CAUSE (N.O.S.)			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	14403
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	8/30/1988			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	TEXACO SERVICE CENTRE 500L GASOLINE SPILL				
Contaminant Qty:					

45	3 of 9	ESE/200.8	170.8 / 0.00	TEXACO DUNDAS AND TRAFALGAR RD SERVICE STATION OAKVILLE TOWN ON	SPL
Ref No:	14625			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2/9/1989			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	WASTEWATER DISCHARGE TO WATERCOURSE			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	14403
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2/9/1989			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	ERROR			Source Type:	
Site Name:					
Site County/District:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Geo Ref Meth:		SERVICE STATION			
Incident Summary:					
Contaminant Qty:					
45	4 of 9	ESE/200.8	170.8 / 0.00	TRANSPORT TRUCK TRAFALGAR RD/DUNDAS ST. MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	SPL
Ref No:	212176			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	9/24/2001			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER TRANSPORTATION ACCIDENT			Sector Type:	
Incident Event:				Agency Involved:	FD & WORKS
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	14403
Nature of Impact:	Multi Media Pollution			Site Lot:	
Receiving Medium:	Land, Water			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	9/24/2001			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	JOHN'S TIRES & SALES-MVA,200 L DIESEL TO ROAD & SEWER, FD & WORKS.				
Contaminant Qty:					
45	5 of 9	ESE/200.8	170.8 / 0.00	Trafalgar Road & Hwy 5 Oakville ON	EHS
Order No:	20061103023			Nearest Intersection:	Trafalgar Rd & Hwy 5
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	11/21/2006			Search Radius (km):	0.15
Date Received:	11/3/2006			X:	-79.71913
Previous Site Name:				Y:	43.483672
Lot/Building Size:					
Additional Info Ordered:					
45	6 of 9	ESE/200.8	170.8 / 0.00	Highway 5 and Trafalgar Road Oakville ON	EHS
Order No:	20100824009			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	9/1/2010			Search Radius (km):	0.25
Date Received:	8/24/2010			X:	-79.719134
Previous Site Name:				Y:	43.484016
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
45	7 of 9	ESE/200.8	170.8 / 0.00	Dundas Street & Trafalgar Rd Oakville ON	SPL
Ref No:	6280-8UDPLZ			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	17-MAY-12			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	FUEL (N.O.S.)			Site Address:	Dundas Street & Trafalgar Rd
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Confirmed			Site Municipality:	Oakville
Nature of Impact:	Groundwater Pollution; Soil Contamination			Site Lot:	
Receiving Medium:	Sewage - Municipal/Private and Commercial			Site Conc:	
Receiving Env:				Northing:	
MOE Response:	Deferred Field Response			Easting:	
Dt MOE Arvl on Scn:	22-MAY-12			Site Geo Ref Accu:	
MOE Reported Dt:	17-MAY-12			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Watercourse Spills
Incident Reason:				Source Type:	
Site Name:	Dundas Street<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Halton Region: construction site-fuel/water in pit				
Contaminant Qty:					
45	8 of 9	ESE/200.8	170.8 / 0.00	Rothsay Recycling<UNOFFICIAL> Trafalgar and Dundas Oakville ON	SPL
Ref No:	2737-9FCEGD			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2014/01/14			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	Collision/Accident			Sector Type:	Truck - Only Saddle Tanks
Incident Event:				Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL			Site Address:	Trafalgar and Dundas
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Confirmed			Site Municipality:	Oakville
Nature of Impact:	Soil Contamination			Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	2014/01/14			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Primary Assessment of Spills
Incident Reason:	Operator/Human Error			Source Type:	
Site Name:	diesel spill<UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Rothsay Recycling: 38 L diesel to ditch				
Contaminant Qty:	38 L				
45	9 of 9	ESE/200.8	170.8 / 0.00	Dundas St Etrafalgar Rd Oakville ON	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No: 20141112002 Status: C Report Type: Standard Express Report Report Date: 12-NOV-14 Date Received: 12-NOV-14 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .1 X: -79.719603 Y: 43.487871					
46	1 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J4Z2	PRT
Location ID: 10349 Type: retail Expiry Date: 1993-01-31 Capacity (L): 20963 Licence #: 0056627001					
46	2 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No: 9840932 Instance ID: Instance Type: FS Facility Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 2/14/1992					
46	3 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No: 10886678 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 10/3/1989					
46	4 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No: 11179461 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Expired Date:		10/3/1989			
46	5 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		11179416			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		10/3/1989			
46	6 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		11179439			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		10/3/1989			
46	7 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		11179480			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		10/3/1989			
46	8 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		10886678			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		10/3/1989			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
46	9 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		11179461			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		10/3/1989			
46	10 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		11179416			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		10/3/1989			
46	11 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		11179439			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		10/3/1989			
46	12 of 12	E/211.1	170.8 / 0.00	IRON CITY SHELL 341 DUNDAS ST E OAKVILLE ON L6J 4Z2	EXP
Instance No:		11179480			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:		FS Gasoline Station - Self Serve			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:		FS Liquid Fuel Tank			
Expired Date:		10/3/1989			
47	1 of 1	SE/219.9	167.5 / -3.33	OAKVILLE ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7258123			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	2/23/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7472
Casing Material:				Form Version:	7
Audit No:	Z224524			Owner:	
Tag:	A197538			Street Name:	2466 TRAFALGAR RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1005890703	Elevation:	169.401962
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	603467
Code OB Desc:		North83:	4815683
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	11/5/2015	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1005991548
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	73
Other Materials:	HARD
Formation Top Depth:	15
Formation End Depth:	30
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1005991547
Layer:	1
Color:	6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:		79			
Other Materials:		PACKED			
Formation Top Depth:		0			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005991556			
Layer:		1			
Plug From:		0			
Plug To:		18			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005991557			
Layer:		2			
Plug From:		18			
Plug To:		30			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:		DIAMOND			
<u>Pipe Information</u>					
Pipe ID:		1005991546			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005991552			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		20			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005991553			
Layer:		1			
Slot:		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:		20			
Screen End Depth:		30			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			

Hole Diameter

Hole ID: 1005991549
Diameter: 6
Depth From: 0
Depth To: 15
Hole Depth UOM: ft
Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1005991550
Diameter: 3.8
Depth From: 15
Depth To: 30
Hole Depth UOM: ft
Hole Diameter UOM: inch

48	1 of 1	SW/224.8	169.3 / -1.55	lot 13 OAKVILLE ON	WWIS
--------------------	--------	----------	---------------	-----------------------	------

Well ID: 7046326
Construction Date:
Primary Water Use: Not Used
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: Z08355
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 7/12/2007
Selected Flag: Yes
Abandonment Rec: Yes
Contractor: 3108
Form Version: 3
Owner:
Street Name: 257 DUNDAS ST
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot: 013
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 23046326
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 6/26/2007
Remarks:
Elevrc Desc:
Location Source Date:

Elevation: 170.562896
Elevrc:
Zone: 17
East83: 603114
North83: 4815705
Org CS: UTM83
UTMRC: 3
UTMRC Desc: margin of error : 10 - 30 m
Location Method: wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44000805			
Layer:		1			
Plug From:		0			
Plug To:		31			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		29046326			
Casing No:		0			
Comment:					
Alt Name:					

49	1 of 1	WSW/232.7	170.9 / 0.02	ON	WWIS
Well ID:	7218621			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	3/28/2014
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7230
Casing Material:				Form Version:	8
Audit No:	C25345			Owner:	
Tag:	A158662			Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1004727343			Elevation:	171.642059
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	603046
Code OB Desc:				North83:	4815779
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed: 9/3/2013 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
50	1 of 1	SE/246.2	169.4 / -1.44	Trafalgar Heights Inc. 278 Dundas St E Oakville ON L4K 1W8	ECA
Approval No: 2486-B5DFG8 Approval Date: 2018-10-10 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Halton Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 278 Dundas St E Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2215-B55HNB-14.pdf				MOE District: Halton-Peel City: Longitude: -79.71968 Latitude: 43.486362 Geometry X: Geometry Y:	
51	1 of 1	NW/253.9	173.2 / 2.41	MILTON ON	WWIS
Well ID: 7224935 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z189609 Tag: A165984 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Entry Status: Data Src: Date Received: 7/31/2014 Selected Flag: Yes Abandonment Rec: Contractor: 7472 Form Version: 7 Owner: Street Name: TRAFALGAR RD. SOUTH OF HWY 407 TO GLENASHTON DR. County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 1005006715 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 6/25/2014 Remarks: Elevrc Desc:				Elevation: 171.993911 Elevrc: Zone: 17 East83: 603160 North83: 4816155 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1005259463		
Layer:			3		
Color:			6		
General Color:			BROWN		
Mat1:			17		
Most Common Material:			SHALE		
Mat2:			11		
Other Materials:			GRAVEL		
Mat3:			79		
Other Materials:			PACKED		
Formation Top Depth:			4.6		
Formation End Depth:			6.4		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1005259461		
Layer:			1		
Color:			6		
General Color:			BROWN		
Mat1:			01		
Most Common Material:			FILL		
Mat2:			11		
Other Materials:			GRAVEL		
Mat3:			77		
Other Materials:			LOOSE		
Formation Top Depth:			0		
Formation End Depth:			1.5		
Formation End Depth UOM:			m		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			1005259462		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			17		
Most Common Material:			SHALE		
Mat2:			05		
Other Materials:			CLAY		
Mat3:			79		
Other Materials:			PACKED		
Formation Top Depth:			1.5		
Formation End Depth:			4.6		
Formation End Depth UOM:			m		
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:			1005259471		
Layer:			2		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		4.9			
<i>Plug To:</i>		6.4			
<i>Plug Depth UOM:</i>		m			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1005259470			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		4.9			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>					
<i>Method Construction Code:</i>		6			
<i>Method Construction:</i>		Boring			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1005259460			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1005259466			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		3.4			
<i>Casing Diameter:</i>		5.2			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1005259467			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3.4			
<i>Screen End Depth:</i>		6.4			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		6.4			
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1005259464			
<i>Diameter:</i>		21			
<i>Depth From:</i>		0			
<i>Depth To:</i>		6.4			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
52	1 of 1	ESE/254.8	171.9 / 1.07	MILTON ON	WWIS
Well ID:		7224938		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring		Date Received: 7/31/2014	
Sec. Water Use:				Selected Flag: Yes	
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor: 7472	
Casing Material:				Form Version: 7	
Audit No:		Z189612		Owner:	
Tag:		A165986		Street Name: TRADALGAR RD. SOUTH OF HWY 407 TO GLENASHTON DR.	
Construction Method:				County: HALTON	
Elevation (m):				Municipality: OAKVILLE TOWN	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1005006810		Elevation: 170.106079	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 603567	
Code OB Desc:				North83: 4815746	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		6/25/2014		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005259498			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		79			
Other Materials:		PACKED			
Formation Top Depth:		1.5			
Formation End Depth:		4.6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1005259497			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005259499			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		79			
Other Materials:		PACKED			
Formation Top Depth:		4.6			
Formation End Depth:		7.9			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005259506			
Layer:		1			
Plug From:		0			
Plug To:		4.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005259507			
Layer:		2			
Plug From:		4.6			
Plug To:		7.9			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005259496			
Casing No:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005259502
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 4.9
 Casing Diameter: 5.2
 Casing Diameter UOM: cm
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005259503
 Layer: 1
 Slot: 10
 Screen Top Depth: 4.9
 Screen End Depth: 7.9
 Screen Material: 5
 Screen Depth UOM: m
 Screen Diameter UOM: cm
 Screen Diameter: 6.4

Hole Diameter

Hole ID: 1005259500
 Diameter: 21
 Depth From: 0
 Depth To: 7.9
 Hole Depth UOM: m
 Hole Diameter UOM: cm

[53](#) 1 of 1 SE/265.7 170.2 / -0.66 OAKVILLE ON [WWIS](#)

Well ID: 7258120	Data Entry Status:
Construction Date:	Data Src:
Primary Water Use: Monitoring	Date Received: 2/23/2016
Sec. Water Use:	Selected Flag: Yes
Final Well Status: Observation Wells	Abandonment Rec:
Water Type:	Contractor: 7472
Casing Material:	Form Version: 7
Audit No: Z224523	Owner:
Tag: A197537	Street Name: 2466 TRAFALGAR RD
Construction Method:	County: HALTON
Elevation (m):	Municipality: OAKVILLE TOWN
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot:
Well Depth:	Concession:
Overburden/Bedrock:	Concession Name:
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1005890694			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	169.785202 17 603479 4815631 UTM83 4 margin of error : 30 m - 100 m wwr
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: Layer: Color: General Color: Mat1: Most Common Material: Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: Formation End Depth: Formation End Depth UOM:	1005991515 1 6 BROWN 05 CLAY 79 PACKED 0 15 ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1005991522 1 0 9 ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:	1005991523 2 10 15 ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:	6 Boring				
<u>Pipe Information</u>					
Pipe ID:	1005991514				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005991518			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		10			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1005991519			
Layer:		1			
Slot:		10			
Screen Top Depth:		10			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Hole Diameter</u>					
Hole ID:		1005991516			
Diameter:		6			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
54	1 of 1	SW/272.6	169.8 / -1.05	211 Squire Cres Unit 6 Oakville ON	SPL
Ref No:		4764-AENSET		Discharger Report:	
Site No:		NA		Material Group:	
Incident Dt:		10/11/2016		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	
Incident Event:		Leak/Break		Other	
Contaminant Code:		35		Agency Involved:	
Contaminant Name:		NATURAL GAS (METHANE)		Nearest Watercourse:	
Contaminant Limit 1:				Site Address:	
Contam Limit Freq 1:				211 Squire Cres Unit 6	
Contaminant UN No 1:				Site District Office:	
Environment Impact:				Site Postal Code:	
Nature of Impact:				Site Region:	
Receiving Medium:				Site Municipality:	
Receiving Env:		Air		Oakville	
MOE Response:				Site Lot:	
Dt MOE Arvl on Scn:				Site Conc:	
MOE Reported Dt:		10/12/2016		Northing:	
Dt Document Closed:				Easting:	
Incident Reason:		Operator/Human Error		Site Geo Ref Accu:	
Site Name:		Residence <UNOFFICIAL>		Site Map Datum:	
				SAC Action Class:	
				TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill	
				Source Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site County/District: Site Geo Ref Meth: Incident Summary: TSSA FSB: 1/2 in pl service dmg; made safe Contaminant Qty: 0 other - see incident description					
55	1 of 2	WSW/276.9	169.8 / -1.00	284 SQUIRE CRESCENT, OAKVILLE ON	PINC
Incident ID: Incident No: 1961668 Type: FS-Pipeline Incident Status Code: Pipeline Damage Reason Est Fuel Occurrence Tp: Fuel Type: Tank Status: RC Established Task No: 6407475 Spills Action Centre: Method Details: E-mail Fuel Category: Natural Gas Date of Occurrence: Occurrence Start Date: 2016/10/25 Operation Type: Pipeline Type: Regulator Type: Summary: 284 SQUIRE CRESCENT, OAKVILLE - PIPELINE HIT - 1/2" Reported By: Faye Wang - UNION GAS Affiliation: Occurrence Desc: Damage Reason: Excavation practices not sufficient Notes:					
Health Impact: Environment Impact: Property Damage: No Service Interupt: Enforce Policy: Yes Public Relation: Pipeline System: Depth: Pipe Material: PSIG: Attribute Category: FS-Perform P-line Inc Invest Regulator Location:					
55	2 of 2	WSW/276.9	169.8 / -1.00	Union Gas Limited 284 Squire Crescent Oakville ON	SPL
Ref No: 8381-AEVLly Site No: NA Incident Dt: 10/11/2016 Year: Incident Cause: Incident Event: Leak/Break Contaminant Code: 35 Contaminant Name: NATURAL GAS (METHANE) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Air MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 10/19/2016 Dt Document Closed:					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Miscellaneous Industrial Agency Involved: Nearest Watercourse: Site Address: 284 Squire Crescent Site District Office: Site Postal Code: Site Region: Site Municipality: Oakville Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill Source Type:					
Incident Reason: Operator/Human Error Site Name: Residence<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: TSSA: 1/2" plastic service line damage, made safe Contaminant Qty: 0 other - see incident description					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
56	1 of 1	SW/282.7	169.8 / -1.00	205 Huguenot Rd, Oakville ON	SPL
Ref No:	7183-ARPSSL			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	9/30/2017			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	
Incident Cause:				Sector Type:	Miscellaneous Industrial
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	13			Nearest Watercourse:	
Contaminant Name:	COMPRESSOR OIL (MINERAL OIL)			Site Address:	205 Huguenot Rd,
Contaminant Limit 1:				Site District Office:	Halton-Peel
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	n/a			Site Region:	Central
Environment Impact:				Site Municipality:	Oakville
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land			Northing:	4815642
MOE Response:	No			Easting:	603223
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	9/30/2017			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	Land Spills
Incident Reason:	Operator/Human Error			Source Type:	Container/Drum/Tote
Site Name:	residential<UNOFFICIAL>				
Site County/District:	Regional Municipality of Halton				
Site Geo Ref Meth:					
Incident Summary:	5 L of compressor oil (food grade) to road.				
Contaminant Qty:	5 L				

57	1 of 1	SE/285.2	170.0 / -0.88	lot 13 con 1 ON	WWIS
Well ID:	2802304			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/4/1963
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1307
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	013
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10148857			Elevation:	168.581832
DP2BR:	8			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	603503.6
Code OB Desc:	Bedrock			North83:	4815627

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: 10/12/1963 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931428236			
Layer:		1			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931428237			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		8			
Formation End Depth:		22			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697427			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930253301					
Layer: 1					
Material: 3					
Open Hole or Material: CONCRETE					
Depth From:					
Depth To: 22					
Casing Diameter: 30					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 992802304					
Pump Set At:					
Static Level: 10					
Final Level After Pumping:					
Recommended Pump Depth: 21					
Pumping Rate: 2					
Flowing Rate:					
Recommended Pump Rate: 2					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: N					
<u>Water Details</u>					
Water ID: 933604367					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 22					
Water Found Depth UOM: ft					

[58](#) 1 of 1 W/296.2 170.6 / -0.27 OAKVILLE ON [WWIS](#)

Well ID:	7054129	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	12/24/2007
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	6809
Casing Material:		Form Version:	4
Audit No:	Z69296	Owner:	
Tag:	A062230	Street Name:	DUNDAS STREET & TRAFALGAL ROAD
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Bore Hole Information

Bore Hole ID:	23054129	Elevation:	169.040191
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	602960
Code OB Desc:		North83:	4815849
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	11/2/2007	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1001496663
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	34
Other Materials:	TILL
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	5
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1001496664
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	5
Formation End Depth:	50
Formation End Depth UOM:	ft

Annular Space/Abandonment

Sealing Record

Plug ID:	1001496666
Layer:	1
Plug From:	0
Plug To:	2
Plug Depth UOM:	ft

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1001496667			
Layer:		2			
Plug From:		2			
Plug To:		30			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001496668			
Layer:		3			
Plug From:		30			
Plug To:		38			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1001496669			
Layer:		4			
Plug From:		38			
Plug To:		50			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1001496661			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001496671			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		40			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1001496672			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM: Screen Diameter UOM: Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1001496662 Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: ft Rate UOM: GPM Water State After Test Code: 0 Water State After Test: Pumping Test Method: 0 Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Hole Diameter</u>					
Hole ID: 1001496665 Diameter: 8.25 Depth From: Depth To: 50 Hole Depth UOM: ft Hole Diameter UOM: inch					
<u>59</u>	1 of 1	SE/299.4	168.4 / -2.42	lot 13 con 1 ON	WWIS
Well ID: 2802305 Construction Date: Primary Water Use: Livestock Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: 1 Date Received: 1/2/1964 Selected Flag: Yes Abandonment Rec: Contractor: 1307 Form Version: 1 Owner: Street Name: County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: 013 Concession: 01 Concession Name: DS S Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10148858 DP2BR: 6 Spatial Status: Code OB: r Elevation: 168.848251 Elevrc: Zone: 17 East83: 603518.6					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:	Bedrock			North83:	4815622
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	12/16/1963			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 931428238
Layer: 1
Color: 6
General Color: BROWN
Mat1: 02
Most Common Material: TOPSOIL
Mat2: 05
Other Materials: CLAY
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 6
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931428239
Layer: 2
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 6
Formation End Depth: 25
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 10697428
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930253302					
Layer: 1					
Material: 3					
Open Hole or Material: CONCRETE					
Depth From:					
Depth To: 25					
Casing Diameter: 30					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
Results of Well Yield Testing					
Pump Test ID: 992802305					
Pump Set At:					
Static Level: 10					
Final Level After Pumping:					
Recommended Pump Depth: 24					
Pumping Rate: 2					
Flowing Rate:					
Recommended Pump Rate: 2					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: N					
Water Details					
Water ID: 933604368					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 25					
Water Found Depth UOM: ft					
60	1 of 4	E/299.5	170.8 / 0.00	OAKVILLE LONGO'S 338 DUNDAS ST E OAKVILLE ON L6H 6Z9	PES
Detail Licence No:				Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type: Limited Vendor				Oper Phone No:	
Licence Type Code: 23				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF Link:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
60	2 of 4	E/299.5	170.8 / 0.00	OAKVILLE LONGO'S 338 DUNDAS ST E OAKVILLE ON L6H 6Z9	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
60	3 of 4	E/299.5	170.8 / 0.00	OAKVILLE LONGO'S 338 DUNDAS ST E OAKVILLE ON L6J4Z2	PES
Detail Licence No: Licence No: 13634 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Limited Vendor Licence Type Code: 23 Licence Class: 01 Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 905 Oper Phone No: 2575633 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:			
60	4 of 4	E/299.5	170.8 / 0.00	LONGO BROTHERS FRUIT MARKET INC. 338 DUNDAS STREET EAST OAKVILLE ON	PES
Detail Licence No: Licence No: 10161 Status: Approval Date: Report Source: Legacy Licenses (Excluding TS) Licence Type: Retail Vendor Class 03 Licence Type Code: 21 Licence Class: 03 Licence Control: Latitude: Longitude:		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: 416 Oper Phone No: 2575633 Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Lot:</i>				<i>Operator County:</i>	
<i>Concession:</i>				<i>Op Municipality:</i>	
<i>Region:</i>				<i>Post Office Box:</i>	
<i>District:</i>				<i>MOE District:</i>	
<i>County:</i>				<i>SWP Area Name:</i>	
<i>Trade Name:</i>					
<i>PDF Link:</i>					

Unplottable Summary

Total: **45** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA		Part of Lot 12, Concession 1	Oakville ON	
CA		Part of Lot 12, Concession 1	Oakville ON	
CA	Trafalgar Road Townhouse Development	Trafalgar Road	Oakville ON	
CA		Trafalgar Road	Oakville ON	
CA		Trafalgar Road	Oakville ON	
CA	PENEX PROPERTY (TRAFALGAR) LTD.	PT.LOTS 11&12/CONC.1,DUNDAS ST	OAKVILLE TOWN ON	
CA		Trafalgar Road, Thomas Street, Dunn Street, Reynolds Street, and Robinson Street	Oakville ON	
CA		Trafalgar Road	Oakville ON	
CA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	
CA	The Regional Municipality of Halton	Dundas St	Oakville ON	
CA	SILVELL DEVELOPMENTS LIMITED	DUNDAS ST., PT.LOTS 13-15,SWM	OAKVILLE TOWN ON	
CA	SILWELL DEVELOPMENTS LTD	LOTS 13-15, CONC.1	OAKVILLE TOWN ON	
CA	SILWELL DEVELOPMENTS LTD	PT. LOTS 13-15, CONC. 1	OAKVILLE TOWN ON	
CA	The Regional Municipality of Halton	Trafalgar Rd	Oakville ON	
CA	PENEX PROPERTY (TRAFALGAR) LTD.	PT.LOTS 11&12/CON.1,DUNDAS ST.	OAKVILLE ON	
CA	R.M. OF HALTON	TRAFALGAR RD.	OAKVILLE TOWN ON	
CA	PENEX PROPERTY (TRAFALGAR) LTD.	PT.LOTS 11&12/CON.1,DUNDAS ST.	OAKVILLE TOWN ON	

CA	SILWELL DEV. LTD.-LOTS 15 & 16, CONC. 1	ST. 'D'/DUNDAS ST.	OAKVILLE TOWN ON	
CA	R.M. OF HALTON	TRAFALGAR RD.	OAKVILLE TOWN ON	
CA	BAYSHIRE INVESTMENTS LIMITED	DUNDAS ST. S.W.M.	OAKVILLE TOWN ON	
CA	Uptown Core Lands	Lot 13, Concession 1	Oakville ON	
CA	Uptown Core Lands	Lot 14, 15, Concession 1	Oakville ON	
CA	Uptown Core Lands	Lot 13, Concession 1	Oakville ON	
CA		Lot 14, 15, Conc. 1 (Uptown Core Lands)	Oakville ON	
EBR	Dundas-Trafalgar Inc.	Part of Lot 12, Concession 1 North of Dundas Oakville Regional Municipality of Halton L6H 7C2 TOWN OF OAKVILLE	ON	
ECA	The Regional Municipality of Halton	Dundas St	Oakville ON	L6M 3L1
ECA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	L6M 3L1
ECA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	L6M 3L1
ECA	Dundas - Trafalgar Inc.	Part of Lot 12, Concession 1 North of Dundas	Oakville ON	M2N 3A1
ECA	Melrose Investments Inc.	South of Dundas Street	Oakville ON	L6J 0A7
ECA	The Regional Municipality of Halton	Dundas St	Oakville ON	L6M 3L1
ECA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	L6M 3L1
ECA	Green Ginger Developments Inc.		Oakville ON	M1W 3Z4
PTTW	Dundas-Trafalgar Inc.	Dewatering for Construction of SWM Facility Part of Lot 12 Concession 1 North of Dundas, Town of Oakville, Regional Municipality of Halton REGIONAL	MUNICIPALITY OF HALTON TOWN OF OAKVILLE ON	
SPL	ESSO PETROLEUM	SERVICE STATION	OAKVILLE TOWN ON	
SPL	PRIVATE OWNER	LOWER BASE LINE/TRAFALGAR RD. MOTOR VEHICLE (OPERATING FLUID)	OAKVILLE TOWN ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	

WDS	S. OF DUNDAS ST	OAKVILLE ON
WDS	S. OF DUNDAS ST	OAKVILLE ON
WDS	S. OF DUNDAS ST	OAKVILLE ON
WDS	S. OF DUNDAS ST	OAKVILLE ON
WDS	S. OF DUNDAS ST	OAKVILLE ON
WDS	S. OF DUNDAS ST	OAKVILLE ON
WWIS		Oakville ON

Unplottable Report

Site: *Part of Lot 12, Concession 1 Oakville ON* **Database:** *CA*

Certificate #: 2366-4W4RFR
Application Year: 01
Issue Date: 5/1/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Penex Property (Trafalgar) Ltd.
Client Address: 370 King Street West, Suite 400
Client City: Toronto
Client Postal Code: M5V 1J9
Project Description: Construction of watermains on Streets 'A' and 'B'
Contaminants:
Emission Control:

Site: *Part of Lot 12, Concession 1 Oakville ON* **Database:** *CA*

Certificate #: 2846-4W4QYF
Application Year: 01
Issue Date: 5/1/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Penex Property (Trafalgar) Ltd.
Client Address: 370 King Street West, Suite 400
Client City: Toronto
Client Postal Code: M5V 1J9
Project Description: Construction of storm and sanitary sewers on Streets 'A' and 'B' and storm sewer only on the easement from approx. 72m north of Street 'A'
Contaminants:
Emission Control:

Site: *Trafalgar Road Townhouse Development
Trafalgar Road Oakville ON* **Database:** *CA*

Certificate #: 1210-5DETKS
Application Year: 02
Issue Date: 8/29/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Manor Hill Properties Inc.
Client Address: 115 Sheppard Avenue West
Client City: Toronto
Client Postal Code: M2N 1M7
Project Description: Approval is sought for the construction of storm and sanitary sewers on Street A.
Contaminants:
Emission Control:

Site: *Trafalgar Road Oakville ON* **Database:** *CA*

Certificate #: 4501-4RXKUF
Application Year: 00
Issue Date: 12/21/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Longboat Development (1986) Corporation
Client Address: 228 Lakewood Drive
Client City: Oakville
Client Postal Code: L6K 1B2
Project Description: This is an application for Municipal and Private Water Works Certificate of Approval to construct a watermain.
Contaminants:
Emission Control:

Site: *Trafalgar Road Oakville ON* **Database:** *CA*

Certificate #: 8127-4RXLP7
Application Year: 00
Issue Date: 12/21/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Longboat Development (1986) Corporation
Client Address: 228 Lakewood Drive
Client City: Oakville
Client Postal Code: L6K 1B2
Project Description: This is an application for Municipal and Private Sewage Works Certificate of Approval to construct a sanitary sewer.
Contaminants:
Emission Control:

Site: *PENEX PROPERTY (TRAFALGAR) LTD.
PT.LOTS 11&12/CONC.1,DUNDAS ST OAKVILLE TOWN ON* **Database:** *CA*

Certificate #: 3-1546-95-006
Application Year: 95
Issue Date: 11/21/95
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Trafalgar Road, Thomas Street, Dunn Street, Reynolds Street, and Robinson Street Oakville ON* **Database:** *CA*

Certificate #: 5158-4MEL6B
Application Year: 00
Issue Date: 7/25/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Halton
Client Address: 1151 Bronte Road
Client City: Oakville
Client Postal Code: L6M 3L1
Project Description: Construction of
Contaminants:

Emission Control:

Site: **Trafalgar Road Oakville ON** **Database:** **CA**

Certificate #: 3206-53FKG3
Application Year: 01
Issue Date: 10/15/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: The Corporation of the Regional Municipality of Halton
Client Address: 1151 Bronte Road
Client City: Oakville
Client Postal Code: L6M 3L1
Project Description: This application is for the construction of watermains on Trafalgar Road.
Contaminants:
Emission Control:

Site: **The Regional Municipality of Halton** **Database:** **CA**
Dundas Street (Regional Road 5) Oakville ON

Certificate #: 7683-8LBNUQ
Application Year: 2011
Issue Date: 9/23/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **The Regional Municipality of Halton** **Database:** **CA**
Dundas St Oakville ON

Certificate #: 6286-6YFLLC
Application Year: 2007
Issue Date: 2/15/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **SILVELL DEVELOPMENTS LIMITED** **Database:** **CA**
DUNDAS ST., PT.LOTS 13-15,SWM OAKVILLE TOWN ON

Certificate #: 3-0347-96-
Application Year: 96
Issue Date: 5/1/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:

Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: SILWELL DEVELOPMENTS LTD
LOTS 13-15, CONC.1 OAKVILLE TOWN ON

Database:
CA

Certificate #: 7-0187-96-
Application Year: 96
Issue Date: 6/19/1996
Approval Type: Municipal water
Status: Revised
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: SILWELL DEVELOPMENTS LTD
PT. LOTS 13-15, CONC. 1 OAKVILLE TOWN ON

Database:
CA

Certificate #: 3-0177-96-
Application Year: 96
Issue Date: 4/1/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: The Regional Municipality of Halton
Trafalgar Rd Oakville ON

Database:
CA

Certificate #: 9290-74AH77
Application Year: 2007
Issue Date: 6/25/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: PENEX PROPERTY (TRAFALGAR) LTD.
PT.LOTS 11&12/CON.1,DUNDAS ST. OAKVILLE ON

Database:
CA

Certificate #: 3-0769-98-
Application Year: 98
Issue Date: 7/7/1998
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON
TRAFALGAR RD. OAKVILLE TOWN ON

Database:
CA

Certificate #: 7-1043-89-
Application Year: 89
Issue Date: 7/7/1989
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: PENEX PROPERTY (TRAFALGAR) LTD.
PT.LOTS 11&12/CON.1,DUNDAS ST. OAKVILLE TOWN ON

Database:
CA

Certificate #: 3-0712-95-
Application Year: 95
Issue Date: 6/30/1995
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: SILWELL DEV. LTD.-LOTS 15 & 16, CONC. 1
ST. 'D'/DUNDAS ST. OAKVILLE TOWN ON

Database:
CA

Certificate #: 3-0110-92-
Application Year: 92
Issue Date: 2/12/1992
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: R.M. OF HALTON
TRAFALGAR RD. OAKVILLE TOWN ON

Database:
CA

Certificate #: 3-1237-89-
Application Year: 89
Issue Date: 7/7/1989
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: BAYSHIRE INVESTMENTS LIMITED
DUNDAS ST. S.W.M. OAKVILLE TOWN ON

Database:
CA

Certificate #: 3-1481-92-
Application Year: 92
Issue Date: 12/1/1992
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Uptown Core Lands
Lot 13, Concession 1 Oakville ON

Database:
CA

Certificate #: 0362-4TSSQJ
Application Year: 01
Issue Date: 2/12/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Silwell Developments Limited
Client Address: 1 Yorkdale Road, Suite 510
Client City: Toronto
Client Postal Code: M6A 3A1
Project Description: Installation of watermains on Georgian Drive, Littlewood Drive
Contaminants:
Emission Control:

Site: Uptown Core Lands
Lot 14, 15, Concession 1 Oakville ON

Database:
CA

Certificate #: 4266-4M6KV7
Application Year: 00
Issue Date: 7/13/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Silwell Developments Limited

Client Address: 1 Yorkdale Road, Suite 510
Client City: Toronto
Client Postal Code: M6A 3A1
Project Description: Construction of storm sewers, sanitary sewers on Roxton Road, Littlewood Drive, and Georgian Drive.
Construction of foundation drain collector sewers on Georgian Drive, Littlewood Drive.
Contaminants:
Emission Control:

Site: **Uptown Core Lands**
Lot 13, Concession 1 Oakville ON

Database:
CA

Certificate #: 8514-4TST3N
Application Year: 01
Issue Date: 2/12/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Silwell Developments Limited
Client Address: 1 Yorkdale Road, Suite 510
Client City: Toronto
Client Postal Code: M6A 3A1
Project Description: Storm and sanitary sewers to be constructed on Roxton Road, Gatwick Drive
Contaminants:
Emission Control:

Site: **Lot 14, 15, Conc. 1 (Uptown Core Lands) Oakville ON**

Database:
CA

Certificate #: 3141-4M6LER
Application Year: 00
Issue Date: 7/13/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Silwell Developments Limited
Client Address: 1 Yorkdale Road, Suite 510
Client City: Toronto
Client Postal Code: M6A 3A1
Project Description: Construction of watermain on Georgian Dr., Littlewood Dr., Gatwick Dr., Roxton Road, Glenashton Road.
Contaminants:
Emission Control:

Site: **Dundas-Trafalgar Inc.**
Part of Lot 12, Concession 1 North of Dundas Oakville Regional Municipality of Halton L6H 7C2 TOWN OF OAKVILLE ON

Database:
EBR

EBR Registry No: 012-6924
Ministry Ref No: 7169-A7GJ5N
Notice Type: Instrument Decision
Notice Stage: 848864439
Notice Date: May 19, 2016
Proposal Date: February 29, 2016
Year: 2016
Instrument Type: (EPA Part II.1-sewage) - Environmental Compliance Approval (project type: sewage)
Off Instrument Name:
Posted By:
Company Name: Dundas-Trafalgar Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 90 Sheppard avenue East , 500, Toronto Ontario, Canada M2N 3A1
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Part of Lot 12, Concession 1 North of Dundas Oakville Regional Municipality of Halton L6H 7C2 TOWN OF OAKVILLE

Site: *The Regional Municipality of Halton
Dundas St Oakville ON L6M 3L1*

Database:
ECA

Approval No: 9133-8PBLUJ
Approval Date: 2012-01-31
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas St
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8212-8GZQZK-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton
Dundas Street (Regional Road 5) Oakville ON L6M 3L1*

Database:
ECA

Approval No: 7683-8LBNUQ
Approval Date: 2011-09-23
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas Street (Regional Road 5)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5398-8LARP7-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton
Dundas Street (Regional Road 5) Oakville ON L6M 3L1*

Database:
ECA

Approval No: 1689-ACRL59
Approval Date: 2016-08-15
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas Street (Regional Road 5)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5930-A6DTKG-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Dundas - Trafalgar Inc.
Part of Lot 12, Concession 1 North of Dundas Oakville ON M2N 3A1*

Database:
ECA

Approval No: 5527-A5FJZQ
Approval Date: 2015-12-30
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Part of Lot 12, Concession 1 North of Dundas

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Full Address:
Full PDF Link:

<https://www.accessenvironment.ene.gov.on.ca/instruments/0125-A57PWY-14.pdf>

Site: **Melrose Investments Inc.**
South of Dundas Street Oakville ON L6J 0A7

Database:
ECA

Approval No: 2513-9BHJA5
Approval Date: 2013-09-30
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: South of Dundas Street
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3399-9B9J9E-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **The Regional Municipality of Halton**
Dundas St Oakville ON L6M 3L1

Database:
ECA

Approval No: 6286-6YFLLC
Approval Date: 2007-02-15
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas St
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1463-6YCPRC-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **The Regional Municipality of Halton**
Dundas Street (Regional Road 5) Oakville ON L6M 3L1

Database:
ECA

Approval No: 5144-9VYPUD
Approval Date: 2015-04-30
Status: Revoked and/or Replaced
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas Street (Regional Road 5)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3332-9MKHUQ-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Green Ginger Developments Inc.**
Oakville ON M1W 3Z4

Database:
ECA

Approval No: 4282-9W7KG6
Approval Date: 2015-05-06
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address:
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/2075-9MRH85-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: Dundas-Trafalgar Inc.
Dewatering for Construction of SWM Facility Part of Lot 12 Concession 1 North of Dundas, Town of Oakville,
Regional Municipality of Halton REGIONAL MUNICIPALITY OF HALTON TOWN OF OAKVILLE ON

Database:
PTTW

EBR Registry No: 012-6537
Ministry Ref No: 3028-A65HL3
Notice Type: Instrument Decision
Notice Stage:
Notice Date: March 09, 2016
Proposal Date: January 25, 2016
Year: 2016
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Dundas-Trafalgar Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 90 Sheppard Avenue East , Suite 500, Toronto Ontario, Canada M2N 3A1
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Dewatering for Construction of SWM Facility Part of Lot 12 Concession 1 North of Dundas, Town of Oakville, Regional Municipality of Halton
REGIONAL MUNICIPALITY OF HALTON TOWN OF OAKVILLE

Site: ESSO PETROLEUM
SERVICE STATION OAKVILLE TOWN ON

Database:
SPL

Ref No: 37818
Site No:
Incident Dt: 6/26/1990
Year:
Incident Cause: CONTAINER OVERFLOW
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Water course or lake
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 6/26/1990
Dt Document Closed:
Incident Reason: NEGLIGENCE (APPARENT)
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: BACKENTRY - ESSO GAS STA.50L DIESEL FUEL TO GROUND10 L TO STORM SEWER.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 14403
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: PRIVATE OWNER
LOWER BASE LINE/TRAFALGAR RD. MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON

Database:
SPL

Ref No: 133636
Site No:
Incident Dt: 10/29/1996

Discharger Report:
Material Group:
Health/Env Conseq:

Year:
Incident Cause: OTHER TRANSPORTATION ACCIDENT
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Water course or lake
Receiving Medium: LAND / WATER
Receiving Env:
MOE Response:
Dt MOE Arvl on Scr:
MOE Reported Dt: 10/29/1996
Dt Document Closed:
Incident Reason: UNKNOWN
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: PRIVATE OWNER-20 L DIESEL TO GROUND & DITCH, MVA, FD WILL CLEANUP.
Contaminant Qty:

Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 14403
Site Lot:
Site Conc:
Northing:
Easting: FD
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: S. OF DUNDAS ST OAKVILLE ON

Database:
 WDS

Approval No: A210406
Mob Unit Cert No:
EBR Registry No:
Status: Approved
Facility Type: Landfill
Record Type:
Link Source:
Project Type:
Application Status:
Issue Date: 08/10/1971
Input Date: 11/18/93
Date Received: 1/6/86
Est Closure Date:
Mobile Capacity: 0
Mobile Units:
Mobile Description:
Prop City: OAKVILLE, ONTARIO
Prop Postal: L6V-5A5
Prop Phone:
Serial Link: 210406
Approval Type:
Proponent: SHELL CANADA LTD. (OAKVILLE)
Prop Address: OAKVILLE REGINERY, BOX 308
Proponent County/District:
Full Address:
Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3
Waste Class Code: 201
Waste Class: 201
Waste Type: non-hazardous solid-industrial, liquid industrial
Waste Type Other: No
Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description: THERE IS NO CONDITIONS IN THE CERTIFICATE
Project Description:
Municipalities Served: POPULATION N/A
Approval Description:
Other Approvals/Permits:
PDF URL:

Total Area (ha): 16.65
Landfill Cap (m³): 0
Transfer Area (ha): 0
Transfer Cap (m³): 0
Transfer Cert No:
Inciner. Area (ha): 0
Inciner. Cap (t): 0
Process Area (m³): 0
Process Cap (m³/d): 0
Process Vol (m³): 0
Process Feed (m³): 0
Site Concession: 4 AND 3, SDS
Site Region/County:
SWP Area Name:
MOE District:
District Office: Halton-Peel
Latitude:
Longitude:
Geometry X:
Geometry Y:

Site:**S. OF DUNDAS ST OAKVILLE ON****Database:**
WDS

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	04/17/1980	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:	THERE ARE 2 CONDITIONS IN THE CERTIFICATE AND THERE IS ALSO THE SCHEDULE "B".		
Project Description:			
Municipalities Served:	POPULATION N/A		
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

Site:**S. OF DUNDAS ST OAKVILLE ON****Database:**
WDS

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	01/02/1986	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	

Serial Link: 210406 **Geometry Y:**
Approval Type:
Proponent: SHELL CANADA LTD. (OAKVILLE)
Prop Address: OAKVILLE REGINERY, BOX 308
Proponent County/District:
Full Address:
Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3
Waste Class Code: 201
Waste Class: 201
Waste Type: non-hazardous solid-industrial, liquid industrial
Waste Type Other: No
Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description: THERE IS 1 CONDITION IN THE CERTIFICATE AND ALSO SCHEDULE "A" IS ATTACHED.
Project Description:
Municipalities Served: POPULATION N/A
Approval Description:
Other Approvals/Permits:
PDF URL:

Site: S. OF DUNDAS ST OAKVILLE ON **Database:** WDS

<p> Approval No: A210406 Mob Unit Cert No: EBR Registry No: Status: Approved Facility Type: Landfill Record Type: Link Source: Project Type: Application Status: Issue Date: 06/16/1974 Input Date: 11/18/93 Date Received: 1/6/86 Est Closure Date: Mobile Capacity: 0 Mobile Units: Mobile Description: Prop City: OAKVILLE, ONTARIO Prop Postal: L6V-5A5 Prop Phone: Serial Link: 210406 Approval Type: Proponent: SHELL CANADA LTD. (OAKVILLE) Prop Address: OAKVILLE REGINERY, BOX 308 Proponent County/District: Full Address: Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3 Waste Class Code: 201 Waste Class: 201 Waste Type: non-hazardous solid-industrial, liquid industrial Waste Type Other: No Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970 Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: THERE IS NO CONDITIONS IN THE CERTIFICATE Project Description: Municipalities Served: POPULATION N/A Approval Description: Other Approvals/Permits: PDF URL: </p>	<p> Total Area (ha): 16.65 Landfill Cap (m³): 0 Transfer Area (ha): 0 Transfer Cap (m³): 0 Transfer Cert No: Inciner. Area (ha): 0 Inciner. Cap (t): 0 Process Area (m³): 0 Process Cap (m³/d): 0 Process Vol (m³): 0 Process Feed (m³): 0 Site Concession: 4 AND 3, SDS Site Region/County: SWP Area Name: MOE District: District Office: Halton-Peel Latitude: Longitude: Geometry X: Geometry Y: </p>
---	---

Site:**S. OF DUNDAS ST OAKVILLE ON****Database:**
WDS

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	07/24/1973	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:	THERE IS NO CONDITIONS IN THE CERTIFICATE		
Project Description:			
Municipalities Served:	POPULATION N/A		
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

Site:**S. OF DUNDAS ST OAKVILLE ON****Database:**
WDS

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	10/10/1975	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	

Approval Type:
Proponent: SHELL CANADA LTD. (OAKVILLE)
Prop Address: OAKVILLE REGINERY, BOX 308
Proponent County/District:
Full Address:
Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3
Waste Class Code: 201
Waste Class: 201
Waste Type: non-hazardous solid-industrial, liquid industrial
Waste Type Other: No
Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description: THERE IS NO CONDITIONS IN THE CERTIFICATE
Project Description:
Municipalities Served: POPULATION N/A
Approval Description:
Other Approvals/Permits:
PDF URL:

Site: **S. OF DUNDAS ST OAKVILLE ON** **Database:** **WDS**

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m²):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	08/31/1976	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	

Approval Type:
Proponent: SHELL CANADA LTD. (OAKVILLE)
Prop Address: OAKVILLE REGINERY, BOX 308
Proponent County/District:
Full Address:
Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3
Waste Class Code: 201
Waste Class: 201
Waste Type: non-hazardous solid-industrial, liquid industrial
Waste Type Other: No
Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description: THERE IS NO CONDITIONS IN THE CERTIFICATE
Project Description:
Municipalities Served: POPULATION N/A
Approval Description:
Other Approvals/Permits:
PDF URL:

Site: **Database:**

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	07/06/1972	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:	THERE IS NO CONDITIONS IN THE CERTIFICATE		
Project Description:			
Municipalities Served:	POPULATION N/A		
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

Site:
Oakville ON

Database:
WWIS

Well ID:	7258948	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	3/8/2016
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	7295
Casing Material:		Form Version:	7
Audit No:	Z221832	Owner:	
Tag:	A156103	Street Name:	DUNDAS ST E
Construction Method:		County:	
Elevation (m):		Municipality:	
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID: 1005902368
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 1/18/2016
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 0
East83: 794254
North83: 4329333
Org CS: UTM83
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1006020446
Layer: 1
Plug From:
Plug To:
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1006020447
Layer: 1
Plug From: 0
Plug To: 30
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1006020438
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006020442
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To:
Casing Diameter: 1.8
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006020443
Layer: 1
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Hole Diameter

Hole ID: 1006020440
Diameter: 6
Depth From: 0
Depth To: 7
Hole Depth UOM: ft
Hole Diameter UOM: inch

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Environment and Climate Change Canada cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Jun 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Dec 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Jun 30, 2020

Drill Hole Database:

Provincial **DRL**

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial **EASR**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Jun 30, 2020

Environmental Registry:

Provincial **EBR**

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Jun 30, 2020

Environmental Compliance Approval:

Provincial **ECA**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Jun 30, 2020

Environmental Effects Monitoring:

Federal **EEM**

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private **EHS**

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Apr 30, 2020

Environmental Issues Inventory System:

Federal **EIIS**

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Apr 2020

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial **FSTH**

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Apr 30, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Mar 31, 2020

National Energy Board Wells:

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2020

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Jun 30, 2020

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Jun 30, 2020

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Jun 30, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2020

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Nov 2019

Wastewater Discharger Registration Database:

Provincial **SRDS**

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial **VAR**

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

The coronavirus pandemic is cited by the agency responsible for tank regulations and data as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial **WDS**

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Jun 30, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial **WDSH**

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial **WWIS**

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX F: CITY DIRECTORY SUMMARY

City Directory Information Source
Polk's Halton/Peel, Ontario Criss-Cross Directory

2000	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Trafalgar Road (2900-3100)	-All Residential 3070-Pet Hospital -Custom Heating & AC
Dundas Street East (270-355)	-All Residential 305-Esso 338-Nutrition Ctr. -Longos Fruit Market -Wine Rack
Postville Street (All)	-Street Not Listed

1994	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Baptist Church
Adjacent Properties:	
Trafalgar Road (2900-3100)	-All Residential 3070-Custom Heating & AC -Animal Hospital
Dundas Street East (270-355)	-All Residential 305-Exaco 338-Longos Fruit Market
Postville Street (All)	-Street Not Listed

1989	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Res (1 Tenant)
Adjacent Properties:	
Trafalgar Road (2900-3100)	-All Residential 3070-Custom Heating & AC -Pet Hospital -Kennels
Dundas Street East (270-355)	-All Residential 305-Exaco

1989	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
	338-Longos Fruit Market
Postville Street (All)	-Street Not Listed

1984	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Res (1 Tenant)
Adjacent Properties:	
Trafalgar Road (2900-3100)	-All Residential 3070-Custom Heating & AC -Pet Hospital -Kennels
Dundas Street East (270-355)	-All Residential 305-Texaco 338-Longos Fruit Market 341-Esso
Postville Street (All)	-Street Not Listed

1978	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Res (1 Tenant)
Adjacent Properties:	

1978	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Trafalgar Road (2900-3100)	-All Residential 3070-Custom Heating & AC -Animal Hospital
Dundas Street East (270-355)	-All Residential 305-Texaco 338-Longos Fruit Market 341-Esso
Postville Street (All)	-Street Not Listed

1974	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Res (1 Tenant)
Adjacent Properties:	
Trafalgar Road (2900-3100)	-All Residential 3024- Ambulance Serv
Dundas Street East (270-355)	-All Residential 305-Texaco
Postville Street (All)	-Street Not Listed

1967	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Trafalgar Road (2900-3100)	-Street Not Listed
Dundas Street East (270-355)	-Street Not Listed
Postville Street (All)	-Street Not Listed

1962	
Project Number: BIGC-ENV-397C	
Site Address: 3064 Trafalgar Road, Oakville, Ontario	
Site Listing:	-Address Not Listed
Adjacent Properties:	
Trafalgar Road (2900-3100)	-Street Not Listed
Dundas Street East (270-355)	-Street Not Listed
Postville Street (All)	-Street Not Listed

APPENDIX G: OTHER GOVERNMENT RECORDS

Freedom of Information and
Protection of Privacy Office
40 St. Clair Avenue West, 12th Floor
Toronto ON M4V 1M2
Telephone 416 314-4075

Instructions

Use this form to request records that are in the Ministry's files on environmental concerns related to properties. Our fax number is 416 314-4285.

For Ministry Use Only

FOI Request Number	Date Request Received (yyyy/mm/dd)
Fee Paid	<input type="checkbox"/> Cheque <input type="checkbox"/> VISA/MC <input type="checkbox"/> Cash/Money Order
<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SCB <input type="checkbox"/> SDW	

1. Requester Data

Last Name Liu	First Name Eileen	Middle Initial
Title P.Geo.	Company Name B.I.G. Consulting Inc.	

Mailing Address

Unit Number 804	Street Number 505	Street Name Consumers Road	PO Box
City/Town Toronto	Province ON	Postal Code M2J 4V8	
Email Address eliu@brownfieldigi.com	Telephone Number 416 214-4880	Fax Number ext. 7	

Project/Reference Number BIGC-ENV-397C	Signature of Requester <i>Peilin Liu</i>
---	---

2. Request Parameters

Municipal Address (Municipal address mandatory for cities, towns or regions)

Unit Number	Street Number 3064	Street Name Trafalgar Road	PO Box
Lot Number	Concession	Geographic Township	
City/Town/Village Oakville	Province ON	Postal Code L6H 7B9	

Present Property

1. Owner	Date of Ownership (yyyy/mm/dd)
Tenant (if applicable)	

Previous Property

1. Owner	Date of Ownership (yyyy/mm/dd)
Tenant (if applicable)	

3. Search Parameters

Search Parameters	Specify Year(s) Requested
Environmental concerns (General correspondence, occurrence reports, abatement)	2003-present
Orders	2003-present
Spills	2003-present
Investigations/prosecutions ► Owner and tenant information must be provided	2003-present
Waste Generator number/classes	2003-present

Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.

4. Environmental Compliance Approvals/Certificates of Approval

Environmental Compliance Approvals/Certificates of Approval	SD	Specify Year(s) Requested
air - emissions	<input type="checkbox"/>	All years
renewable energy	<input type="checkbox"/>	All years
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)	<input type="checkbox"/>	All years
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations	<input type="checkbox"/>	All years
waste water - industrial discharge	<input type="checkbox"/>	All years
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites	<input type="checkbox"/>	All years
waste systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction	<input type="checkbox"/>	All years

Proponent information must be provided and Environmental Compliance Approval/Certificate of Approval number(s) (if known). 1985 and prior records are searched manually. Search fees in excess of \$300.00 may be incurred, depending on the types and years to be searched. Specify Approval number(s) (if known). If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc.

Laine Dougherty

Subject: RE: Request for Environmental Information

From: Public Information Services <publicinformationsservices@tssa.org>

Sent: August 20, 2020 9:19 AM

To: Fernando Contento <fcontento@brownfielddigi.com>

Subject: RE: Request for Environmental Information

NO RECORD FOUND (FUEL STORAGE TANKS ONLY)

Hello. Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Gaya

From: Fernando Contento <fcontento@brownfielddigi.com>

Sent: August 19, 2020 4:36 PM

To: Public Information Services <publicinformationsservices@tssa.org>

Subject: Request for Environmental Information

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon Madam/Sir,

I would like to submit a request for Environmental Information for the following properties in Oakville, Ontario:

1. 3064 Trafalgar Road, Oakville, ON (The Site)
2. 3070 Trafalgar Road
3. 3048 Trafalgar Road
4. 3040 Trafalgar Road
5. 3030 Trafalgar Road
6. 3075 Trafalgar Road
7. 3076 Trafalgar Road

As part of our historical review for a Phase I ESA, I am requesting that the Technical Standards and Safety Authority (TSSA), Safety Fuel Division, review its database to identify to us any records of aboveground/underground storage

tanks, spills, incidents, complaints, notices, tanks removals and/or remediation, etc. with the TSSA for the above-mentioned site.

Your earliest attention to this matter is much appreciated. For your convenience, you may email me or call me with any information you may have for the properties.

Regards,

Fernando Contento, P.Geo

Project Manager

B.I.G. Consulting Inc.
505 Consumers Road, Suite 804
Toronto, Ontario, Canada
L4W 2Z4
Direct: 647-966-6894
Office: 416-214-4880, ext:206
Fax: 905-856-7327
Email: fcontento@brownfieldigi.com



This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

LAND
 REGISTRY
 OFFICE #20

24929-0103 (LT)

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION: PT LT 13, CON 1 TRAFALGAR, NORTH OF DUNDAS STREET , AS IN 787579 ; OAKVILLE/TRAFALGAR

PROPERTY REMARKS:

ESTATE/QUALIFIER:
 FEE SIMPLE
 LT CONVERSION QUALIFIED

RECENTLY:
 FIRST CONVERSION FROM BOOK

PIN CREATION DATE:
 1996/03/25

OWNERS' NAMES
 3064 TRAFALGAR ROAD INC.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1996/03/25 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1996/03/25**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1996/03/22 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *</p> <p>** AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF</p> <p>** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY</p> <p>** CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1996/03/25 **</p>						
787579	1992/06/29	TRANSFER		*** COMPLETELY DELETED ***	BAPTIST CONVENTION OF ONTARIO AND QUEBEC	
HR539975	2007/01/15	TRANSFER		*** COMPLETELY DELETED *** BAPTIST CONVENTION OF ONTARIO AND QUEBEC	1716835 ONTARIO LIMITED	
REMARKS: PLANNING ACT STATEMENTS						
HR539976	2007/01/15	CHARGE		*** COMPLETELY DELETED *** 1716835 ONTARIO LIMITED	BAPTIST CONVENTION OF ONTARIO AND QUEBEC	
HR806958	2009/12/14	CHARGE		*** COMPLETELY DELETED *** 1716835 ONTARIO LIMITED	THE TORONTO-DOMINION BANK	
HR807231	2009/12/15	DISCH OF CHARGE		*** COMPLETELY DELETED *** BAPTIST CONVENTION OF ONTARIO AND QUEBEC		
REMARKS: HR539976.						

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
 NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
 REGISTRY
 OFFICE #20

24929-0103 (LT)

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
HR1527802	2018/02/28	TRANSFER	\$2	1716835 ONTARIO LIMITED	3064 TRAFALGAR ROAD INC.	C
		<i>REMARKS: PLANNING ACT STATEMENTS.</i>				
HR1527812	2018/02/28	CHARGE		*** COMPLETELY DELETED *** 3064 TRAFALGAR ROAD INC.	EMPIRICAL CAPITAL CORP.	
HR1527813	2018/02/28	NO ASSGN RENT GEN		*** COMPLETELY DELETED *** 3064 TRAFALGAR ROAD INC.	EMPIRICAL CAPITAL CORP.	
		<i>REMARKS: HR1527812</i>				
HR1532965	2018/03/27	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
		<i>REMARKS: HR806958.</i>				
20R21099	2018/05/04	PLAN REFERENCE				C
HR1622984	2019/05/23	CHARGE	\$12,950,000	3064 TRAFALGAR ROAD INC.	FIERA FP REAL ESTATE FINANCING FUND, L.P.	C
HR1622985	2019/05/23	NO ASSGN RENT GEN		3064 TRAFALGAR ROAD INC.	FIERA FP REAL ESTATE FINANCING FUND, L.P.	C
		<i>REMARKS: HR1622984</i>				
HR1623138	2019/05/23	DISCH OF CHARGE		*** COMPLETELY DELETED *** EMPIRICAL CAPITAL CORP.		
		<i>REMARKS: HR1527812.</i>				
HR1711906	2020/07/08	NOTICE	\$2	3064 TRAFALGAR ROAD INC.	FIERA FP REAL ESTATE FINANCING FUND, L.P.	C
		<i>REMARKS: HR1622984</i>				

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
 NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

APPENDIX H: AERIAL PHOTOGRAPHS/ FIRE INSURANCE PLANS



B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada


 bigconsultinginc.com

LEGEND
 SITE BOUNDARY

TITLE AND LOCATION
 1934 AERIAL PHOTO
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO

IMAGERY OBTAINED FROM LGI COPY SERVICE CANADA, DATED 1934


PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. H-1



B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada



bigconsultinginc.com

LEGEND
 SITE BOUNDARY

TITLE AND LOCATION
 1965 AERIAL PHOTO
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO

IMAGERY OBTAINED FROM LGI COPY SERVICE CANADA, DATED 1965

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. H-2

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. H-2




B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada



bigconsultinginc.com

LEGEND


 SITE BOUNDARY

TITLE AND LOCATION

1985 AERIAL PHOTO
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO

IMAGERY OBTAINED FROM LGI COPY SERVICE CANADA, DATED 1985

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. H-3



B.I.G. CONSULTING INC.

t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada



bigconsultinginc.com

LEGEND

 SITE BOUNDARY

TITLE AND LOCATION

**1999 AERIAL PHOTO
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO**

PROJECT NO.

BIGC-ENV-397C

SCALE

AS NOTED

DATE

AUGUST 2020

DWN.

C.E.


CK.

F.C.

FIG NO.

H-4

IMAGERY OBTAINED FROM TOWN OF OAKVILLE, DATED 1999



B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada




bigconsultinginc.com

LEGEND
 SITE BOUNDARY

TITLE AND LOCATION
**2006 AERIAL PHOTO
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO**

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. H-5

IMAGERY OBTAINED FROM TOWN OF OAKVILLE, DATED 2006



B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada

bigconsultinginc.com




LEGEND
 SITE BOUNDARY

TITLE AND LOCATION
**2012 AERIAL PHOTO
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO**

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. H-6

IMAGERY OBTAINED FROM TOWN OF OAKVILLE, DATED 2012



B.I.G. CONSULTING INC.
 t: (416) 214 - 4880 f: (416) 551 - 2633
 12-5500 Tomken Rd.
 Mississauga, ON L4W 2Z4
 Canada



bigconsultinginc.com

LEGEND
 SITE BOUNDARY

IMAGERY OBTAINED FROM TOWN OF OAKVILLE, DATED 2015

TITLE AND LOCATION
**2015 AERIAL PHOTO
 PHASE ONE ESA
 3064 TRAFALGAR ROAD,
 OAKVILLE, ONTARIO**

PROJECT NO. BIGC-ENV-397C	DWN. C.E.
SCALE AS NOTED	CK. F.C.
DATE AUGUST 2020	FIG NO. H-7



enviroscan



An SCM Company

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

T: 905-882-6300
W: www.optaintel.ca


Report Completed By:
Stephanie

Site Address:
3064 Trafalgar Road Oakville ON Canada

Project No:
BIGCENV397C
Opta Order ID:
76212

Requested by:
Eileen Liu
B.I.G. Consulting Inc.

Date Completed:
8/5/2020 8:43:45 AM



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Opta Historical Environmental Services EnviroscanTM Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

Page: 4
Project Name: 3064 Trafalgar Road

Project #: BIGCENV397C

ENVIROSCAN Report

Report Index

Requested by:
Eileen Liu

Date Completed: 08/05/2020 08:43:45




OPTA INFORMATION INTELLIGENCE

Page	Report Title
6	(1967) Volume: Oakville Firemap: 45

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.





This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

45

This plan is the property of the CANADIAN UNDERWRITERS' ASSOCIATION, (unauthorized reproduction prohibited) and is loaned on the following conditions: that the plan is to be kept in good order, that it is to be used only in connection with business of Companies, Members of the Canadian Underwriters' Association and is to be returned on request to the CANADIAN UNDERWRITERS' ASSOCIATION.

COPYRIGHT REGISTERED AT OTTAWA BY THE CANADIAN UNDERWRITERS' ASSOCIATION


480

Auto Service

DIESEL

OAKVILLE, ONT -
MARCH 1967

45



APPENDIX I: SITE PHOTOGRAPHS



Photo 1: Frontage of 3064 Trafalgar Road, facing west.



Photo 2: Eastern View of Surrounding Properties



Photo 3: Northern View of Surrounding Properties



Photo 4: Southern View of Surrounding Properties



Photo 5: Western View of Surrounding Properties



Photo 6: Interior of the Site Building



Photo 7: Interior of the Site Building



Photo 8: Sump Pump in the interior of the Site Building



Photo 9: Interior Water Damage of Site Building



Photo 10: Southwestern View of Surrounding Properties