


PREVAILING WINDS ----PRUNE AT PLANTING (ONLY AS NECESSARY) TO CAREFULLY REMOVE DEAD, BROKEN, DAMAGED AND INTERFERING BRANCHES, DOUBLE LEADERS AND NARROW ANGLE BRANCH UNIONS. THIN HEAD WHEN AND WHERE APPLICABLE. PRESERVE THE NATURAL FORM AND CHARACTER OF THE TREE. — TIES SHALL BE GREEN ARBORTIE. TIES SHALL FORM A LOOSE LOOP AROUND THE STAKE AND LOOP IN A FIGURE '8' AROUND THE TRUNK OF THE TREE. SECURE ARBORTIE TO THE STAKE USING "1" GALVANIZED ROOFING NAIL. — 3 – 38X38X2000mm WOOD STAKES. TYPICAL. STAKES TO BE INSTALLED WITH 1000mm ABOVE GRADE AND CLEAR OF ALL BRANCHES. TWO STAKES PER TREE TO BE ALIGNED WITH PREVAILING WIND. DO NOT DRIVE STAKES THROUGH ROOTBALL -100mm DIA. - 450mm CORRUGATED DRAIN PIPE (FOR PARK, SCHOOL, COMMERCIAL AND OPEN SPACE FRONTAGE) — PLACE TOP OF ROOTBALL MIN. 50mm ABOVE LEVEL OF FINISHED GRADE. WATER AND FERTILIZE AS NECESSARY TO ALLOW FOR SETTLEMENT - 50mm DEPTH MIN. MULCH AS SPEC -FINISH GRADE - TRIM GRASS AWAY FROM TREE TRUNK MIN. 600mm - SOIL DEPTH REQUIREMENTS 750mm (30") FOR DESIGNATED SHRUB OR TREE
PLANTING BEDS AND THROUGHOUT ENTIRE SWM PONDS AND CHANNELS UNLESS NOTED OTHERWISE CUT AND LAY BACK BURLAP AND REMOVE 1/3 WIRE BASKET BEFORE BACKFILLING. REST ROOTBALL ON UNDISTURBED SOIL OR COMPACTED SUBGRADE -30 CUBIC METRES OF SOIL AMENDED TO TOWN'S SPECIFICATIONS MAKE PLANTING PIT TWICE THE DIAMETER OF THE ROOTBALL, BACKFILL WITH GROWING MEDIUM AS SPEC, SCARIFY SIDES AND BOTTOM OF PIT - COMPACTED TOPSOIL - COMPACTED SUBGRADE - SCARIFY 100mm NOTES
TOPSOIL IN PLANTING AREAS SHOULD BE COMPACTED TO 80-85% SPD (MAX. 150mm LIFTS)



MULTI-STEM TREE AND SHRUB PLANTING

N.T.S.

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for


construction until signed by the Landscape Architect.

1 Issue for 2nd submission Sept 26 /24 Date No. Description

Revision City Approval Stamp

N.T.S.





NAK design strategies

421 RONCESVALLES AVENUE, TORONTO, ON M6R 2N1 CANADA T 416.340.8700 F 416.340.7100 NAKDESIGNSTRATEGIES.COM

BLOCK 154 - EAST HALF TOWN OF OAKVILLE

PLANTING DETAILS

Date September 2024 Scale AS SHOWN Drawn JG Checked SN Job No. 23-045

2 CONIFEROUS TREE PLANTING

N.T.S.