

5011 NORTH ELEVATION
AS.01

0 2 5 10m
1:200 WHEN PLOTTED ON A1 SHEET SIZE



5012 EAST ELEVATION
AS.01

0 2 5 10m
1:200 WHEN PLOTTED ON A1 SHEET SIZE

TAG	MATERIAL DESCRIPTION
04-01	BRICK VENEER TYPE 1
04-02	BRICK VENEER TYPE 2
04-04a	ARCH. BLOCK TYPE 1 - SMOOTH (400x600)
04-04c	ARCH. BLOCK TYPE 2 - ROCK-STONE (400x600)
05-01	ALUMINUM + GLASS GUARDRAILS - RAILINGS, POSTS, PLATES
05-02	DECORATIVE METAL FENCING WITH POWDER COAT FINISH
05-07	GLASS CANOPY W/ WHITE INTERLAYER

TAG	MATERIAL DESCRIPTION
07-04	METAL CLADDING EXTERIOR WALL @ TOWN SQUARE
07-22	VINYL WINDOW + DOORS
07-23	ALUMINUM CURTAIN WALL FRAMING
07-25	ALUMINUM WINDOW
07-28	COMPOSITE METAL PANEL
08-02	OVERHEAD INSULATED GARAGE DOOR
09-01	EXTERIOR HM DOORS

TAG	MATERIAL DESCRIPTION
AS-01	POURED CONCRETE SLAB ON GRADE
AS-02	PRECAST FLOOR
AS-03	TERRACE FLOOR
AS-04	TUB AND SHOWER RM FLOOR (DROPPED FLOOR SLAB)

EXTERIOR ELEVATIONS GENERAL NOTES, ABBREVIATIONS & LEGEND

- ELEVATIONS ARE SHOWN PERPENDICULAR TO EACH BUILDING.
- ALL GLAZING IS FIXED UNLESS NOTED OTHERWISE.
- LIMIT OPENING OF OPERABLE SASH TO 100mm PER O.B.C. 3.3.4.8 USING MANUFACTURER'S RECOMMENDED HARDWARE / STOPS.
- VERIFY ACTUAL ROUGH OPENING (RO) SIZES ON SITE, PRIOR TO FABRICATION.

ABBREVIATIONS:
FL 25mm FIRE LITE GLAZING
FS FRAME SIZE
RO ROUGH OPENING


	GLAZING		VERTICAL SLIDER		WINDOW TYPE - SEE EXTERIOR ELEVATIONS & WINDOW SCHEDULE		PREFINISHED EXHAUST WALL BOX COVER
	GLAZING PROTECTED FROM FIRE BY WINDOW SPRINKLER		OPEN CURTAIN WALL SECTION		DOOR / INTERIOR WINDOW NUMBER - SEE DOOR + FRAME SCHEDULE IN SPEC		MATERIAL IDENTITY - REFER TO MATERIALS SCHEDULE FOR MANUFACTURER & COLOUR
	25mm FIRE LITE GLAZING		SPANDREL GLAZING				

NOTE: REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION




102-320 Thames St. London ON Canada N6A 0E1
 P 519 432 6644 F 519 432 6737
 cornerstonearchitecture.ca
 © 2024 Cornerstone Architecture Incorporated. All Rights Reserved.

CORNERSTONE
 ARCHITECTURE
 Issued for All To Participants Design ReSubmission
 2024-07-18 Reissued for Site Plan Application
 2024-07-11 Reissued for Site Plan Application



Schlegel Villages Oakville LTC
 EXTERIOR ELEVATIONS
 Project No.: 835
 Drawn By: JVO
 Plot Date: 2024-07-11
 YYYY-MM-DD

P-09



5021 SOUTH ELEVATION
 A5.02
 0 2 5 10m
 1:200 WHEN PLOTTED ON A1 SHEET SIZE



5022 WEST ELEVATION
 A5.02
 0 2 5 10m
 1:200 WHEN PLOTTED ON A1 SHEET SIZE

TAG	MATERIAL DESCRIPTION
04-01	BRICK VENEER TYPE 1
04-02	BRICK VENEER TYPE 2
04-04a	ARCH. BLOCK TYPE 1 - SMOOTH (400x600)
04-04c	ARCH. BLOCK TYPE 2 - ROCK-STONE (400x600)
05-01	ALUMINUM + GLASS GUARDRAILS - RAILINGS, POSTS, PLATES
05-02	DECORATIVE METAL FENCING WITH POWDER COAT FINISH
05-07	GLASS CANOPY W/ WHITE INTERLAYER


TAG	MATERIAL DESCRIPTION
07-04	METAL CLADDING EXTERIOR WALL @ TOWN SQUARE
07-22	VINYL WINDOW + DOORS
07-23	ALUMINUM CURTAIN WALL FRAMING
07-25	ALUMINUM WINDOW
07-28	COMPOSITE METAL PANEL
08-02	OVERHEAD INSULATED GARAGE DOOR
09-01	EXTERIOR HM DOORS

TAG	MATERIAL DESCRIPTION
AS-01	POURED CONCRETE SLAB ON GRADE
AS-02	PRECAST FLOOR
AS-03	TERRACE FLOOR
AS-04	TUB AND SHOWER RM FLOOR (DROPPED FLOOR SLAB)


EXTERIOR ELEVATIONS GENERAL NOTES, ABBREVIATIONS & LEGEND
 1. ELEVATIONS ARE SHOWN PERPENDICULAR TO EACH BUILDING.
 2. ALL GLAZING IS FIXED UNLESS NOTED OTHERWISE.
 3. LIMIT OPENING OF OPERABLE SASH TO 100mm PER O.B.C. 3.3.4.8
 4. USING MANUFACTURER'S RECOMMENDED HARDWARE / STOPS.
 5. VERIFY ACTUAL ROUGH OPENING (RO) SIZES ON SITE, PRIOR TO FABRICATION.
 ABBREVIATIONS:
 FL 25mm FIRE LITE GLAZING
 FS FRAME SIZE
 RO ROUGH OPENING

GLAZING	VERTICAL SLIDER	WINDOW TYPE - SEE EXTERIOR ELEVATIONS & WINDOW SCHEDULE
GLAZING PROTECTED FROM FIRE BY WINDOW SPRINKLER	OPEN CURTAIN WALL SECTION	DOOR / INTERIOR WINDOW NUMBER - SEE DOOR + FRAME SCHEDULE IN SPEC
25mm FIRE LITE GLAZING	SPANDELR GLAZING	MATERIAL IDENTITY - REFER TO MATERIALS SCHEDULE FOR MANUFACTURER & COLOUR
		PREFINISHED EXHAUST WALL BOX COVER

NOTE: REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION



5031 EAST ELEVATION - WEST LTC
A5.03
1:200 WHEN PLOTTED ON A1 SHEET SIZE



5032 WEST ELEVATION - EAST LTC
A5.03
1:200 WHEN PLOTTED ON A1 SHEET SIZE

TAG	MATERIAL DESCRIPTION	TAG	MATERIAL DESCRIPTION	TAG	MATERIAL DESCRIPTION
04-01	BRICK VENEER TYPE 1	07-04	METAL CLADDING EXTERIOR WALL @ TOWN SQUARE	AS-01	POURED CONCRETE SLAB ON GRADE
04-02	BRICK VENEER TYPE 2	07-22	VINYL WINDOW + DOORS	AS-02	PRECAST FLOOR
04-04a	ARCH. BLOCK TYPE 1 - SMOOTH (400x600)	07-23	ALUMINUM CURTAIN WALL FRAMING	AS-03	TERRACE FLOOR
04-04c	ARCH. BLOCK TYPE 2 - ROCK-STONE (400x600)	07-25	ALUMINUM WINDOW	AS-04	TUB AND SHOWER RM FLOOR (DROPPED FLOOR SLAB)
05-01	ALUMINUM + GLASS GUARDRAILS - RAILINGS, POSTS, PLATES	07-28	COMPOSITE METAL PANEL		
05-02	DECORATIVE METAL FENCING WITH POWDER COAT FINISH	08-02	OVERHEAD INSULATED GARAGE DOOR		
05-07	GLASS CANOPY W/ WHITE INTERLAYER	09-01	EXTERIOR HM DOORS		

EXTERIOR ELEVATIONS GENERAL NOTES, ABBREVIATIONS & LEGEND

- ELEVATIONS ARE SHOWN PERPENDICULAR TO EACH BUILDING.
- ALL GLAZING IS FIXED UNLESS NOTED OTHERWISE.
- LIMIT OPENING OF OPERABLE SASH TO 100mm PER O.B.C. 3.3.4.8 USING MANUFACTURER'S RECOMMENDED HARDWARE / STOPS.
- VERIFY ACTUAL ROUGH OPENING (RO) SIZES ON SITE, PRIOR TO FABRICATION.

ABBREVIATIONS:
FL FIRE LITE
GL GLAZING
FS FRAME SIZE
RO ROUGH OPENING

GLAZING	VERTICAL SLIDER	WINDOW TYPE - SEE EXTERIOR ELEVATIONS & WINDOW SCHEDULE	PREFINISHED EXHAUST WALL BOX COVER
GLAZING PROTECTED FROM FIRE BY WINDOW SPRINKLER	OPEN CURTAIN WALL SECTION	DOOR / INTERIOR WINDOW NUMBER - SEE DOOR + FRAME SCHEDULE IN SPEC	
25mm FIRE LITE GLAZING	SPANDREL GLAZING	MATERIAL IDENTITY - REFER TO MATERIALS SCHEDULE FOR MANUFACTURER & COLOUR	

