


			Lumir	naire list				
Index	Manufacturer	Article name	Item number	Fitting	Luminous flux	Maintenance factor	Connected load	Quantit
BL	Philips	Pureform Gen2 — PBL Bollard	L-200-NW-G2-	3-UNV1x	965 lm	0.80	10.6 W	37
LS	Cooper Lighting	GALLEON AREA AND ROADWAY LUMINAIRE (3) 70 CRI, 4000K, 615mA LIGHTSQUARES WITH 16LELONDS EACH AND TYPE III SPILL LIGHT ELIMINATOR OPTICS WITH HOUSE SIDE SHIELD	SA3A-740-U-S	L3-HS \$ 8x	12153 lm	0.80	96 W	1
W1	Cooper Lighting	LUMIERE LANTERRA 9002 LED WALL LUMINAIRE, RECESSED LENS, FLOOD OPTIC, BLACK HOUSING.	9002-W1- [RW, RI] - LED3090-F- BK-L1-UNV	1x (1) 3000K CCT, 90 CRI LED	834 lm	0.80	10 W	15

			Photometric				
ŧ	Name	Parameter	Min	Max	Average	Mean/Min	Max/Min
1	OVERALL SITE	Horizontal illuminance	0.00 lx	161 lx	9.92 lx	_	_
2	WALKWAY 1	Horizontal illuminance	2.07 lx	131 lx	44.3 lx	21.4	63.3
3	WALKWAY 2	Horizontal illuminance	1.86 lx	112 lx	42.8 lx	23.0	60.2
-	WALKWAY 3	Horizontal illuminance	1.90 lx	120 lx	41.8 lx	22.0	63.2
5	WALKWAY 4	Horizontal illuminance	1.85 lx	86.2 lx	37.8 lx	20.4	46.6
5	WALKWAY 5	Horizontal illuminance	0.013 lx	153 lx	48.6 lx	3738	11769
7	WALKWAY 6	Horizontal illuminance	4.68 lx	122 lx	49.0 lx	10.5	26.1
3	WALKWAY 7	Horizontal illuminance	5.77 lx	80.4 lx	43.5 lx	7.54	13.9
)	WALKWAY 8	Horizontal illuminance	0.34 lx	18.0 lx	2.85 lx	8.38	52.9









01	OPA AND ZBA SUBMISSION	28/06/24
No.	Issued For	Date d/r
Drav	wing Title	

GARDEN RESIDENCES CORP. 105 GARDEN DRIVE OAKVILLE, ONTARIO







Checked by: LL Project No.: 24125

E-1.2